


Кухонные мойки, смесители, мусорные системы и аксессуары для кухни.

blanco.com



# **CONTENT**

UNIT INSPIRATIONS					3-11
SILGRANIT BOWLS					37
DALAGO	57-60	LEXA	61	SUBLINE	48-54
ETAGON	42-47	METRA	62-63	VINTERA XL	41
LEGRA	65	PLEON	55-56	ZIA	64
STAINLESS STEEL BOWLS					66
ANDANO	93-99	LANTOS	107-108	SUPRA	110-114
CLARON	69-79	LEMIS	100-101	TIPO	117
BLANCODANA	115	RONDOSOL	116	TOP	118
DINAS	109	SOLIS	102-106	ZEROX	80-89
ETAGON	90-92				
CERAMIC BOWLS					119
ETAGON	121-122	PANOR	124	VILLAE	125
PALONA	123	SUBLINE	126		
SILGRANIT SINKS					127
AXIA III	131-138	FARON XL	164	METRA	157-163
COLLECTIS					
BLANCODELTA II	150	FAVUM	174	SONA	168-169
	139-140	LEGRA	173	ZENAR	141-149
ELON	165-167	LEXA	151-156	ZIA	170-172
STAINLESS STEEL SINKS					175
AXIS III	177-179	LEMIS	180-185	TIPO	204-210
DINAS	193-196	LIVIT	197-202	TOP	211
LANTOS	186-192	BLANCORONDOSET	203		
DRINK SYSTEMS					212
drink.filter EVOL-S Pro	213				212
MIXER TAPS					214
ALTA	239-242	FONTAS	246-247	MILI	278
AMBIS	259	JANDORA	263	PANERA	227
ANTAS	269-270	KANO	272-273	SOLENTA-S	224-226
AVONA	237-238	LANORA	261-262	SONEA	236
CANDOR	260	LARESSA-F	267	TIVO	264-266
CARENA	249-250	LINEE	232-233	TRADON	248
CATRIS	243-245	LINUS	252-258	TRIMA	271
CORESSA-F	268	LIVIA-S	235	VIU-S	251
BLANCOCULINA	229-231	MIDA	274-275	VONDA	234
DARAS	281-283	MILA	276-277	BLANCOWEGA	279-280
ELOSCOPE	228				
SOAP DISPENSERS					284
LATO	285	TANGO	287	VICUS	288
LIVIA	284	TIGA	287	YANO	288
PIONA	284	TORRE	286	INIO	
WACTE OVOTELLO					
WASTE SYSTEMS	20.5	EMD M	225	OF LEGT II	289
BOTTON II	308	FWD Max	292	SELECT II	295-299
BOTTON Pro	306-307	FWD Medium	293	SINGOLO	310-311
FLEXON II	300-305	Orga Shelf	312-313	SOLON-IF	309
FWD Lite	294				
ACCESSORIES					314
Accessories for mixer taps	331	Accessories for waste systems	323-325	CARE. Cleaning and care products	316
Accessories for sink programmes	317-322, 326-330				
SERVICE					332
BLANCO drain remote controls	336	Information on regulation (EC)		The perfect drain remote control in 2 steps	337
BLANCO installation solutions	332-333	No. 1907/2006 (REACH)	338	FERRET ELEMENTONICE CONTROL IN 2 OLOPO	
BLANCO installation options	334-335				
ooounddon opdono					

# КУХОННЫЕ МОЙКИ **BLANCO**

# Нержавеющая сталь:




# SILGRANIT®



# Керамические мойки:



# Условные обозначения типов монтажа кухонных моек:



# СМЕСИТЕЛИ BLANCO

### Гальваника:

finish Поверхность

нержавеющая сталь

PVD - покрытие



manganese Марганец

PVD steel PVDпокрытие нержавейка

# Нержавейка



stainless steel Нержавейка



satin matt Нержавейка матовая

Special colours



black matt Чёрный матовый

# Silgranit-Look



Чёрный

Белый

Хром

Антрацит





NEW volcano grey

satin gold

alu metallic Алюметаллик









# Специальные символы:



Filter Фильтр



Senso



Pull-out dual spray Переключение струя/душ



Window solution Установка у окна



Volume



Extendable spray Выдвижной излив



Also in low-pressure



Power supply required



Solid spout



Lever left

Рычаг управления - слева

#### **SILGRANIT Bowls** Undermount ETAGON 700-U ETAGON 500-U **SUBLINE 480/320-U SUBLINE 350/350-U** 4 Ę Ľ ٣ SILGRANIT SILGRANIT SILGRANIT SILGRANIT



730 x 460 mm



SILGRANIT 755 x 460 mm



page 42



**SUBLINE 340/160-U** 

530 x 460 mm

SILGRANIT 555 x 460 mm

**SUBLINE 500-U** 



4 page 48

page 43



page 48

Ę

Ą

page 50

page 49

SILGRANIT 830 x 460 mm

855 x 460 mm



755 x 460 mm

SILGRANIT 730 x 460 mm



page 48

**SUBLINE 700-U** 



SILGRANIT 730 x 460 mm



**SILGRANIT** 530 x 460 mm



**SUBLINE 400-U** 

**SILGRANIT** 430 x 460 mm



**SILGRANIT** 350 x 460 mm



**SUBLINE 160-U** 



SILGRANIT 190 x 460 mm



7

page 69

Ą

page 49

**SUBLINE 500-U Black Edition** 



SILGRANIT 530 x 460 mm



4

page 69

Ę

page 49

# Undermount



Stainless steel Durinox 740 x 440 mm

# **CLARON 500-U Durinox**

**Bowls** 



Stainless steel Durinox 540 x 440 mm



Stainless steel Durinox 440 x 440 mm



4 page 69

Ľ

page 71

**CLARON 340-U Durinox** 

Stainless steel



Stainless steel Durinox 380 x 440 mm



**CLARON 400/400-U** 



\_\_\_\_ Stainless steel satin polish 865 x 440 mm page 70

CLARON 340/180-U



Stainless steel satin polish 585 x 440 mm

Ą. page 70

# **CLARON 700-U**



Stainless steel satin polish 740 x 440 mm

**CLARON 550-U** 



Stainless steel satin polish 590 x 440 mm



page 71







**Undermount** 



Installation from above





#### Stainless steel **Bowls** Undermount **CLARON 500-U** CLARON 450-U **CLARON 400-U CLARON 340-U** 4 Ľ Ą ٣ Stainless steel satin Stainless steel satin Stainless steel satin Stainless steel satin polish polish polish polish 540 x 440 mm page 71 490 x 440 mm page 71 440 x 440 mm page 71 380 x 440 mm page 72 **CLARON 180-U ZEROX 700-U Dark Steel ZEROX 500-U Dark Steel ZEROX 700-U Durinox** 4 4 Ę Ę Stainless steel satin Stainless steel Dark Stainless steel Dark Stainless steel polish Steel Steel Durinox page 80 220 x 440 mm page 72 740 x 440 mm 540 x 440 mm page 80 740 x 440 mm page 81 **ZEROX 500-U Durinox** ZEROX 400-U Durinox ZEROX 400/400-U ZEROX 340/180-U Ę Ę Ą Ţ Stainless steel Stainless steel Stainless steel satin Stainless steel satin polish polish Durinox Durinox 540 x 440 mm page 81 440 x 440 mm page 81 865 x 440 mm 585 x 440 mm page 82 page 82 **ZEROX 700-U ZEROX 550-U ZEROX 500-U ZEROX 450-U** 4 Æ. 4 Ţ

Stainless steel satin polish 740 x 440 mm page 82 Stainless steel satin polish 590 x 440 mm



page 82



polish 540 x 440 mm



page 83

4

page 94

polish 490 x 440 mm page 83

**ZEROX 400-U** 

Ą Stainless steel satin polish 440 x 440 mm page 83



Ę Stainless steel satin polish 740 x 440 mm page 90



Ą polish 540 x 440 mm page 90



4 Stainless steel satin polish 865 x 440 mm page 93



Ţ Stainless steel satin polish 745 x 440 mm page 93



Stainless steel satin polish 745 x 440 mm



Stainless steel satin polish 585 x 440 mm



T Stainless steel satin polish 740 x 440 mm page 94






**Undermount** 



T

page 94





#### **ANDANO 500-U**



Stainless steel satin

540 x 440 mm

4 page 95

٣

page 95



**ANDANO 450-U** 

Stainless steel satin polish 490 x 440 mm

**SOLIS 700-U** 

Ę page 95



ANDANO 400-U

Stainless steel satin polish

SOLIS 340/180-U



440 x 440 mm page 95



**ANDANO 340-U** 

Stainless steel satin polish 380 x 440 mm

Ę

Ľ

page 102



**ANDANO 180-U** 



Stainless steel satin polish 220 x 440 mm



Stainless steel brushed finish 740 x 440 mm



Stainless steel brushed finish 585 x 440 mm

**SOLIS 340-U** 



Stainless steel brushed finish 540 x 440 mm

**SOLIS 180-U** 



**SOLIS 450-U** 



Stainless steel brushed finish

Ą page 103

**SOLIS 400-U** 



Stainless steel brushed finish

Ę page 103

**T** 

page 102

Stainless steel brushed finish 380 x 440 mm



Stainless steel brushed finish 220 x 440 mm



page 103

SUPRA 340/340-U

490 x 440 mm



Stainless steel brushed finish 765 x 450 mm

7

page 110

SUPRA 500-U

440 x 440 mm



Stainless steel brushed finish 530 x 430 mm

Æ. page 110

SUPRA 450-U



Stainless steel brushed finish 480 x 430 mm



page 110

SUPRA 400-U



Stainless steel brushed finish 430 x 430 mm



page 110

**SUPRA 340-U** 



Stainless steel brushed finish

Ę

370 x 430 mm

page 111

#### **Bowls** Ceramic Undermount ETAGON 500-U **SUBLINE 350/150-U SUBLINE 500-U SUBLINE 375-U**

Ł

page 126



Ceramic 540 x 456 mm



Ą Ceramic page 121 567 x 456 mm



Ceramic 530 x 456 mm



Ceramic 414 x 456 mm

**~** 

page 126



Ceramic

**SILGRANIT** 

Installation from above and undermount installation

Bowls

Stainless steel

# RONDOSOL-IF



Stainless steel brushed

finish Ø 448 mm page 116



Stainless steel brushed finish

Ø 460 mm

page 116

# Bowls

# apron front



Ceramic 600 x 630 mm


Flat rim IF

**⊿**∏ page 124





Ceramic



794 x 490 mm

Ľ page 125

**VILLAE Farmhouse Single** 



Ceramic 795 x 460 mm

4 page 125

SUBLINE 500-IF SteelFrame

**Bowls** 



SILGRANIT 543 x 510 mm



page 52



**SILGRANIT** 







Flat rim IF



**Undermount** 



Installation from above



Flush undermounted installation



Flushmount installation

#### **Bowls** Stainless steel Flat rim IF **CLARON 700-IF/A Durinox CLARON 500-IF/A Durinox CLARON 400-IF/A Durinox** CLARON 400/400-IF/A 2 '2 '2 '2 ' **a** a Stainless steel Stainless steel satin Stainless steel Stainless steel Durinox Durinox Durinox polish 760 x 510 mm 885 x 510 mm page 73 560 x 510 mm page 73 460 x 510 mm page 73 page 74 CLARON 340/180-IF/A CLARON 700-IF/A CLARON 550-IF/A CLARON 500-IF/A 2 2 2 2 Stainless steel satin Stainless steel satin Stainless steel satin



605 x 510 mm







page 74

a'a

page 76





Stainless steel Durinox 740 x 440 mm

**CLARON 400/400-IF** 



page 76



**CLARON 340/180-IF** 

**CLARON 500-IF Durinox** 

610 x 510 mm

**a a** Durinox 540 x 440 mm page 76



560 x 510 mm

Stainless steel Durinox 440 x 440 mm

**CLARON 700-IF** 



page 75

**CLARON 340-IF Durinox** 



Stainless steel Durinox 380 x 440 mm



Stainless steel satin polish 865 x 440 mm page 77



Stainless steel satin polish 585 x 440 mm



a a page 77

page 75





Stainless steel satin polish 740 x 440 mm

a a

page 78

Flat rim IF

In-between module



**Undermount** 



Installation from above



Flush undermounted installation



Flushmount installation

#### Stainless steel **Bowls** Flat rim IF **CLARON 400-IF CLARON 550-IF CLARON 500-IF CLARON 450-IF a** a **a** a **a** a Stainless steel satin Stainless steel satin Stainless steel satin Stainless steel satin polish polish polish polish 590 x 440 mm page 78 540 x 440 mm page 78 490 x 440 mm page 78 440 x 440 mm page 78 **CLARON 340-IF CLARON 180-IF** ZEROX 700-IF/A Durinox ZEROX 500-IF/A Durinox 22 2 2 2 2 Stainless steel satin Stainless steel satin Stainless steel Stainless steel Durinox polish Durinox page 79 page 84 380 x 440 mm 220 x 440 mm page 79 760 x 510 mm page 84 560 x 510 mm ZEROX 400-IF/A Durinox ZEROX 340/180-IF/A ZEROX 700-IF/A ZEROX 550-IF/A 2 2 2 '21' 2 2 2 2 Stainless steel Stainless steel satin Stainless steel satin Stainless steel satin polish polish Durinox polish 460 x 510 mm page 84 605 x 510 mm page 85 760 x 510 mm page 85 610 x 510 mm page 85 **ZEROX 500-IF Durinox ZEROX 700-IF Dark Steel ZEROX 500-IF Dark Steel ZEROX 700-IF Durinox a a** 2 2 Stainless steel Stainless steel Stainless steel Dark Stainless steel Dark Steel Steel Durinox Durinox 740 x 440 mm page 86 540 x 440 mm page 86 740 x 440 mm page 87 540 x 440 mm page 87 **ZEROX 700-IF** ZEROX 550-IF **ZEROX 400-IF Durinox** ZEROX 340/180-IF 22 22 2 2 Stainless steel Stainless steel satin Stainless steel satin Stainless steel satin Durinox polish polish polish 440 x 440 mm page 87 585 x 440 mm page 88 740 x 440 mm page 88 590 x 440 mm page 88








**Undermount** 







# ZEROX 500-IF



Stainless steel satin polish

540 x 440 mm page 89





Stainless steel satin polish

440 x 440 mm page 89



**a** a



ETAGON 700-IF/A

Stainless steel satin polish 740 x 500 mm

**a** a page 91

ETAGON 500-IF/A



Stainless steel satin polish

ANDANO 340/340-IF/A

540 x 500 mm

# page 91

#### **ETAGON 700-IF**



Stainless steel satin polish

740 x 440 mm



page 92

**ETAGON 500-IF** 



Stainless steel satin polish 540 x 440 mm

# ANDANO 400/400-IF/A



Stainless steel satin polish 865 x 500 mm

ANDANO 500-IF/A



2 2

Stainless steel satin polish



page 96

745 x 500 mm

# 27

#### ANDANO 340/180-IF/A



Stainless steel satin polish

585 x 500 mm

2 2 page 96

page 98

# ANDANO 700-IF/A



Stainless steel satin polish

740 x 500 mm page 97

2 2

2 2

page 92

Stainless steel satin polish

540 x 500 mm page 97

## ANDANO 400-IF/A



Stainless steel satin polish 440 x 500 mm

ANDANO 700-IF



page 97

ANDANO 400/400-IF



Stainless steel satin polish

865 x 440 mm

# ANDANO 340/340-IF



Stainless steel satin polish

745 x 440 mm

# ANDANO 340/180-IF

2 2

2 2

page 99

page 98



Stainless steel satin polish 585 x 440 mm

212 page 98

Stainless steel satin polish



740 x 440 mm page 98

# ANDANO 500-IF



Stainless steel satin polish

540 x 440 mm

# ANDANO 450-IF



Stainless steel satin polish

490 x 440 mm

# ANDANO 400-IF



Stainless steel satin polish 440 x 440 mm

2 2 page 99

# ANDANO 340-IF



Stainless steel satin polish

#### 380 x 440 mm page 99

# ANDANO 180-IF



Stainless steel satin polish 220 x 440 mm



page 99

22

page 99

**LEMIS 6-IF** 



Stainless steel brushed finish

2 615 x 500 mm page 100-101

### **LEMIS 8-IF**



Stainless steel brushed finish 860 x 500 mm

2 2

page 101

# SOLIS 700-IF/A



Stainless steel brushed finish 740 x 500 mm

**a** a

page 104

Flat rim IF



**Undermount** 



Installation from above





Flush undermounted installation



Flushmount installation

#### Stainless steel **Bowls** Flat rim IF **SOLIS 700-IF** SOLIS 340/180-IF/A SOLIS 500-IF/A SOLIS 400-IF/A







347 x 427 mm




page 54

805 x 500 mm



page 57

605 x 500 mm



page 57



505 x 500 mm

page 57

#### DALAGO 45-F



SILGRANIT 455 x 500 mm



**A** 

**A** 

page 65

page 61

page 59

page 56

page 45

#### Bowls **SILGRANIT** Installation from above





SILGRANIT 780 x 510 mm



**ETAGON 6** 

**Bowls** 

SILGRANIT 600 x 510 mm

**PLEON 6 Split** 



**A** page 46

PLEON 6



SILGRANIT 600 x 510 mm



SILGRANIT 860 x 500 mm

**A** 

page 63

page 59

page 56

page 47



PLEON 8



SILGRANIT 700 x 510 mm



SILGRANIT 615 x 510 mm

DALAGO 6



SILGRANIT 615 x 510 mm

DALAGO 5

**A** 

**A** 

page 62

page 59

page 56



SILGRANIT 515 x 510 mm

DALAGO 45



DALAGO 8



SILGRANIT 815 x 510 mm



**SILGRANIT** 615 x 510 mm

**METRA 9** 



**SILGRANIT** 515 x 510 mm



SILGRANIT 465 x 510 mm



LEXA 8



SILGRANIT 780 x 500 mm



SILGRANIT 860 x 500 mm



**SILGRANIT** 615 x 500 mm



SILGRANIT 860 x 500 mm



LEGRA 8




SILGRANIT 780 x 500 mm



SILGRANIT 585 x 500 mm

























#### mm corner cabinet size **SILGRANIT** Sinks

page 140

LEXA 9 E

# BLANCODELTA II-F



SILGRANIT 560 x 1042 mm

T m

page 139

SILGRANIT

575 x 1057 mm

**BLANCODELTA II** 



SILGRANIT 1070 x 510 mm page 151



SILGRANIT 830 x 830 mm



ZIA 9 E



SILGRANIT 930 x 510 mm

page 170 mm corner cabinet size

Sinks

Stainless steel

**LANTOS 9 E-IF** 



Stainless steel brushed finish

930 x 510 mm

₽ 201

page 186

TIPO 9 E



Stainless steel natural

930 x 510 mm

page 204

**A** 

800 mm cabinet size

Sinks



page 158

SILGRANIT 1160 x 500 mm page 152

METRA 8 S



SILGRANIT 1160 x 500 mm

**ELON XL 8 S** 



SILGRANIT 860 x 500 mm

SONA 8 S

A

page 166-167



**SILGRANIT** 

SILGRANIT 1160 x 500 mm

page 169

ZIA8S

LEXA 8 S




LEGRA 8 S












#### mm Sinks Stainless steel cabinet size **LANTOS 8 S-IF Compact** LIVIT 8 S LEMIS 8 S-IF



Stainless steel brushed

1160 x 500 mm page 184



1160 x 500 mm


Stainless steel brushed finish

1210 x 500 mm page 201






page 191















**ZIA XL 6 S Compact** 



SILGRANIT 780 x 500 mm

page 171

**A** page 171

1

ZIA XL 6 S

SILGRANIT 1000 x 500 mm



SILGRANIT 1000 x 500 mm page 171

LEGRA 6 S



**A** SILGRANIT 1000 x 500 mm page 173

**LEGRA XL 6 S** 



SILGRANIT 860 x 500 mm page 173

**LEGRA 6 S Compact** 



SILGRANIT 780 x 500 mm page 173



# 600 mm cabinet size

**AXIS III 6 S-IF** 



Stainless steel satin polish

1000 x 510 mm

page 177

# Sinks



**LEMIS XL 6 S-IF Compact** 

Stainless steel brushed finish

780 x 500 mm

### **LEMIS XL 6 S-IF**

# 2012

page 184



Stainless steel brushed

1000 x 500 mm

# LEMIS 6 S-IF



Stainless steel

Stainless steel brushed

1000 x 500 mm

page 183

# LANTOS II 6 S-IF



Stainless steel brushed finish

1000 x 500 mm

page 187-189

### **LANTOS XL 6 S-IF**



Stainless steel brushed finish

1000 x 500 mm page 191

# **LANTOS XL 6 S-IF Compact**



Stainless steel brushed finish

780 x 500 mm

# DINAS 6 S

page 184

page 191



Stainless steel brushed finish

1000 x 500 mm

page 195

#### LIVIT II 6 S



Stainless steel brushed finish

1000 x 500 mm page 197-199

### LIVIT XL 6 S




Stainless steel brushed finish

1000 x 500 mm page 200









**SILGRANIT** 

#### TIPO II 6 S



Stainless steel natural finish

1000 x 500 mm page 206-208

#### TIPO XL 6 S



Stainless steel natural finish

950 x 500 mm page 209

# mm cabinet size Sinks

### **AXIA III 5 S-F**



SILGRANIT 905 x 500 mm

page 135

**A** 



SILGRANIT 915 x 510 mm



**A** 

1 page 136



**ZENAR 5 S-F** 



SILGRANIT 902.5 x 497.5 mm

**ZENAR 5 S** 

1

A

~

page 201

page 169

page 146

SILGRANIT 915 x 510 mm

ZIA 5 S



LEXA 5 S



SILGRANIT 950 x 500 mm

**AXIS III 5 S-IF** 

page 154





SILGRANIT 860 x 500 mm



A page 161



**SILGRANIT** 860 x 500 mm



SILGRANIT 860 x 500 mm

page 171

Stainless steel

#### mm cabinet size

# Sinks



7 2

page 178

**LANTOS 5 S-IF** 



Stainless steel brushed finish

**a'a**' 940 x 490 mm page 190

#### **LIVIT XL 5 S**



Stainless steel brushed 1000 x 500 mm

TIPO 5 S



Stainless steel natural 950 x 500 mm

page 209

**SILGRANIT** 

# mm

**AXIA III 45 S-F** 

915 x 510 mm

polish

Stainless steel satin

cabinet size

# Sinks



page 137



**SILGRANIT** 780 x 510 mm

AXIA III 45 S

# ZENAR 45 S-F



**SILGRANIT** 847.5 x 497.5 mm

**ZENAR 45 S** 



**SILGRANIT** 860 x 510 mm

page 149

# LEXA 45 S

**SILGRANIT** 

770 x 500 mm



**SILGRANIT** 860 x 500 mm



page 155



**SILGRANIT** 780 x 500 mm



A page 162

A

page 138



**SILGRANIT** 680 x 500 mm



page 148

ELON 45 S



**SILGRANIT** 650 x 500 mm

**A** page 166-167







Flush undermounted installation



Flushmount installation

#### **ZIA 45 S**



SILGRANIT 780 x 500 mm



**ZIA 45 S Compact** 

SILGRANIT 680 x 500 mm



SILGRANIT 860 x 500 mm

page 172



### LEGRA 45 S



SILGRANIT 780 x 500 mm



**A** 



1

page 172

mm cabinet size

# Sinks



# Stainless steel

#### **AXIS III 45 S-IF**



Stainless steel satin polish 860 x 510 mm

# 201 page 179

LEMIS 45 S-IF



Stainless steel brushed finish

\_ F 20' 860 x 500 mm **page 185** 

**LEMIS 45 S-IF Mini** 



Stainless steel brushed finish

page 185

Stainless steel brushed finish 860 x 500 mm

**LANTOS 45 S-IF** 

**a a** 

page 192

**LANTOS 45 S-IF Compact** 



Stainless steel brushed finish

768 x 488 mm page 192

**LANTOS 45 S-IF Salto** 



Stainless steel brushed

860 x 500 mm page 192

605 x 500 mm

DINAS 45 S



Stainless steel brushed 860 x 500 mm

page 196

## DINAS 45 S Mini



Stainless steel brushed finish 605 x 500 mm

**TIPO 45 S Compact** 



#### **LIVIT 45 S Salto**



Stainless steel brushed finish

860 x 500 mm

**TIPO 45 S** 

# 201

page 202



Stainless steel natural finish

860 x 500 mm

1 page 209-210

TIPO 45 S Mini



Stainless steel natural finish

605 x 500 mm

page 210



Stainless steel natural finish 780 x 500 mm

page 210

**SILGRANIT** 

400

LEXA 40 S

SILGRANIT

680 x 500 mm

cabinet size

# Sinks



page 156

SILGRANIT 615 x 500 mm

A page 172










Flushmount installation



Also in low-pressure

Lever left

Solid spout

Pull-out dual spray

Window solution

#### Mixer taps **AVONA ALTA-S Compact Vario ALTA-S-F Compact ALTA-F Compact** k A r F FF F page 238 page 239 page 240 page 240 Metallic surface Metallic surface Metallic surface Metallic surface **ALTA-S Compact ALTA-S Compact ALTA Compact ALTA Compact** F2 9 2 1 F ۴ Metallic surface page 241 SILGRANIT Look dual finish page 241 Metallic surface page 242 SILGRANIT Look dual finish page 242 **CATRIS-S Flexo CATRIS-S Flexo CATRIS-S Flexo CATRIS-S** R A R A E A E A Metallic surface page 243 Special colours page 243 PVD page 243 Metallic surface page 245 TRADON TRADON **CARENA-S Vario CARENA-S Vario** R A R A ۲ ۲ Metallic surface page 248 PVD page 248 Metallic surface page 249 SILGRANIT Look dual finish page 249 VIU-S **LINUS-S Vario CARENA-S CARENA** 5 R 1 ٦ F Metallic surface page 250 Metallic surface page 250 Metallic surface page 251 Metallic surface page 252 LINUS-S-F LINUS-F LINUS-S LINUS-S F2 3 F 5 F F2 9 F2 4 Metallic surface page 253 Metallic surface page 253 Metallic surface page 254 Stainless steel page 254 LINUS-S LINUS-S LINUS-S LINUS-S R 1 5 ٦ H page 255 page 255 PVD page 254 SILGRANIT Look Metallic surface page 256 Special colours









Extendable spray





































#### Mixer taps KANO-S KANO-S **KANO KANO** 5 ۲ اح ٢ SILGRANIT Look dual finish page 272 Special colours page 272 Metallic surface page 273 SILGRANIT Look dual finish page 273 **KANO** MIDA-S MIDA-S MIDA-S ۴ 5 2 2 page 274 page 273 Metallic surface page 274 SILGRANIT Look page 274 Special colours Special colours MIDA MIDA MIDA MILA-S F2 4 ۴ F ۲ page 275 page 275 page 276 Metallic surface SILGRANIT Look page 275 Special colours Metallic surface MILA-S MILA MILA MILI 5 ۴ ۲ ۴ Special colours page 276 Metallic surface page 277 Special colours page 277 Metallic surface page 278 **BLANCOWEGA-S II BLANCOWEGA-S II** MILI MILI R A R 1 ۴ ۲ SILGRANIT Look page 278 page 278 page 279 Special colours Metallic surface SILGRANIT Look dual finish page 279 **BLANCOWEGA II BLANCOWEGA II** DARAS-S-F DARAS-F r F FF ۴ F page 280 page 280 page 281 Metallic surface SILGRANIT Look dual finish Metallic surface page 281 Metallic surface DARAS-S DARAS-S **DARAS DARAS** F2 9 5 F ۴ 5 page 282 page 283 Metallic surface page 282 SILGRANIT Look Metallic surface page 283 SILGRANIT Look





















#### Filter taps **CATRIS-S Flexo Filter FONTAS-S II Filter FONTAS-S II Filter CATRIS-S Flexo Filter** R A T R A T k y R T page 244 PVD page 244 SILGRANIT Look page 246 Special colours Metallic surface page 246 **FONTAS-S II Filter FONTAS-S II Filter FONTAS II Filter FONTAS II Filter** k T k T TF TF Special colours page 246 PVD page 246 Metallic surface page 247 SILGRANIT Look page 247 **FONTAS II Filter FONTAS II Filter TRIMA Filter TRIMA Filter** TFA YF TF TF Special colours page 247 PVD page 247 Metallic surface page 271 SILGRANIT Look page 271

#### Soap dispensers PIONA PIONA LIVIA LIVIA Metallic surface Stainless steel Metallic surface PVD page 284 page 284 page 284 page 284 LAT0 LAT0 LAT0 LAT0 page 285 Metallic surface page 285 SILGRANIT Look dual finish page 285 Special colours page 285 PVD **TORRE TORRE TORRE TANGO** Metallic surface page 286 Stainless steel page 286 PVD page 286 Metallic surface page 287 TIGA VICUS YANO Metallic surface Metallic surface page 288 page 287 page 288 Metallic surface

# Food waste disposer **FWD Max FWD Medium FWD Lite ( \*** page 293 page 292 page 294

900 mm cabinet size

Waste management





4 page 303

800 mm cabinet size

Waste management

FLEXON II Low 80



3 page 303

600 mm cabinet size

Waste management

SELECT II 60 Orga



4 3 2

page 295

SELECT II XL 60 Orga

3 page 295 **SELECT II 60** 

4 3 2 page 296 **SELECT II XL 60** 



3 page 296

**SELECT II Compact 60** 



2 page 297

**SELECT II Soda** 

page 298

FLEXON II 60



4 3 2 page 300



3 page 300

**FLEXON II Low 60** 



4 3 2

page 304

**FLEXON II Low XL 60** 

3 page 304

1


**BOTTON Pro 60 Automatic** 

3 page 306 **BOTTON Pro 60 Manual** 



3 page 307

Number bins



400 mm cabinet size

Waste bin

SINGOLO XL



1 page 310

Number bins



# Discover SILGRANIT®'s beautiful colour palette.

Silgranit's beautiful, smooth surface is available in a range of design-oriented colours that won't fade. Colour is such an important part of our lives, especially within our homes. It is a fundamental aspect of interior design, and we use colour as a form of creative expression. It has the power to uplift, energise, soothe and awaken.


Be inspired and create adorable kitchens with a spectrum of Silgranit shades, available in our bowls, sinks and mixer taps portfolio.





### Make a stylish statement in the kitchen.

Coordinating the colours of the mixer tap and the sink makes each BLANCO UNIT unique. Silgranit-look mixer taps can be combined with Silgranit sinks in colour-coordinated match. Satin gold and black matt mixer taps set particularly harmonious accents, giving the kitchen a special flair with the BLANCO UNIT at its heart.



# **BLANCO VINTERA XL 9-UF**

# **SILGRANIT**





- Striking sink with farmhouse flair, ideal for modern kitchen designs
- Extra-large bowl provides plenty of room
- Perfect fit: right-angled apron front fits the width of a 90 cm cabinet
- One model for flush-mount or undermount installation







	##
red <mark>dot</mark> winner 2021	

900 mm cabinet size	е		Flushmount installation	Undermount
		Scope of supply		
•	black	w/o drain remote control		526110
•	anthracite	w/o drain remote control		526 101
	rock grey	w/o drain remote control		526102
NEW	volcano grey	w/o drain remote control		526800
	alu metallic	w/o drain remote control		526103
*	white	w/o drain remote control		526105
NEW	soft white	w/o drain remote control		526 803
	tartufo	w/o drain remote control		526 107
•	coffee	w/o drain remote control		526108


Scope of supply



**Technical Drawing** 



waste kit with space-saving pipe, 3 1/2" InFino basket strainer



Bowl depth 220 mm

Please note the installation details and cut-out information for: Flushmount:https://youtu.be/CGRIPZsbQ6Y Undermount:https://youtu.be/jB-uTpOrpCc

# Suggested optional accessories



Floating grid

234795

# **BLANCO UNIT with BLANCO VINTERA XL 9-UF**



BLANCOCULINA-S



BLANCO FLEXON II Low 90/4

see page 230

see page 303

# **BLANCO ETAGON 700-U**

# **SILGRANIT**





- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care
- For undermount installation, ideal in combination with high-quality worktops



800 mm cabinet siz	e		Undermount
		Scope of supply	
•	black	w/o drain remote control, with accessories	525 891
	anthracite	w/o drain remote control, with accessories	525 167
	rock grey	w/o drain remote control, with accessories	525 168
NEW	volcano grey	w/o drain remote control, with accessories	527 261
	alu metallic	w/o drain remote control, with accessories	525 169
- 00	white	w/o drain remote control, with accessories	525 171
NEW	soft white	w/o drain remote control, with accessories	527 078
	tartufo	w/o drain remote control, with accessories	525 174
	coffee	w/o drain remote control, with accessories	525 176

Scope of supply




**Technical Drawing** 





2 x ETAGON rails

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 ½" InFino basket strainer, fixing kit



Bowl depth 200 mm Cut-out radius: 20 mm

# Suggested optional accessories 240 424 Ash compound chopping board Silver-coloured safety glass Multifunctional colander cutting board 230700 227697 227689



see page 303

# **BLANCO ETAGON 500-U**

# **SILGRANIT**



- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care
- For undermount installation, ideal in combination with high-quality worktops



600 mm cabinet siz	е		Undermount
		Scope of supply	
	black	w/o drain remote control, with accessories	525 887
	anthracite	w/o drain remote control, with accessories	522 227
•	rock grey	w/o drain remote control, with accessories	522 228
NEW	volcano grey	w/o drain remote control, with accessories	527 258
	alu metallic	w/o drain remote control, with accessories	522 229
	white	w/o drain remote control, with accessories	522 231
NEW	soft white	w/o drain remote control, with accessories	527 075
	tartufo	w/o drain remote control, with accessories	522 234
•	coffee	w/o drain remote control, with accessories	522 236

Scope of supply

InFino drain systen without remote contro




**Technical Drawing** 





2 x ETAGON rails

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 ½" InFino basket strainer, fixing kit



Bowl depth 200 mm Cut-out radius: 20 mm





# **BLANCO ETAGON 500-F**

# **SILGRANIT**





- · Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care
- For flushmount installation, ideal in combination with high-quality worktops

600 mm cabinet si	ze		Flushmount installation
		Scope of supply	
•	black	w/o drain remote control, with accessories	526349
	anthracite	w/o drain remote control, with accessories	526343
	rock grey	w/o drain remote control, with accessories	526344
NEW	volcano grey	w/o drain remote control, with accessories	527 257
	alu metallic	w/o drain remote control, with accessories	526345
300	white	w/o drain remote control, with accessories	526346
NEW	soft white	w/o drain remote control, with accessories	527 074
•	coffee	w/o drain remote control, with accessories	526348

## Scope of supply




# **Technical Drawing**



2 x ETAGON rails

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 ½" InFino basket strainer



Bowl depth 200 mm

For worktop thicknesses of 15 mm and over, a space for the overflow must be cut out on the underside.

Model-related detailed dimensions and drawings can be found with the cut-out information online at www.blanco.com.





# **BLANCO ETAGON 8**

# **SILGRANIT**





- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care
- Installation from above, with elegant, low-profile rim and continuous tap ledge



800 mm cabinet siz	re .	Ins	stallation from above
		Scope of supply	
	black	with drain remote control, with accessories w/o drain remote control, with accessories	525 892 525 893
	anthracite	with drain remote control, with accessories w/o drain remote control, with accessories	525 177 525 187
	rock grey	with drain remote control, with accessories w/o drain remote control, with accessories	525 178 525 188
NEW	volcano grey	with drain remote control, with accessories w/o drain remote control, with accessories	527 263 527 262
	alu metallic	with drain remote control, with accessories w/o drain remote control, with accessories	525 179 525 189
-11	white	with drain remote control, with accessories w/o drain remote control, with accessories	525 181 525 191
NEW	soft white	with drain remote control, with accessories w/o drain remote control, with accessories	527 080 527 079
	tartufo	with drain remote control, with accessories w/o drain remote control, with accessories	525184 525194
	coffee	with drain remote control, with accessories w/o drain remote control, with accessories	525 186 525 196

### Scope of supply

InFino drain system without remote control



InFino drain system with remote control



### **Technical Drawing**




2 x ETAGON rails

 $2 \times ETAGON$  rails in stainless steel, waste kit with space-saving pipe, 3 % 'InFino basket strainer with drain remote control (pop-up, chrome-plated)

or

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3  $\%^{\prime\prime}$  InFino basket strainer



OPre-drilled holes for tapping or drilling Bowl depth 220 mm

# Suggested optional accessories





Ash compound chopping board

230700

230734

# **BLANCO UNIT with BLANCO ETAGON 8**



BLANCO FLEXON II Low 80/3

see page 303

# **BLANCO ETAGON 6**

# **SILGRANIT**



- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care
- Installation from above, with elegant, low-profile rim and continuous tap ledge



mm Installation from above cabinet size

		Scope of supply	
	black	with drain remote control, with accessories w/o drain remote control, with accessories	525 889 525 890
	anthracite	with drain remote control, with accessories w/o drain remote control, with accessories	524 529 524 539
	rock grey	with drain remote control, with accessories w/o drain remote control, with accessories	524 530 524 540
NEV	volcano grey	with drain remote control, with accessories w/o drain remote control, with accessories	527 260 527 259
	alu metallic	with drain remote control, with accessories w/o drain remote control, with accessories	524 531 524 541
	white	with drain remote control, with accessories w/o drain remote control, with accessories	524 533 524 543
NEV	soft white	with drain remote control, with accessories w/o drain remote control, with accessories	527 077 527 076
•	tartufo	with drain remote control, with accessories w/o drain remote control, with accessories	524 536 524 546
•	coffee	with drain remote control, with accessories w/o drain remote control, with accessories	524538 524548

### Scope of supply






### **Technical Drawing**



2 x ETAGON rails

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (pop-up, chrome-plated)

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 1/211 InFino basket strainer



Pre-drilled holes for tapping or drilling Bowl depth 220 mm

**BLANCO UNIT with BLANCO ETAGON 6** 

# Suggested optional accessories 240 382 424 Ash compound chopping board Drainer

230734

BLANCO drink.filter EVOL-S Pro



BLANCO SELECT II XL 60/3

see page 213

see page 296

230700

# **BLANCO ETAGON 6 Black Edition**

# **SILGRANIT**





- Harmoniously coordinated look for modern kitchen designs
- High-quality fittings in timelessly beautiful black matt (pop-up, C-overflow and InFino drain system)
- · Generous staggered bowl with added functionality
- Integrated step provides an extra working level
- Clever system concept with versatile ETAGON rails






mm cabinet size 600 **Installation from above** 

	Scope of supply	
black	with drain remote control, with accessories	526 339

Scope of supply

2 x ETAGON rails








Pop-up drain remote control

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (pop-up)



Pre-drilled holes for tapping or drilling Bowl depth 220 mm

**Technical Drawing** 

# Suggested optional accessories



Ash compound chopping board

230700

# **BLANCO UNIT with BLANCO ETAGON 6 Black Edition**



BLANCO drink.filter EVOL-S Pro



BLANCO SELECT II XL 60/3

see page 213

see page 296

# **BLANCO SUBLINE-U**

# **SILGRANIT**





- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- 2 in 1: two bowls, one cut-out panel and only one mounting procedure
- Entire system for a wide variety of plans featuring two large bowls
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- Optional versatile accessories are available

cabinet size mm	900	800	800	600	600
BLANCO SUBLINE-U	480/320-U	350/350-U	430/270-U	340/160-U	340/160-U
Undermount	• •	• •	• •		
	Main bowl left		Main bowl left	Main bowl right	Main bowl left
black	525 993	525 987	525 991	525 986	525 985
anthracite	523 584	523574	523 151	523558	523 548
rock grey	523585	523 575	523 152	523559	523 549
volcano grey	527351	527 347	527350	527346	527345
alu metallic	523586	523576	523 153	523 560	523 550
white	523588	523 578	523 155	523 562	523552
NEW soft white	527 168	527 164	527 167	527 163	527 162
tartufo	523591	523 581	523 158	523 565	523 556
coffee	523 593	523 583	523 160	523 567	523 557
owl depth	200/200 mm	200/200 mm	200/200 mm	190/130 mm	190/130 mm
Bowl radius R <sub>10</sub>	855 840 320 8 825 15	755 00 00 00 00 00 00 00 00 00	755 6 430 270 8 725 15	555 0 0 0 0 0 0 0 0 0 0 0 0 0	340   160   8 90   150   8
Scope of supply	<u>.</u>				Fino drain system / ut remote control

waste kit with space-saving pipe, waste connection, 2 x 3 ½" InFino basket strainer, fixing kit Installation note:

Cut-out radius: 10 mm





# **BLANCO SUBLINE-U**

## **SILGRANIT**



- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- Entire system for a wide variety of plans featuring large and small bowls
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- Optional versatile accessories are available

cabinet size mm	900	800	800	800	600
BLANCO SUBLINE-U	800-U	700-U Level	700-U Level	700-U	500-U
Undermount	ТОВАР ПОД ЗАКАЗ	•	•	•	•
black	526 005	526 004	526 003	526 001	525 995
anthracite	523 141	523 538	523 452	523 442	523 432
rock grey	523 142	523 539	523453	523 443	523 433
NEW volcano grey	527 357	527 355	527 354	527356	527 353
alu metallic	523143	523 540	523454	523 444	523 434
white	523145	523 542	523 456	523 446	523 436
NEW soft white	527 174	527 172	527 171	527 173	527 170
tartufo	523148	523 545	523 459	523 449	523 439
coffee	523 150	523 547	523461	523 451	523 441
wl depth	220 mm	200/140 mm	200/140 mm	190 mm	190 mm
Bowl radius	830 89	730	730	730	530
R10	Cut-out radius: 10 mm  Note: Please order waste connections for combinations of two individual bowls separately.	Cut-out radius: 10 mm	Cut-out radius: 10 mm	Cut-out radius: 10 mm  Note: Please order drain connections for combinations of two individual bowls separately.	Cut-out radius: 10 mm  Note: Please order drain connections for combinations of two individual bowls separately.
Scope of supply					Fino drain system out remote control
	waste kit with space- saving pipe, 3 ½" InFino basket strainer, fixing kit	waste kit with space- saving pipe, 3 ½" InFino basket strainer, fixing kit	multi-functional stainless steel basket, waste kit with space-saving pipe, 3 ½" InFino basket strainer, fixing kit	waste kit with space- saving pipe, 3 ½" InFino basket strainer, fixing kit	waste kit with space- saving pipe, 3 ½" InFin basket strainer, fixing k
Suggested optional accessories	3		BLANCO UN	IIT with BLANCO SUBLINE	:-U
240	175	4/6		•	1
Ash compound chopping board	Multifunctional colander	Top rails	BLANCO LIN	US-S BLAI	NCO FLEXON II 60/3

235906

see page 255

see page 300

227689

230700

# **BLANCO SUBLINE-U**

## **SILGRANIT**




- Undermount bowl for discerning demands on design
- Timelessly elegant, contoured bowl design
- Entire system for a wide variety of plans featuring large and small bowls
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- Optional versatile accessories are available

cabinet size mm	500	400	300
BLANCO SUBLINE-U	400-U	320-U	160-U
Undermount	•	•	ТОВАР ПОД ЗАКАЗ
black	525 990	525 983	525 981
anthracite	523 422	523406	523 396
rock grey	523 423	523 407	523397
NEW volcano grey	527349	527 343	526 799
alu metallic	523 424	523 408	523 398
white	523 426	523 410	523400
NEW soft white	527 166	527160	526 802
tartufo	523 429	523 414	523 403
coffee	523 431	523 415	523 405
Bowl depth	190 mm	190 mm	130 mm
Bowl radius R <sub>10</sub>	15 400 8	15 320 08 350	15 160 00
Scope of supply			InFino drain system without remote control

waste kit with space-saving pipe, 3  $\ensuremath{\ensuremath{\%^{\prime\prime}}}$  In Fino basket strainer, fixing kit

Installation note: Cut-out radius: 10 mm

Note: Please order waste connections for combinations of two individual bowls separately.





# **BLANCO SUBLINE 500-U Black Edition**

## **SILGRANIT**




- Harmoniously coordinated look for modern kitchen designs
- High-quality fittings in timelessly beautiful black matt (C-overflow and InFino drain system)
- Undermount bowl for top-level design requirements
- Timelessly elegant, linear bowl design

600 mm cabin	et size		Undermount
		Scope of supply	
O.	black	w/o drain remote control	526340
Scope of suppl	ly	InFino drain system without remote control	R10
		530	

matt for single bowls


Waste and overflow set black

waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit



Bowl depth 190 mm Cut-out radius: 10 mm

Note: Please order drain connections for combinations of two individual bowls separately.





# SUBLINE 500-IF/A SteelFrame

#### **SILGRANIT**







- Beautiful material mix of stainless steel and SILGRANIT
- Timelessly elegant, straight-lined bowl shape with filigree IF flat rim
- Elegantly designed sink area with an integrated tap ledge in just one worktop cut-out
- For lay-on installation from above, especially suitable for laminate worktops
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- Optional versatile accessories are available

600 mm cabinet s	ize		Flat rim IF
		Scope of supply	
•	black	with drain remote control w/o drain remote control	525 999 526 000
	anthracite	with drain remote control w/o drain remote control	524111 524113
0	white	with drain remote control w/o drain remote control	524 112 524 114
Scope of supply		InFino drain system with remote control with remote control	'

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (pop-up) or

waste kit with space-saving pipe, 3 1/211 InFino basket strainer





# BLANCO UNIT with BLANCO SUBLINE 500-IF/A SteelFrame BLANCO SONEA-S Flexo BLANCO SELECT II XL 60/3 Orga see page 236 See page 295

# SUBLINE 500-IF SteelFrame

#### **SILGRANIT**





- · Beautiful material mix of stainless steel and SILGRANIT
- Timelessly elegant, straight-lined bowl shape with filigree IF flat rim
- For lay-on installation from above, especially suitable for laminate worktops
- · Also for flushmount installation in stone and glass
- Good optical match with high quality ceran hobs
- · High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- · Optional versatile accessories are available

600 mm cabinet	size		Flat rim IF
		Scope of supply	
	black	with drain remote control w/o drain remote control	525 998 525 997
	anthracite	with drain remote control w/o drain remote control	524 108 524 107
0	white	with drain remote control w/o drain remote control	524 109 524 110

Scope of supply





#### **Technical Drawing**

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (pop-up)

543 waste kit with space-saving pipe, 3 ½" InFino basket strainer Ŋ 500 21.5

Bowl depth 190 mm

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

Note: for worktop thicknesses of 15 mm and over, a space for the overflow must be cut out on the underside.

Please note the cut-out information for the respective installation method.



# **BLANCO UNIT with BLANCO SUBLINE 500-IF SteelFrame**







BLANCO SELECT II XL 60/3

see page 236

see page 295

# **BLANCO SUBLINE-F**

## **SILGRANIT**





- Bowls for modern kitchen designs
- Timelessly elegant, contoured bowl design
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- Optional versatile accessories are available

cabinet size mm	600	600	500	400
BLANCO SUBLINE-F	340/160-F	500-F	400-F	320-F
Flush undermounted installation  Flushmount installation	9 9	•	•	•
	Main bowl left			
black	525984	525994	525 988	525 982
anthracite	523 568	523532	523 475	523 416
rock grey	523 569	523533	523495	523 417
NEW volcano grey	527 344	527 352	527348	527342
alu metallic	523 570	523534	523496	523 418
white	523571	523535	523 497	523 419
NEW soft white	527 161	527 169	527 165	527 159
coffee	523 573	523 537	523499	523 421
Bowl depth	190/130 mm	190 mm	190 mm	190 mm
Bowl radius R10	552 00 00 00 00 00 00 00 00 00 0	527 500 13.5	60 LZ	004 220 13.5
Scope of supply				InFino drain system without remote control
Note: for worktop thicknesses of	waste kit with space saving pipe, waste connection,	waste kit with space-saving pipe, 3 ½" InFino basket strainer	waste kit with space-saving pipe, 3 ½" InFino basket strainer	waste kit with space-saving pipe, 3 ½" InFino basket strainer



15 mm and over, a space for the

overflow must be cut out on the

Model-related detailed dimensions and drawings can be found with the cut-out information online at



underside.

www.blanco.com.

Ash compound chopping board

230700



Silver-coloured safety glass cutting board 227697

2 x 3 1/2" InFino basket strainer



Top rails

235906

#### **BLANCO UNIT with BLANCO SUBLINE-F**







see page 255



BLANCO SOLON-IF

see page 309

# **BLANCO PLEON 9**

## **SILGRANIT**






- Timelessly elegant, straight-lined design
- Spacious tap ledge and low-profile rim
- Easy to clean, flowing transition from the sink's rim to the tap ledge
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care

cabinet size mm	900
BLANCO PLEON 9	
Installation from above	
	Main bowl right
black	525 958
anthracite	523 057
rock grey	523 058
NEW volcano grey	527 325
alu metallic	523 059
white	523061
NEW soft white	527 142
tartufo	523 064
coffee	523 066
Bowl depth	220/220 mm
Bowl radius R15  Pre-drilled holes for tapping or drilling	860 860 870 870 870 870 870 870 870 87

waste kit with space-saving pipe, 2 x 3  $\frac{1}{2}$ " InFino basket strainer

Scope of supply





# **BLANCO PLEON**

## **SILGRANIT**






- Timelessly elegant, straight-lined design
- Single bowl with maximum volume thanks to particularly deep bowl
- Continuous, generous tap ledge and low-profile rim
- Easy to clean, flowing transition from the sink's rim to the tap ledge
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care



cabinet size mm	800	600	600	500
BLANCO PLEON	8	6 Split	6	5
Installation from above		• •		
		Main bowl left		
black	525 957	525 955	525 953	525951
anthracite	523 043	521 689	521 678	521 504
rock grey	523044	521 690	521 679	521 669
NEW volcano grey	527 323	527 322	527320	527318
alu metallic	523 045	521 691	521 681	521 670
white	523 047	521 693	521 683	521 672
NEW soft white	527140	527 139	527 137	527 135
tartufo	523 050	521 696	521 686	521 675
coffee	523052	521 698	521 688	521 677
Bowl depth	220 mm	220/220 mm	220 mm	220 mm
Bowl radius R15  Pre-drilled holes for tapping or drilling	700	336.5 185 89 345 35	615 007 04 545 35 98	515 00 00 00 00 00 00 00 00 00 00 00 00 00
Scope of supply		••	**	InFino drain system without remote control
The optional ash compound chopping board can only be placed on the edge of the bowl if the diameter of the kitchen mixer tap is less than 48 mm.	waste kit with space-saving pipe, 3 ½" InFino basket strainer	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer	waste kit with space-saving pipe, 3 ½" InFino basket strainer	waste kit with space-saving pipe, 3 ½" InFino basket strainer






# **BLANCO DALAGO-F**

## **SILGRANIT**






- Large bowl offers a lot of space for food preparation and rinsing
- Continous tap ledge protects the worktop from water drops
- Modern design with clear lines

cabinet size mm	800	600	500
BLANCO DALAGO-F	8-F	6-F	5-F
Flush undermounted installation  Flushmount installation	•	•	•
black	525 878	525 875	525 872
anthracite	516639	514773	518 530
rock grey	518 853	518851	518849
NEW volcano grey	527 249	527 247	527 245
alu metallic	516 640	514770	518531
white	516 644	514771	518532
NEW soft white	527 066	527 064	527 062
coffee	516 645	515 095	518 536
Bowl depth	190 mm	190 mm	190 mm
Bowl radius  Pre-drilled holes for tapping or drilling	805	605	505
Scope of supply		·	With drain remote contro

waste kit with space-saving pipe, 3 ½" basket strainer with drain remote control (rotary switch)





# **BLANCO DALAGO 45-F**

## **SILGRANIT**






- Large bowl made for comfort in small spaces
- Continous tap ledge protects the worktop from water drops
- Modern design with clear lines

cabinet size mm	450
BLANCO DALAGO 45-F	
Flush undermounted installation  Flushmount installation	•
black	525 870
anthracite	517 166
rock grey	518847
NEW volcano grey	527 243
alu metallic	517 167
white	517 169
NEW soft white	527060
coffee	517 171
Bowl depth	190 mm
Pre-drilled holes for tapping or drilling	455 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Scope of supply	With drain remote control

waste kit with space-saving pipe, 3 ½" basket strainer with drain remote control (rotary switch)





# **BLANCO DALAGO**


## **SILGRANIT**



- Large bowl offers a lot of space for food preparation and rinsing
- Continous tap ledge protects the worktop from water drops
- Modern design with clear lines
- Functional accessories optional available

cabinet size mm	800	600	500
BLANCO DALAGO	8	6	5
Installation from above	•	•	•
black	525 877	525 873	525 871
anthracite	516 629	514197	518 521
rock grey	518 852	518 850	518 848
NEW volcano grey	527 248	527 246	527 244
alu metallic	516630	514 198	518 522
white	516 633	514 199	518 524
NEW soft white	527 065	527063	527 061
tartufo	517 323	517 320	518 528
coffee	516638	515 066	518529
Bowl depth	190 mm	190 mm	190 mm
Bowl radius R <sub>10</sub> Pre-drilled holes for tapping or drilling	915	615	515
Scope of supply			With drain remote contro

waste kit with space-saving pipe, 3  $\frac{1}{2}$ " basket strainer with drain remote control (rotary switch)



# **BLANCO DALAGO 45**


## **SILGRANIT**



- Large bowl made for comfort in small spaces
- Continous tap ledge protects the worktop from water drops
- Modern design with clear lines
- Functional accessories optional available

cabinet size mm	450
BLANCO DALAGO 45	
Installation from above	· ·
black	525 869
anthracite	517 156
rock grey	518 846
NEW volcano grey	527 242
alu metallic	517 157
white	517 160
NEW soft white	527 059
tartufo	517 317
coffee	517 165
Bowl depth	190 mm
Bowl radius  Pre-drilled holes for tapping or drilling	465 0 0 0 0 0 0 0 0 0 0 0 0 0
Scope of supply	With drain remote control

waste kit with space-saving pipe, 3 ½" basket strainer with drain remote control (rotary switch)





# **BLANCO LEXA 8**

#### **SILGRANIT**





- Modern sink unit for any kitchen ambience
- Harmonious design of outer contours and radii
- Generously proportioned, symmetrically designed bowls ideal for extended cooking pleasure
- High-quality features with InFino drain system elegantly integrated and easy-care
- Can be installed reversibly

800 mm cabinet size			Installation from above	
		Scope of supply	reversible	
	black	with drain remote control w/o drain remote control	525 905 525 906	
•	anthracite	with drain remote control w/o drain remote control	524950 524960	
	rock grey	with drain remote control w/o drain remote control	524 951 524 961	
NEW	volcano grey	with drain remote control w/o drain remote control	527 279 527 281	
9 6	alu metallic	with drain remote control w/o drain remote control	524 952 524 962	
2 2	white	with drain remote control w/o drain remote control	524 954 524 964	
NEW	soft white	with drain remote control w/o drain remote control	527 096 527 098	
0	tartufo	with drain remote control w/o drain remote control	524 957 524 967	
	coffee	with drain remote control w/o drain remote control	524959 524969	


waste kit with space-saving pipe,  $2 \times 3 \%$  InFino basket strainer with drain remote control (rotary switch) for 1 bowl

or

Scope of supply

waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190/190 mm





# **BLANCO METRA 9**

## **SILGRANIT**





- Young, straight-lined design
- The large capacity of the bowl provides generous room to do the washing up
- Large tap ledge for installation of mixer tap and soap dispenser
- Aesthetic low-profile rim design


mm cabinet size Installation from above

		Scope of supply	Main bowl left
*	black	w/o drain remote control	525 936
•	anthracite	w/o drain remote control	513 273
	rock grey	w/o drain remote control	518 886
NEW	volcano grey	w/o drain remote control	527 304
0	alu metallic	w/o drain remote control	513 268
0 0	white	w/o drain remote control	513 269
NEW	soft white	w/o drain remote control	527 121
6 6	tartufo	w/o drain remote control	517364
-	coffee	w/o drain remote control	515 050

#### Scope of supply

waste kit with space-saving pipe, 2 x 3 ½" basket strainer

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190/190 mm





# **BLANCO METRA 6**

#### **SILGRANIT**






- Young, straight-lined design
- Practical solution for small kitchens
- The large capacity of the bowl provides generous room to do the washing up
- The additional bowl provides a high degree of comfort
- Aesthetic low-profile rim design
- Can be installed reversibly and also as undermount sink

600 mm cabinet siz	600 mm cabinet size		
		Scope of supply	reversible
	black	w/o drain remote control	525 923
• •	anthracite	w/o drain remote control	516 179
•	rock grey	w/o drain remote control	518 875
NEW	volcano grey	w/o drain remote control	527 296
6 0	alu metallic	w/o drain remote control	516 172
0 0	white	w/o drain remote control	516 173
NEW	soft white	w/o drain remote control	527 113
	tartufo	w/o drain remote control	517 352
	coffee	w/o drain remote control	516 180

waste kit with space-saving pipe, 2 x 3 1/2" basket strainer

Scope of supply

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190/130 mm





# **BLANCO ZIA 9**

## **SILGRANIT**






- Modern design with clear lines
- Straight-lined outer contour emphasised by the narrow rim
- Spacious double bowl sink for doing different tasks at the same time

900 mm cabinet siz	900 mm cabinet size		Installation from above	
		Scope of supply		
	black	w/o drain remote control	526 029	
• • • • • • • • • • • • • • • • • • •	anthracite	w/o drain remote control	516 686	
NEW	volcano grey	w/o drain remote control	527393	
	alu metallic	w/o drain remote control	516677	
0 0	white	w/o drain remote control	516678	
NEW	soft white	w/o drain remote control	527 210	
	coffee	w/o drain remote control	516683	

Scope of supply

waste kit with space-saving pipe, 2 x 3 ½" basket strainer

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190/190 mm





# **BLANCO LEGRA**

## **SILGRANIT**

Scope of supply





- Classic lines combined with modern functionality
- Spacious place with double bowls
- Comfortable, parallel use of the two bowls

cabinet size mm	800	600
BLANCO LEGRA	8	6
Installation from above		
	Main bowl left	
black	526223	526 084
anthracite	526224	523332
NEW volcano grey	527 272	527 269
alu metallic	526225	523333
white	526 226	523334
NEW soft white	527 089	527 086
coffee	526229	523337
Bowl depth	190/190 mm	190 mm
Bowl radius Pre-drilled holes for tapping or drilling	780	585



waste kit with space-saving pipe, 2 x 3 1/2" basket strainer



waste kit with space-saving pipe, 3 1/2" basket strainer

Without drain remote control

# ZEROXLINE.

Striking rectangular bowl design in stainless steel.



The BLANCO ZEROX range of bowls features a zero-radius design and is defined by its minimalist, linear look. For those who love minimalist style, ZEROX bowls come in a range of models and fit perfectly into pared-back interiors.

The large ZEROX bowl range is available in three different stainless steel surfaces: in high-grade brushed satin polish, in resistant Durinox, and in elegant, velvety lustrous Dark Steel. The Dark Steel surface fits harmoniously into modern kitchen settings that feature dark colours.



The pure, uncoated Dark Steel has a matt metallic sheen and blends in perfectly with dark shades.



The velvety matt ZEROX Durinox bowl feels pleasantly warm to the touch and is scratch-resistant.



ZEROX undermount bowls in top-quality stainless steel satin polish are timelessly beautiful.

# **BLANCO CLARON-U Durinox**

#### Stainless steel






- Pure, elegant design with concise corner radii of 10 mm
- Matt velvet look with a homogeneous surface structure, and pleasantly warm to the touch
- Sophisticated surface: highly resistant to scratches
- With the covered C-overflow with Durinox surface
- InFino drain system elegantly integrated and easy-care
- Large bowl capacity thanks to extra-deep bowls and smallest possible radii

cabinet size mm	800	600	450	400
BLANCO CLARON-U Durinox	700-U Durinox	500-U Durinox	400-U Durinox	340-U Durinox
Undermount	*	3	3	3
Durinox	523387	523 386	523385	523384
Bowl depth	190 mm	190 mm	190 mm	190 mm
Bowl radius R10	740 740 740 740	004 4 4 004 4 4 004 4 4 004 4 4 007 4 4 008 4 4 009 4 6 009 4 6 009 4 6 009 6 000	440 004 470 004 470	340
Scope of supply				InFino drain system without remote control

waste kit with space saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer, fixing kit Installation note:

Technical note: The undermount bowl edge is not closed at the corners.



# BLANCO UNIT with BLANCO CLARON-U Durinox BLANCO drink.filter EVOL-S Pro BLANCO SELECT II 60/3 see page 213 see page 296

# **BLANCO CLARON-U**

#### Stainless steel






- Elegant-pure bowl design
- Concise 10 mm radius for a more refined design, without doing away with
- Large bowl capacity thanks to extra-deep bowls and smallest possible radii
- InFino drain system elegantly integrated and easy-care
- Double bowl: Self-contained functional surface that is not divided by a granite partition. Only one cut-out required in the worktop

cabinet size mm	900	600	600
BLANCO CLARON-U	400/400-U	340/180-U	340/180-U
Undermount		3 3	9 9
		Main bowl right	Main bowl left
satin polish	521 618	521 610	521 609
Bowl depth	190/190 mm	190/130 mm	190/130 mm
Bowl radius R10	865 400 25 0 0 0 0	585 180 25 0 0 4 4	585 180 340 25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Scope of supply			InFino drain system without remote control

waste kit with space saving pipe, waste connection, 2 x 3 1/2" InFino basket strainer, fixing kit

Technical note: The undermount bowl edge is not closed at the corners.





# **BLANCO CLARON-U**

#### Stainless steel






- Elegant-pure bowl design
- Concise 10 mm radius for a more refined design, without doing away with practical henefits
- Single bowl
- Large bowl capacity thanks to extra-deep bowls and smallest possible radii
- InFino drain system elegantly integrated and easy-care

cabinet size mm	800	600	600	500	450
BLANCO CLARON-U	700-U	550-U	500-U	450-U	400-U
Undermount	3	3	9	9	9
satin polish	521 581	521 579	521 577	521 575	521 573
Bowl depth	190 mm	190 mm	190 mm	190 mm	190 mm
Bowl radius R <sub>10</sub>	740 740 740	00447	00 4 4 7 00 00 00 00 00 00 00 00 00 00 00 00 0	900 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	004 4 4 00 004 4 4 4 00 004 1 000 1 0
Scope of supply					Fino drain system ut remote control

waste kit with space saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer, fixing kit Installation note:

Technical note: The undermount bowl edge is not closed at the corners.



# BLANCO UNIT with BLANCO CLARON-U BLANCO drink.filter EVOL-S Pro BLANCO SELECT II 60/3 see page 213 see page 296

# **BLANCO CLARON-U**


## Stainless steel





- Elegant-pure bowl design
- Concise 10 mm radius for a more refined design, without doing away with practical benefits
- Optimum utilisation of the bowl capacity thanks to extra-deep bowls and smallest possible radii
- InFino drain system elegantly integrated and easy-care

cabinet size mm	400	300
BLANCO CLARON-U	340-U	180-U
Undermount		3
satin polish	521 571	521 565
Bowl depth	190 mm	130 mm
Bowl radius R10	004 4 4 000 000 000 000 000 000 000 000	220
Scope of supply		InFino drain system without remote control
Technical note: The undermount bowl edge is not closed at the corners.	waste kit with space saving pipe, 3 $\frac{1}{2}$ " InFino basket strainer, fixing kit	waste kit* with space saving pipe, 3 $\%$ " InFino basket strainer, fixing kit





# **BLANCO CLARON-IF/A Durinox**

#### Stainless steel






- Pure, elegant design with concise corner radii of 10 mm
- Matt velvet look with a homogeneous surface structure, and pleasantly warm to the touch
- Sophisticated surface: highly resistant to scratches
- With the covered C-overflow with Durinox surface
- InFino drain system with PushControl the slim and intuitive drain remote control
- · Augmented stability of the tap ledge due to the extensive stabilisation technology

cabinet size mm	800	600	450
BLANCO CLARON-IF/A Durinox	700-IF/A Durinox	500-IF/A Durinox	400-IF/A Durinox
Flat rim IF	3	3	3
Durinox	523 394	523 393	523392
Bowl depth	190 mm	190 mm	190 mm
Bowl radius R10	760 - 700 - 100 -	560   0,000   0	460 400 08 08 08 09 09 100 100 100 100 100 100 100 100 1
Scope of supply			InFino drain system with remote control

waste kit with space saving pipe, 3 ½" InFino basket strainer with drain remote control (PushControl), fixing kit





# **BLANCO CLARON-IF/A**

#### Stainless steel






- Inset bowl in an elegant-pure design
- Elegant corner radii of only 10 mm without sacrificing functional advantages
- InFino drain system with PushControl the slim and intuitive remote control
- Augmented stability of the mixer tap due to the extensive stabilising technology



cabinet size mm	900	600
BLANCO CLARON-IF/A	400/400-IF/A	340/180-IF/A
Flat rim IF	3 3	3 3
		Main bowl right
Stainless steel	521654	521 647
Bowl depth	190/190 mm	190/130 mm
Bowl radius R10	885 400 25 00 01 01 01 01 01	605 180 340 25 8
Scope of supply		InFino drain system with remote control

waste kit with space saving pipe, waste connection, 2 x 3 ½" InFino basket strainer with drain remote control (PushControl) for 1 bowl, fixing kit

waste kit with space saving pipe, waste connection, 2 x 3 ½" InFino basket strainer with drain remote control (PushControl) for the main bowl, fixing kit





# **BLANCO CLARON-IF/A**

#### Stainless steel






- Inset bowl in an elegant-pure design
- Elegant corner radii of only 10 mm without sacrificing functional advantages
- Single bowl
- InFino drain system with PushControl the slim and intuitive remote control
- IF flat rin
- Augmented stability of the mixer tap due to the extensive stabilising technology



cabinet size mm	800	600	600	450
BLANCO CLARON-IF/A	700-IF/A	550-IF/A	500-IF/A	400-IF/A
Flat rim IF	9	9	9	9
Stainless steel	521 634	521 639	521 633	521 632
Bowl depth	190 mm	190 mm	190 mm	190 mm
Bowl radius <sub>R10</sub>	700 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000 000 000 000 000 000 000 000 000 00	\$70 500 30 004 005 560 00	400 30
Scope of supply		'		InFino drain system with remote control

waste kit with space saving pipe, 3 1/2" InFino basket strainer with drain remote control (PushControl), fixing kit





# **BLANCO CLARON-IF Durinox**

#### Stainless steel





- Pure, elegant design with concise corner radii of 10 mm
- Matt velvet look with a homogeneous surface structure, and pleasantly warm to the touch
- Sophisticated surface: highly resistant to scratches
- With the covered C-overflow with Durinox surface
- InFino drain system elegantly integrated and easy-care
- Large bowl capacity thanks to extra-deep bowls and smallest possible radii

cabinet size mm	800	600	450	400
BLANCO CLARON-IF Durinox	700-IF Durinox	500-IF Durinox	400-IF Durinox	340-IF Durinox
Flat rim IF	3	3	3	3
Durinox	523391	523 390	523 389	523388
Bowl depth	190 mm	190 mm	190 mm	190 mm
Bowl radius R10	740 00 00 00 00 00 00 00 00 00 00 00 00 0	0 0 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 004	004 4 4 000 000 000 000 000 000 000 000
*******	Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

#### Scope of supply

waste kit with space saving pipe, 3 ½" InFino basket strainer, fixing kit





without remote control

## **BLANCO CLARON-IF**

#### Stainless steel







- Elegant-pure bowl design without visible base pattern
- Concise 10 mm radius for a more refined design, without doing away with practical benefits
- Optimum utilisation of the bowl capacity thanks to extra-deep bowls and smallest possible radii
- Flush IF flat rim
- InFino drain system elegantly integrated and easy-care
- Double bowl: Self-contained functional surface that is not divided by a granite partition. Only one cut-out required in the worktop

cabinet size mm	900	600	600
BLANCO CLARON-IF	400/400-IF	340/180-IF	340/180-IF
Flat rim IF		3 3	9 9
		Main bowl right	Main bowl left
satin polish	521 617	521 608	521 607
owl depth	190/190 mm	190/130 mm	190/130 mm





Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.



Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.



Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

#### Scope of supply

#### waste kit with space saving pipe, waste connection, 2 x 3 %" InFino basket strainer, fixing kit

# Suggested optional accessories Page 1 Glass cutting board Colander stainless steel 225 333 219 649 238 482

# BLANCO UNIT with BLANCO CLARON-IF BLANCO drink.filter EVOL-S Pro BLANCO SOLON-IF see page 213 see page 309

# **BLANCO CLARON-IF**

#### Stainless steel






- Elegant-pure bowl design
- Concise 10 mm radius for a more refined design, without doing away with practical
- Single bowl
- IF flat rim
- Large bowl capacity thanks to extra-deep bowls and smallest possible radii
- InFino drain system elegantly integrated and easy-care

cabinet size mm	800	600	600	500	450
BLANCO CLARON-IF	700-IF	550-IF	500-IF	450-IF	400-IF
Flat rim IF	3	3	9	9	9
satin polish	521 580	521 578	521 576	521 574	521 572
Bowl depth	190 mm	190 mm	190 mm	190 mm	190 mm
Bowl radius	Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	0044	004 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 004 450 450	0 0 4 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
R10	Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	Note: Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.
Scope of supply					Fino drain system ut remote control

waste kit with space saving pipe, 3 ½" InFino basket strainer, fixing kit





# **BLANCO CLARON-IF**

#### Stainless steel





- Elegant-pure bowl design without visible base pattern
- Concise 10 mm radius for a more refined design, without doing away with practical benefits
- Optimum utilisation of the bowl capacity thanks to extra-deep bowls and smallest possible radii
- Flush IF flat rim
- InFino drain system elegantly integrated and easy-care

in laminate worktops requires a flexible sealing tape,

cabinet size mm	400	300	
BLANCO CLARON-IF	340-IF	180-IF	
Flat rim IF		3	
satin polish	521 570	521 564	
Bowl depth	190 mm	130 mm	
Bowl radius R <sub>10</sub>	380 00 00 00 00 00 00 00 00 00 00 00 00 0	220 180 1	
	Installing a kitchen mixer tap, drain remote control or soap dispenser	Note: Installing a kitchen mixer tap, drain remote control or soap	

Scope of supply

InFino drain system without remote control


dispenser in laminate worktops requires a flexible sealing tape,

item no. 120 055.



waste kit\* with space saving pipe, 3  $1\!\!/\!\!2^{\text{\tiny{II}}}$  InFino basket strainer, fixing kit

item no. 120 055.





## **BLANCO ZEROX-U Dark Steel**


#### Stainless steel






- Strikingly right-angled stainless steel bowls with an elegant, dark grey surface
- Pleasantly warm to the touch thanks to high-quality, pure, non-coated stainless steel
- Harmonious surface mix: Inset rim and drain set stylish accents in polished stainless steel
- Versatile: Can be combined with a plethora of colours and materials
- Surface is easy to clean: Fingerprints and dirt are easy to remove
- High-quality equipment with InFino drain system elegant and easy-care

cabinet size mm	800	600
BLANCO ZEROX-U Dark Steel	700-U Dark Steel	500-U Dark Steel
Undermount	<b>\$</b>	
Dark Steel	526 244	526243
Bowl depth	185 mm	175 mm





Bowl radius

N

Note: also available as flushmount version.

\* Scope of supply note:

a retrofit set is required for undermount models without a tap ledge if using a drain remote control with pop-up.

Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

Note: also available as a flushmount version.

\* Scope of supply note:

a retrofit set is required for undermount models without a tap ledge if using a drain remote control with pop-up.

Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

#### Scope of supply

without remote control

waste kit\* with space saving pipe, 3  $\ensuremath{\mathcal{V}}^{\text{\tiny{II}}}$  InFino basket strainer, fixing kit





## **BLANCO ZEROX-U Durinox**


#### Stainless steel






- Zero radius design with the striking rectangular bowl geometry
- Matt velvet look with a homogeneous surface structure and pleasantly warm to the touch
- · Highly resistant to scratches
- With the covered C-overflow in Durinox
- InFino drain system elegantly integrated and easy-care
- Easy to combine, matching accessory solutions

cabinet size mm	800	600	450
BLANCO ZEROX-U Durinox	700-U Durinox	500-U Durinox	400-U Durinox
Undermount	00	0	*
Durinox	521 560	521 559	521 558
owl depth	185 mm	175 mm	175 mm



500 20 8



Rowl radius

Note: also available as flushmount version.

\* Scope of supply note: a retrofit set is required for undermount models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

Note: also available as a flushmount version.

\* Scope of supply note: a retrofit set is required for undermount models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

Note: also available as a flushmount version.

\* Scope of supply note: a retrofit set is required for undermount models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459


Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

#### Scope of supply

waste kit\* with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

InFino drain system without remote control








# **BLANCO ZEROX-U**

## Stainless steel





- Zero-radius design with striking, right-angled bowl geometry
- Wide product range enables a plethora of bespoke combinations
- InFino drain system elegantly integrated and easy-care
- Easy to combine, matching accessory solutions

cabinet size mm	900	600	600	800	600
BLANCO ZEROX-U	400/400-U	340/180-U	340/180-U	700-U	550-U
Undermount	* *	杂杂	W 00	*	<b>5</b> 2
		Main bowl right	Main bowl left		
satin polish	521 620	521 614	521 613	521 593	521 591
Bowl depth	175/175 mm	175/130 mm	175/130 mm	185 mm	175 mm
Bowl radius R0	865	585	255 180 340 255	740	04 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Scope of supply					Fino drain system ut remote control
Note: also available as a flushmount version.  * Scope of supply note: a retrofit set is required for undermount models without a tap ledge if using a drain remote control with pop-up.  Recommended: item no. 232 459  Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.	waste kit* with space saving pipe, waste connection, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit* with space saving pipe, waste connection, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit* with space saving pipe, waste connection, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit* with space saving pipe, 3 ½" InFino basket strainer, fixing kit	waste kit* with space saving pipe, 3 ½" InFino basket strainer, fixing kit





# **BLANCO ZEROX-U**

#### Stainless steel





- Zero-radius design with striking, right-angled bowl geometry
- Wide product range enables a plethora of bespoke combinations
- InFino drain system elegantly integrated and easy-care
- · Easy to combine, matching accessory solutions

cabinet size mm	600	500	450
BLANCO ZEROX-U	500-U	450-U	400-U
Undermount	*	樂	*
satin polish	521 589	521 587	521 585
Bowl depth	175 mm	175 mm	175 mm
Bowl radius RO	440 500 0044 0044	490	440
Scope of supply			InFino drain system without remote control

waste kit\* with space saving pipe, 3  $\ensuremath{\ensuremath{\mathcal{Y}}}\xspace$  InFino basket strainer, fixing kit


Installation note:

Note: also available as a flushmount version.

#### \* Scope of supply note:

a retrofit set is required for undermount models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.





# **BLANCO ZEROX-IF/A Durinox**

#### Stainless steel





- Zero radius design with the striking rectangular bowl geometry
- Matt velvet look with a homogeneous surface structure and pleasantly warm to the touch
- Highly resistant to scratches
- With the covered C-overflow in Durinox
- InFino drain system with PushControl the slim and intuitive remote control
- Augmented stability of the mixer tap due to the extensive stabilising technology

cabinet size mm	800	600	450
BLANCO ZEROX-IF/A Durinox	700-IF/A Durinox	500-IF/A Durinox	400-IF/A Durinox
Flat rim IF	8	-	8
Durinox	523102	523 101	523100
Bowl depth	185 mm	175 mm	175 mm
Bowl radius R0	760 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	500 30 8	400 30 gg
Scope of supply			InFino drain system with remote control

waste kit with space saving pipe, 3 1/2" InFino basket strainer with drain remote control (PushControl), fixing kit





# **BLANCO ZEROX-IF/A**

#### Stainless steel






- Zero-radius design with striking, right-angled bowl geometry
- Flush IF flat rim
- Unique stability of the mixer tap due to the extensive stabilising technology
- InFino drain system with PushControl the slim and intuitive remote control
- Wide product programme of inset bowls

cabinet size mm	600	800	600
BLANCO ZEROX-IF/A	340/180-IF/A	700-IF/A	550-IF/A
Flat rim IF		R	R
	Main bowl right		
satin polish	521 642	521 631	521 638
owl depth	175/130 mm	185 mm	175 mm
Bowl radius RO	605 180 340 0 0016 0016	760 000 0000 0000 0000 0000 0000 0000 0	610 610 004 004 004 004 004 004 004 0
Scope of supply			InFino drain system with remote control
	waste kit with space saving pipe, waste	waste kit with space saving pipe,	waste kit with space-saving pipe,

waste kit with space saving pipe, waste connection,  $2 \times 3 \ 1/2^{11}$  InFino basket strainer with drain remote control (PushControl) for the main bowl, fixing kit

waste kit with space saving pipe, 3 ½" InFino basket strainer with drain remote control (PushControl), fixing kit waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (PushControl), fixing kit





## **BLANCO ZEROX-IF Dark Steel**


#### Stainless steel






- Strikingly right-angled stainless steel bowls with an elegant, dark grey surface
- Pleasantly warm to the touch thanks to high-quality, pure, non-coated stainless steel
- Harmonious surface mix: Inset rim and drain set stylish accents in polished stainless steel
- Versatile: Can be combined with a plethora of colours and materials
- Surface is easy to clean: Fingerprints and dirt are easy to remove
- High-quality equipment with InFino drain system elegant and easy-care

cabinet size mm	800	600
BLANCO ZEROX-IF Dark Steel	700-IF Dark Steel	500-IF Dark Steel
Flat rim IF	•	- 3
Dark Steel	526 246	526245
Bowl depth	185 mm	175 mm







Note: also available as an undermount version.

\* Scope of supply note:

a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

Note: also available as an undermount version.

\* Scope of supply note:


a retrofit set is required for IF models without a tap ledge if using a drain remote control.

Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

#### Scope of supply

waste kit\* with space saving pipe, 3 1/2" InFino basket strainer, fixing kit





## **BLANCO ZEROX-IF Durinox**


#### Stainless steel





- Zero radius design with the striking rectangular bowl geometry
- Matt velvet look with a homogeneous surface structure and pleasantly warm to the touch
- · Highly resistant to scratches
- With the covered C-overflow in Durinox
- InFino drain system elegantly integrated and easy-care
- · Easy to combine, matching accessory solutions

cabinet size mm	800	600	450	
BLANCO ZEROX-IF Durinox	700-IF Durinox	500-IF Durinox	400-IF Durinox	
Flat rim IF	•	*	*	
Durinox	523 099	523 098	523097	
Bowl depth	185 mm	175 mm	175 mm	



500 20 8

440 20 8

Bowl radius

Note: also available as an undermount version.

\* Scope of supply note: a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up.

Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

Note: also available as an undermount version.

\* Scope of supply note: a retrofit set is required for IF models without a tap ledge if using a drain remote control. Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.

Note: also available as an undermount version.

\* Scope of supply note: a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape,


item no. 120 055

InFino drain system without remote control



#### Scope of supply

waste kit\* with space saving pipe, 3 1/2" InFino basket strainer, fixing kit





## **BLANCO ZEROX-IF**

#### Stainless steel





- · Zero-radius design with striking, right-angled bowl geometry
- Wide product range enables a plethora of bespoke combinations
- Flush IF flat rim
- InFino drain system elegantly integrated and easy-care
- Easy to combine, matching accessory solutions

cabinet size mm	600	600	800	600
BLANCO ZEROX-IF	340/180-IF	340/180-IF	700-IF	550-IF
Flat rim IF	祭 祭	京 章	*	桑
	Main bowl right	Main bowl left		
satin polish	521 612	521 611	521 592	521 590
owl depth	175/130 mm	175/130 mm	185 mm	175 mm
	585 180 340 25	585 180 340 25	740	590 550
	999	999	944	8



\* Scope of supply note: a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up.

Note: also available as an

undermount version.

Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.




Note: also available as an undermount version.

\* Scope of supply note: a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up Recommended: item no.

232 459 Installing a kitchen mixer tap,


drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.



Note: also available as an undermount version.

\* Scope of supply note: a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055



Note: also available as an undermount version.

\* Scope of supply note: a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up. Recommended: item no. 232 459


Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055

#### Scope of supply


waste kit\* with space saving pipe, waste connection, 2 x 3 1/2" InFino basket strainer, fixina kit

waste kit\* with space saving pipe, waste connection, 2 x 3 1/2" InFino basket strainer, fixina kit

waste kit\* with space saving pipe, 3 1/211 InFino basket strainer, fixing kit



pipe, 3 1/211 InFino basket strainer, fixing kit





## **BLANCO ZEROX-IF**

#### Stainless steel





- Zero-radius design with striking, right-angled bowl geometry
- Wide product range enables a plethora of bespoke combinations
- Flush IF flat rim
- InFino drain system elegantly integrated and easy-care
- Easy to combine, matching accessory solutions

cabinet size mm	600	450
BLANCO ZEROX-IF	500-IF	400-IF
Flat rim IF	*	
satin polish	521 588	521 584
Bowl depth	175 mm	175 mm
Bowl radius RO	004 440 240	004 044 000 000 000 000 000 000 000 000
Scope of supply		InFino drain system without remote control

waste kit\* with space saving pipe, 3 1/2" InFino basket strainer, fixing kit

Installation note:


Note: also available as an undermount version.

\* Scope of supply note:

a retrofit set is required for IF models without a tap ledge if using a drain remote control with pop-up.

Recommended: item no. 232 459

Installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops requires a flexible sealing tape, item no. 120 055.





## **BLANCO ETAGON-U**

## Stainless steel



- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care




cabinet size mm	800	600
BLANCO ETAGON-U	700-U	500-U
Undermount		
satin polish	524270	521 841
Bowl depth	190 mm	190 mm
Bowl radius R35 R25	740 8	20 500 8

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

Scope of supply



2 x ETAGON rails





## **BLANCO ETAGON-IF/A**

## Stainless steel





- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care.



cabinet size mm	800	600
BLANCO ETAGON-IF/A	700-IF/A	500-IF/A
Flat rim IF		
satin polish	524274	521748
Bowl depth	190 mm	190 mm
Bowl radius R35 R25	700 20 0 00 00 740 00	540 005 005 500 20 80


#### Scope of supply

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe,  $3\,\%''$  InFino basket strainer with drain remote control (pop-up, chrome-plated), fixing kit

Additional drill hole possible. The subsequent drill hole should be carried out by a specialist company.



2 x ETAGON rails





## **BLANCO ETAGON-IF**

## Stainless steel





- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care



cabinet size mm	800	600
BLANCO ETAGON-IF	700-IF	500-IF
Flat rim IF		
satin polish	524272	521 840
Bowl depth	190 mm	190 mm
Bowl radius R35 R25	740   8   740   8	500 20 %


Scope of supply



- 2 x ETAGON rails in stainless steel, waste kit with space-saving pipe,
- 3 1/2" InFino basket strainer, fixing kit



2 x ETAGON rails





## **BLANCO ANDANO-U**

#### Stainless steel





- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system gracefully integrated and easy-care
- · Large bowl capacity and fully utilisable base
- Optional accessories are available




InFino drain system ithout remote control

cabinet size mm	900	800
BLANCO ANDANO-U	400/400-U	340/340-U
Undermount		9 9
satin polish	522 987	522 983
Bowl depth	190/190 mm	190/190 mm
Bowl radius R22	865 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	745 08 340 340 87 705 20

Scope of supply

waste kit with space-saving pipe, 2 x 3  $\frac{1}{2}$ " InFino basket strainer, fixing kit Installation note:

Flexible sealing tape is required when installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops, item no. 120 055. Please note the cut-out information for the respective installation method.





## **BLANCO ANDANO-U**


## Stainless steel



- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Optional accessories are available



cabinet size mm	800	800	600	600	800
BLANCO ANDANO-U	500/180-U	500/180-U	340/180-U	340/180-U	700-U
Undermount	9 9	9 9	3 3	9 9	9
	Bowl right	Bowl left	Bowl right	Bowl left	
satin polish	522 989	522991	522 977	522 979	522 971
Bowl depth	190/130 mm	190/130 mm	190/130 mm	190/130 mm	190 mm
Bowl radius R22	745 08 705 180 8 20	745 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	340 180 87 545 20	340 180 87 545 20	740 20
Scope of supply					Fino drain system out remote control
Flexible sealing tape is required when installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops, item no. 120 055. Please note the cut-out information	waste kit with space-saving pipe, 2 x 3 ½'' InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 ½'' InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit with space- saving pipe, 3 ½" InFin- basket strainer, fixing ki
for the respective installation method.	ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ





## **BLANCO ANDANO-U**

## Stainless steel



- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Optional accessories are available



cabinet size mm	600	500	450	400	300
BLANCO ANDANO-U	500-U	450-U	400-U	340-U	180-U
Undermount	•	9	9	ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ
satin polish	522 967	522963	522959	522 955	522952
Bowl depth	190 mm	190 mm	190 mm	190 mm	130 mm
Bowl radius R22	240 00 - 004 4 - 000 4 - 00	450 00 00 00 00 00 00 00 00 00 00 00 00 0	440 00 00 00 00 00 00 00 00 00 00 00 00	380 02	550 S 00 4 4 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0


#### Scope of supply

waste kit with space-saving pipe, 3  $\ensuremath{\ensuremath{\%^{\prime\prime}}}$  In Fino basket strainer, fixing kit

Installation note:

Flexible sealing tape is required when installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops, item no. 120 055.

Please note the cut-out information for the respective installation method.





## **BLANCO ANDANO-IF/A**

#### Stainless steel





- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- Elegantly designed wet area with an integrated tap ledge in just one worktop cut-out
- High quality features consisting of a covered C-overflow and InFino drain system with PushControl the slim and intuitive remote control
- Large bowl capacity and fully utilisable base
- · Optional accessories are available



cabinet size mm	900	800	600	
BLANCO ANDANO-IF/A	400/400-IF/A	340/340-IF/A	340/180-IF/A	
Flat rim IF	9 9	9 9	9 9	
			Bowl right	
satin polish	525 249	525 248	525 247	
Bowl depth	190/190 mm	190/190 mm	190/130 mm	
Bowl radius R22	865 865 004 400 400 87 825 20	745 86 745 87 87 97 97 97 97 97 97 97 97 97 9	585 00 00 00 00 00 00 00 00 00 00 00 00 00	



Additional drill hole possible. The subsequent drill hole should be carried out by a specialist company. waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (PushControl) for 1 bowl,

waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (PushControl) for 1 bowl, fixing kit

waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (PushControl) for the main bowl, fixing kit



## **BLANCO UNIT with BLANCO ANDANO-IF/A BLANCO SONEA-S Flexo** BLANCO FLEXON II 60/3 see page 236 see page 300

## **BLANCO ANDANO-IF/A**

## Stainless steel






- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- Elegantly designed wet area with an integrated tap ledge in just one worktop cut-out
- High quality features consisting of a covered C-overflow and InFino drain system with PushControl the slim and intuitive remote control
- · Large bowl capacity and fully utilisable base
- Optional accessories are available



cabinet size mm	800	600	450
BLANCO ANDANO-IF/A	700-IF/A	500-IF/A	400-IF/A
Flat rim IF	9	9	9
satin polish	525 246	525 245	525 244
Bowl depth	190 mm	190 mm	190 mm
Bowl radius R22	700 20	540 00	440 00 00 00 00 00 00 00 00 00 00 00 00
Scope of supply			InFino drain system with remote control

waste kit with space-saving pipe, 3 1/2" InFino basket strainer with drain remote control (PushControl), fixing kit Installation note:

Additional drill hole possible. The subsequent drill hole should be carried out by a specialist company.



## **BLANCO UNIT with BLANCO ANDANO-IF/A BLANCO SONEA-S Flexo** BLANCO FLEXON II 60/3 see page 236 see page 300

## **BLANCO ANDANO-IF**

## Stainless steel






- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern
- High quality features consisting of a covered C-overflow and InFino drain system gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Elegant IF flat-rim for flushmount and for installation from above
- Optional accessories are available



cabinet size mm	900	800	600	600	800
BLANCO ANDANO-IF	400/400-IF	340/340-IF	340/180-IF	340/180-IF	700-IF
Flat rim IF		9 9	8	8 8	9
			Bowl right	Bowl left	
satin polish	522985	522 981	522 973	522 975	522969
Bowl depth	190/190 mm	190/190 mm	190/130 mm	190/130 mm	190 mm
Bowl radius R22	865 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	745 Q 4 340 340 8 705 20	585 0 7 0 8 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	340 180 Q 340 80 Q 545 20	700 2
Scope of supply					Fino drain system / Sout remote control
Flexible sealing tape is required when installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops, item no. 120 055. Please note the cut-out information for the respective installation method.	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit with space- saving pipe, 3 ½" InFi basket strainer, fixing





## **BLANCO ANDANO-IF**

#### Stainless steel





- Balanced composition of optical and functional elements
- The harmonious interplay between the radii and surface design creates a modern appeal
- High quality features consisting of a covered C-overflow and InFino drain system gracefully integrated and easy-care
- Large bowl capacity and fully utilisable base
- Elegant IF flat-rim for flushmount and for installation from above
- · Optional accessories are available



cabinet size mm	600	500	450	400	300
BLANCO ANDANO-IF	500-IF	450-IF	400-IF	340-IF	180-IF
Flat rim IF	•	3		*	69
satin polish	522965	522961	522957	522953	522 951
Bowl depth	190 mm	190 mm	190 mm	190 mm	130 mm
Bowl radius R22	540 05	490 05	440 02 00 44 4 00 00 44 4 00 00 00 00 00 00 00	380 02	550 S 50 04 4 00 4 4 00 04 4 00 04 4 00 04 4


#### Scope of supply

InFino drain syster without remote control



waste kit with space-saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer, fixing kit Installation note:

Flexible sealing tape is required when installing a kitchen mixer tap, drain remote control or soap dispenser in laminate worktops, item no. 120 055. Please note the cut-out information for the respective installation method.






## **BLANCO LEMIS 6-IF**

## Stainless steel



- Modern linear shape
- Very spacious ergonomic bowl
- Continuous tap ledge with lots of space for mixer tap and other functional elements
- Elegant IF flat-rim for flushmount and for installation from above
- 3 ½" basket strainer
- · With remote control

cabinet size mm	600		
BLANCO LEMIS 6-IF			
Flat rim IF			
brushed finish	525109		
Bowl depth	205 mm		



Scope of supply With drain remote control

waste kit with space-saving pipe, 3  $\frac{1}{2}$ " basket strainer with drain remote control (rotary switch)





## **BLANCO LEMIS-IF**

## Stainless steel



- Modern linear shape
- Maximum bowl capacity with two bowls
- Elegant IF flat-rim for flushmount and for installation from above
- Can be installed reversibly
- 3 ½" basket strainer

cabinet size mm	800	600		
BLANCO LEMIS-IF	8-IF	6-IF		
Flat rim IF	товар под заказ			
	reversible			
brushed finish	523 039	525 108		
Bowl depth	206/206 mm	205 mm		
	860 75 S S S S S S S S S S S S S S S S S S S	96 05 05 05 05 05 05 05 05 05 05 05 05 05		
Scope of supply		Without drain remote contr		

waste kit with space-saving pipe, 2 x 3 ½" basket strainer

waste kit with space-saving pipe, 3 1/2" basket strainer





## **BLANCO SOLIS-U**


## Stainless steel



- A harmonious interplay between functional and visual elements
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- Convenient bowl volume and base surface designed for practical use
- Functional accessories optionally available

cabinet size mm	800	600	600
BLANCO SOLIS-U	700-U	340/180-U	340/180-U
Undermount	товар под заказ	ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ
	Bowl centred	Main bowl right	Main bowl left
brushed finish	526125	526128	526129
Bowl depth	185 mm	185/125 mm	185/125 mm
Bowl radius R42	740 20	585 180 340 87 20	585 180 340 87 20
Scope of supply			InFino drain system without remote control
	waste kit with space-saving pipe, 3 ½" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer, fixing kit	waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer, fixing kit







## **BLANCO SOLIS-U**

## Stainless steel




- A harmonious interplay between functional and visual elements
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-
- Convenient bowl volume and base surface designed for practical use
- Functional accessories optionally available

cabinet size mm	600	500	450	400	300
BLANCO SOLIS-U	500-U	450-U	400-U	340-U	180-U
Undermount				ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ
	Bowl centred	Bowl centred	Bowl centred	Bowl centred	Bowl centred
brushed finish	526 122	526120	526 117	526115	526 113
Bowl depth	185 mm	185 mm	185 mm	185 mm	125 mm
Bowl radius R42	540 8	450 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	440 00 00 00 00 00 00 00 00 00 00 00 00	340 20 00 00 00 00 00 00 00 00 00 00 00 00	220 Si

waste kit with space-saving pipe, 3 ½" InFino basket strainer, fixing kit

Scope of supply





## **BLANCO SOLIS-IF/A**

#### Stainless steel





- A harmonious interplay between functional and visual elements
- High quality features consisting of a covered C-overflow and InFino drain system with PushControl the slim and intuitive remote control
- Convenient bowl volume and base surface designed for practical use
- Elegant IF flat-rim for flushmount and for installation from above
- Functional accessories optionally available

cabinet size mm	800	600	600	450
BLANCO SOLIS-IF/A	700-IF/A	340/180-IF/A	500-IF/A	400-IF/A
Flat rim IF				
	Bowl centred	Main bowl right	Bowl centred	Bowl centred
brushed finish	526127	526132	526124	526 119
Bowl depth	185 mm	185/125 mm	185 mm	185 mm
Bowl radius R42	700 20 000 000 000 000 000 000 000 000 000 0	585 000 000 180 340   \$\overline{8}\$  545	500 20 000 000 000 000 000 000 000 000 00	440 00 00 00 00 00 00 00 00 00 00 00 00




Additional drill hole possible. The subsequent drill hole should be carried out by a specialist company.

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (PushControl), fixing kit waste kit with space-saving pipe,  $2 \times 3 \ 1/2$ " InFino basket strainer with drain remote control (PushControl), fixing kit

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (PushControl), fixing kit

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (PushControl), fixing kit



# BLANCO UNIT with BLANCO SOLIS-IF/A BLANCO CANDOR-S BLANCO FLEXON II 60/3 see page 260 see page 300

## **BLANCO SOLIS-IF**

## Stainless steel






- A harmonious interplay between functional and visual elements
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easy-care
- Convenient bowl volume and base surface designed for practical use
- Elegant IF flat-rim for flushmount and for installation from above
- Functional accessories optionally available

cabinet size mm	800	600	600
BLANCO SOLIS-IF	700-IF	340/180-IF	340/180-IF
Flat rim IF			
		Main bowl right	Main bowl left
brushed finish	526 126	526130	526 131
Bowl depth	185 mm	185/125 mm	185/125 mm
Bowl radius R42	740 8	585 180 340 87 20	585 180 340   R  545   20
Scope of supply			InFino drain system without remote control
	waste kit with snace-saving nine	waste kit with snace-saving nine	waste kit with snace-saving nine

waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer, fixing kit

waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer, fixing kit





## **BLANCO SOLIS-IF**

## Stainless steel






- A harmonious interplay between functional and visual elements
- High-quality features with covered C-overflow and InFino drain system elegantly integrated and easycare
- Convenient bowl volume and base surface designed for practical use
- Elegant IF flat-rim for flushmount and for installation from above
- Functional accessories optionally available

cabinet size mm	600	500	450	400	300
BLANCO SOLIS-IF	500-IF	450-IF	400-IF	340-IF	180-IF
Flat rim IF				1	Ī
brushed finish	526123	526121	526118	526116	526114
Bowl depth	185 mm	185 mm	185 mm	185 mm	125 mm
Bowl radius R42	240 88 240 88	490 - 8	440 8	380 00 00 00 00 00 00 00 00 00 00 00 00 0	220 Q

waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

Scope of supply





## **BLANCO LANTOS 6-IF**

## Stainless steel





- Wide sink family range with clear shapes
- Elegant IF flat-rim for flushmount and for installation from above
- · Practical additional bowl with a perforated stainless steel colander
- Can be installed reversibly
- With 3 1/2" stainless steel basket strainers


600 mm cabinet siz	е		Flat rim IF
		Scope of supply	reversible
	brushed finish	with drain remote control, with colander	516 676

#### Scope of supply



Stainless Steel colander

perforated stainless steel colander, waste kit with space-saving pipe, 2 x 3 1/211 basket strainer, drain remote control (rotary switch) for the main bowl



330

525

<u>34</u> ਲ

Bowl depth 160/130 mm

160

**Technical Drawing** 





## **BLANCO LANTOS 8-IF Compact**

## ТОВАР ПОД ЗАКАЗ

## Stainless steel




- Wide sink family range with clear shapes
- Elegant IF flat-rim for flushmount and for installation from above
- Two large bowls maximize the cabinet used space
- With 3 1/2" stainless steel basket strainer

800 mm cabinet siz	e		Flat rim IF
		Scope of supply	reversible
	brushed finish	w/o drain remote control	520434

Scope of supply

waste kit with space-saving pipe, 2 x 3 1/2" basket strainer



Bowl depth 165/165 mm

**Technical Drawing** 



# BLANCO UNIT with BLANCO LANTOS 8-IF Compact BLANCO KANO-S BLANCO FLEXON II Low 80/3 see page 272 see page 303

## **BLANCO SUPRA-U**

## Stainless steel



- Wide programme with various combination options
- For individual configuration of main and additional bowl, drainer and accessories
- Practical accessory optional available

cabinet size mm	800	600	500	450
BLANCO SUPRA-U	340/340-U	500-U	450-U	400-U
Undermount	ТОВАР ПОД ЗАКАЗ	0	0	0
brushed finish	519716	518 205	518 203	518 201
Bowl depth	175/175 mm	175 mm	175 mm	175 mm
Bowl radius R60	765 00 00 00 00 00 00 00 00 00 00 00 00 00	230 (5)	480 15	430 00 00 00 00 00 00 00 00 00 00 00 00 0
Scone of supply				Without drain remote control


Scope of supply Without drain remote control

> waste kit with space-saving pipe, 2 x 3 ½" basket strainer, fixing kit

3 ½" basket strainer, fixing kit

waste kit with space-saving pipe, waste kit with space-saving pipe, 3 1/2" basket strainer, fixing kit

waste kit with space-saving pipe, 3 ½" basket strainer, fixing kit





## **BLANCO SUPRA 340-U**

## Stainless steel






- Wide programme with various combination options
- For individual configuration of main and additional bowl, drainer and accessories
- Practical accessory optional available

cabinet size mm	400
BLANCO SUPRA 340-U	
Undermount	0
brushed finish	518 199
Bowl depth	175 mm
Bowl radius R60	340 15
Scope of supply	Without drain remote con

waste kit with space-saving pipe, 3 1/2" basket strainer, fixing kit





## **BLANCO SUPRA**

## Stainless steel






- Wide programme
- With integrated tap ledge in just one worktop cut-out
- Elegant IF flat-rim for flushmount and for installation from above
- · Practical accessory optional available

cabinet size mm	600	450
BLANCO SUPRA	500-IF/A R12	400-IF/A R12
Flat rim IF		0
brushed finish	526355	526353
Bowl depth	175 mm	175 mm
Bowl radius R60	500 20 400 20 00 00 00 00 00 00 00 00 00 00 00 0	

Scope of supply With drain remote control

waste kit with space-saving pipe, 3 ½" basket strainer with drain remote control (pop-up, chrome-plated), fixing kit Installation note:

Additional drill hole possible. The subsequent drill hole should be carried out by a specialist company.





## **BLANCO SUPRA**

## Stainless steel





- Wide programme
- With integrated tap ledge in just one worktop cut-out
- Elegant IF flat-rim for flushmount and for installation from above
- Practical accessory optional available

cabinet size mm	600	450
BLANCO SUPRA	500-IF/A R12	400-IF/A R12
Flat rim IF		
brushed finish	526354	526352
Bowl depth	175 mm	175 mm
Bowl radius R60	1 radius R60	

waste kit with space-saving pipe, 3 1/2" basket strainer, fixing kit

Scope of supply

Additional drill hole possible. The subsequent drill hole should be carried out by a specialist company.





Without drain remote control

## **BLANCO SUPRA**

## Stainless steel






- Wide programme
- Elegant IF flat-rim for flushmount and for installation from above
- Practical accessory optional available

cabinet size mm	600	450
BLANCO SUPRA	500-IF R12	400-IF R12
Flat rim IF	0	
brushed finish	526 351	526 350
Bowl depth	175 mm	175 mm
Bowl radius R60	7 500 20 20 20 20 20 20 20 20 20 20 20 20 2	440 80 PA
Scope of supply		Without drain remote control

waste kit with space-saving pipe, 3 ½" basket strainer, fixing kit





## **BLANCODANA**

## Stainless steel



- Spacious, convenient single bowl
- Practical continuous tap ledge
- Attractive modern design
- 3 1/2" basket strainer

cabinet size mm	600	450
BLANCODANA	6	45
nstallation from above		
natural finish	525 323	525322
lowl depth	158 mm	158 mm
Bowl radius R80	98 08 08 42.5	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

waste kit with space-saving pipe, 3 1/2" basket strainer





## **BLANCO RONDOSOL**


## Stainless steel





- Timeless sink design
- Optional accessories available
- Elegant IF flat-rim for flushmount and for installation from above

cabinet size mm	450	
BLANCO RONDOSOL	IF	
Flat rim IF		
brushed finish	514 647	
Bowl depth	165 mm	



Cut-out for IF - flat rim for lay-on installation into worktop from above

Flushmount installation

Scope of supply		Without drain remote control
	waste kit with space-saving pipe, 3 ½" basket strainer	





## **DEVOTED TO CERAMIC.**

The most beloved Ceramic families.



#### **ETAGON**

#### A space for simple brilliance

Thanks to its two versatile rails, the cleverly designed range of ETAGON kitchen bowls offer three working levels that can be used at the same time. This ensures greater convenience and efficiency, while also providing optimum results.

The ETAGON Ceramic bowls are available in all four Ceramic colours



#### **SUBLINE**

#### The designer line of bowls

The SUBLINE family of bowls, includes Ceramic bowls for undermount installation. Elegant bowls for extended design opportunities where the worktop takes the main role. The SUBLINE Ceramic bowls are available in all four Ceramic colours.



#### PALONA

#### A modern classic with extras

PALONA, our purist classic in Ceramic, comprises a spacious XL bowl with a continuous tap ledge, giving you plenty of room even when space is at a premium. Thanks to its flat rim, PALONA can be integrated perfectly into any style of kitchen. PALONA is available in all four Ceramic colours.



#### **VILLAE**

#### Modern edge to the traditional Farmhouse style

Traditional elegance meets modern sophisticated design. VILLAE brings farmhouse style that will perfectly suit your needs without compromising the kitchen design. Available as a single large bowl or double equal bowls, these sinks are elegant, timeless, hard-wearing, and can be a design feature in themselves.

## **BLANCO ETAGON 500-U**

## Ceramic PuraPlus





- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care


600 mm cabinet size		Undermount	
		Scope of supply	
•	black	w/o drain remote control, with accessories	525 155
	basalt	w/o drain remote control, with accessories	525 154
	crystal white glossy	w/o drain remote control, with accessories	525 149
900	magnolia glossy	w/o drain remote control, with accessories	525150

Scope of supply

2 x ETAGON rails




#### **Technical Drawing**



2 x ETAGON rails in stainless steel, waste kit with space-saving pipe, 3 1/211 InFino basket strainer, fixing kit









see page 213





BLANCO SELECT II 60/3 see page 296

## **BLANCO ETAGON 6**

## Ceramic PuraPlus





- Generous staggered bowl with added functionality
- Integrated step creates an additional functional level
- Clever system concept with versatile ETAGON rails
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care

600 mm Incabinet size		allation from above		
		Scope of supply		
1411	black	with drain remote control, with accessories	525162	
	basalt	with drain remote control, with accessories	525 161	
	crystal white glossy	with drain remote control, with accessories	525 156	
0	magnolia glossy	with drain remote control, with accessories	525157	

#### Scope of supply

InFino drain system with remote control




#### **Technical Drawing**



2 x ETAGON rails

2 x ETAGON rails in stainless steel, waste kit with space-saving pipe,  $3\,\%$  ' InFino basket strainer with drain remote control (pop-up)



Bowl depth 215 mm

Holes for a kitchen mixer tap and drain remote control are provided.

Includes: two tap holes, drain remote control and PuraPlus coating.





## **BLANCO PALONA 6**

## Ceramic PuraPlus




- Modern design for contemporary kitchen worlds
- Low-profile rim design
- Spacious, deep single bowl with continous tap ledge
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care
- For the 60-cm base cabinet

600 mm cabinet size		Insta	llation from above
		Scope of supply	
•	black	with drain remote control	524738
	basalt	with drain remote control	524737
[ o ]	crystal white glossy	with drain remote control	524731
0	magnolia glossy	with drain remote control	524732

Scope of supply



**Technical Drawing** 



Bowl depth 190 mm

Holes for a kitchen mixer tap and drain remote control are provided.

Installing a kitchen mixer tap or drain remote control in Ceramic sinks requires a flexible sealing tape, item no. 120 055.

Includes: two tap holes, drain remote control and PuraPlus coating.

## Suggested optional accessories Solid beech chopping board Crockery basket with plate stack Pop-up drain remote control 225362 507829 238688

waste kit with space-saving pipe, 3 1/2" InFino basket strainer with drain remote control (pop-up)



## **BLANCO PANOR 60**

## Ceramic (2 отверстия + 1 предпросвреленнное)





- Attractive solution for traditional and modern country home styles
- Elegant combination of radii
- · Particularly voluminous bowl
- · Elegant in crystal white
- Suitable for 60 cm sink cabinets

600 mm cabinet size		In-l	petween module	
		Scope of supply		
0	crystal white glossy	w/o drain remote control		514501
Scope of supply			Technical Drawing	
2 holes for a kitcher	oroken through on site). Rea	strainer, 2 holes e control are provided. A hole is provided for optional or side is not glazed.See our online product catalogue for	OPTE-drilled holes for tapping or drilling	

## **BLANCO PANOR 60**

## Ceramic (1 отверстие + 2 предпросверленное)



- Attractive solution for traditional and modern country home styles
- · Elegant combination of radii
- Particularly voluminous bowl
- Elegant in crystal white
- · Suitable for 60 cm sink cabinets

# **TOBAP** ПОД ЗАКАЗ

600 mm cabinet siz	e		n-between module
		Scope of supply	
9	crystal white glossy	w/o drain remote control	514486


#### Scope of supply

waste kit with space-saving pipe, 3 ½" basket strainer, 1 hole

Hole for kitchen mixer tap provided. A hole is provided for optional accessories (to be broken through on site). Rear side is not glazed. See our online product catalogue for installation instructions.

#### **Technical Drawing**

Bowl depth 190 mm



Pre-drilled holes for tapping or drilling

Bowl depth 190 mm

## **BLANCO VILLAE Farmhouse**

Waste kit, 2 x 3 1/2" basket strainer

# TOBAP ПОД ЗАКАЗ

## Ceramic



- Tastefully traditional with design updates for thatcountry style look
- Stylish crystal white ceramic sinks
- Double equal bowl for the 80 cm cabinet

800	800
Double	Single
00	0
525 164	525163
195/195 mm	195 mm
794 753 87 87 87 87 87 87 87 87 87 87 87 87 87	735 735 8 8 8
<ul> <li>Min. cabinet width: 800 mm</li> <li>Internal bowl depth: 195/195 mm</li> <li>External bowl height: 220 mm</li> <li>Cut out size: Template provided. Undermount.</li> </ul>	<ul> <li>Min. cabinet width: 800 mm</li> <li>Internal bowl depth: 196 mm</li> <li>External bowl height: 220 mm</li> <li>Cut out size: Template provided. Undermount.</li> </ul>
	Double  525 164  195/195 mm  794 753 8 366 366 20  • Min. cabinet width: 800 mm • Internal bowl depth: 195/195 mm • External bowl height: 220 mm

Suggested optional accessories



Waste kit, 3 1/2" basket strainer

## **BLANCO SUBLINE-U**

## Ceramic PuraPlus





- Large bowl capacity
- Mounting involves no additional expense
- · Ceramic for easy care
- Timelessly elegant, contoured bowl design
- A wide range of optional accessories for added functionality
- InFino drain system gracefully integrated and easy-care

cabinet size mm	600	600	450
BLANCO SUBLINE-U	350/150-U	500-U	375-U
Undermount	•	•	•
	Main bowl left		
black	523747	523740	523732
basalt	523746	523739	523 731
crystal white glossy	523 741	523733	523726
magnolia glossy	523742	523734	523727
Bowl depth	185/130 mm	185 mm	185 mm
Bowl radius	567* 90 350   150   80 525   21	543 95 98 21.5 500 8	96 96 20 374 8

525 Cut-out radius: 15 mm

Note: minimum worktop thickness 25 mm. Please follow the assembly instructions.

Note: minimum worktop thickness 25 mm. Please follow the assembly instructions.

Cut-out radius: 15 mm

Cut-out radius: 15 mm

Note: minimum worktop thickness 25 mm. Please follow the assembly instructions.


\* If necessary, cut out wall units.


#### Scope of supply


waste kit with space-saving pipe, 3 ½" and 1 1/2" InFino basket strainer, fixing kit

waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit

InFino drain system without remote contro waste kit with space-saving pipe, 3 1/2" InFino basket strainer, fixing kit







#### Discover SILGRANIT®'s beautiful colour palette.

Silgranit's beautiful, smooth surface is available in a range of design-oriented non-fading colours. Colour is such an important part of our lives, especially within our homes. It is a fundamental aspect of interior design, and we use colour as a form of creative expression. It has the power to uplift, energize, soothe and awaken.

Get inspired and create adorable kitchens with a spectrum of Silgranit shades available in our bowls, sinks and mixer taps portfolio.



black



anthracite



rock grey



volcano grey



alu metallic



white soft white



/hite t



tartufo




coffee



#### Make a stylish statement in the kitchen.

Coordinating the colours of the mixer tap and the sink makes each BLANCO UNIT unique. Silgranit-look mixer taps can be combined with Silgranit sinks in colour-coordinated match. Satin gold and black matt mixer taps set particularly harmonious accents, giving the kitchen a special flair with the BLANCO UNIT at its heart.



## **BLANCO AXIA III 6 S-F**

#### **SILGRANIT**






- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrow rim
- Tight radii for maximum utilisation of the surface and volume
- Movable chopping board for working directly into cooking dishes
- Multifunctional colander can also be freely positioned in the main bowl for easy food
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care

600 mm cabinet	size				mount Flus	h undermounted installation
		Scope of supply			Main bowl right	Main bowl left
•	black	incl. chopping boa			525 853 525 852	525 855 525 854
	anthracite	incl. chopping boa			524 663 524 669	523 483 523 489
	rock grey	incl. chopping boa			524 664 524 670	523 484 523 490
NE	volcano grey	incl. chopping boa			527 231 527 230	527 233 527 232
	alu metallic	incl. chopping boa			524 665 524 671	523 485 523 491
2	white	incl. chopping boa			524 666 524 672	523 486 523 492
NE	soft white	incl. chopping boa			527 047 527 048	527 050 527 049
	coffee	incl. chopping boa			524 668 524 674	523 488 523 494
Scope of supply	'	'	InFino drain system with remote control	Technical Dra	wing	,
185	489	350	350	470	990	500
Multifunctional cola		n compound bridging opping board AXIA III	Glass cutting board white	74		345

ash compound bridging chopping board, multifunctional stainless steel colander, waste kit with spacesaving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (rotary switch) for the main bowl

glass cutting board, multifunctional stainless steel colander, waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (rotary switch) for the main bowl



Bowl depth 190/145 mm

#### Suggested optional accessories



## **BLANCO AXIA III 6 S**

#### **SILGRANIT**





- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrow, low-profile rim
- Tight radii for maximum utilisation of the surface and volume
- Movable chopping board for working directly into cooking dishes
- Multifunctional colander can also be freely positioned in the main bowl for easy food preparation
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care

## 600 mm cabinet size

#### Installation from above



		Scope of supply	Main bowl right	Main bowl left
	black	incl. chopping board wood incl. cutting board glass	525 849 525 848	525 851 525 850
	anthracite	incl. chopping board wood incl. cutting board glass	524 643 524 653	523 462 523 472
	rock grey	incl. chopping board wood incl. cutting board glass	524644 524654	523 463 523 473
NE	volcano grey	incl. chopping board wood incl. cutting board glass	527 227 527 226	527 229 527 228
	alu metallic	incl. chopping board wood incl. cutting board glass	524645 524655	523 464 523 474
1	white	incl. chopping board wood incl. cutting board glass	524 647 524 657	523 466 523 477
NE	soft white	incl. chopping board wood incl. cutting board glass	527 044 527 043	527 046 527 045
	tartufo	incl. chopping board wood incl. cutting board glass	524650 524660	523 469 523 480
	coffee	incl. chopping board wood incl. cutting board glass	524652 524662	523 471 523 482

#### Scope of supply



Multifunctional colander




Ash compound bridging chopping board AXIA III



Glass cutting board white

**Technical Drawing** 



Bowl depth 190/145 mm

ash compound bridging chopping board, multifunctional stainless steel colander, waste kit with space-saving pipe,  $2 \times 3 \,\%$ " InFino basket strainer with drain remote control (rotary switch) for the main bowl or

glass cutting board, multifunctional stainless steel colander, waste kit with space-saving pipe,  $2 \times 3 \%$ " InFino basket strainer with drain remote control (rotary switch) for the main bowl

#### Suggested optional accessories

#### **BLANCO UNIT with BLANCO AXIA III 6 S**







BLANCO SELECT II 60/3 Orga

see page 232

see page 295

## **BLANCO AXIA III XL 6 S-F**

#### **SILGRANIT**






- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrow rim
- Tight radii for maximum utilisation of the surface and volume
- Movable chopping board for working directly into cooking dishes
- Spacious bowl size and beautifully integrated, practical drainer groove
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care
- Flushmount version. Can be installed reversibly

00 mm cabinet size		Flushmount installation	sh undermounted installation	
		Scope of supply	reversible	
•	black	incl. chopping board wood incl. cutting board glass	525 860 525 859	
9 .	anthracite	incl. chopping board wood incl. cutting board glass	523 520 523 526	
	rock grey	incl. chopping board wood incl. cutting board glass	523 521 523 527	
NEW	volcano grey	incl. chopping board wood incl. cutting board glass	527 237 527 236	
	alu metallic	incl. chopping board wood incl. cutting board glass	523 522 523 528	
0	white	incl. chopping board wood incl. cutting board glass	523 523 523 529	
NEW	soft white	incl. chopping board wood incl. cutting board glass	527 054 527 053	
•	coffee	incl. chopping board wood incl. cutting board glass	523 525 523 531	

#### Scope of supply



Ash compound bridging chopping board AXIA III




Glass cutting board white

ash compound bridging chopping board, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)

glass cutting board, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)

#### **Technical Drawing**



Bowl depth 190/45 mm

#### Suggested optional accessories



### **BLANCO AXIA III XL 6 S**


#### **SILGRANIT**





- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrow, low-profile rim
- Tight radii for maximum utilisation of the surface and volume
- Movable chopping board for working directly into cooking dishes
- Spacious bowl size and beautifully integrated, practical drainer groove
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care
- · Can be installed reversibly


600 mm cabinet size



#### Scope of supply



Ash compound bridging chopping board AXIA III




Glass cutting board white

with remote control



#### **Technical Drawing**



Bowl depth 190/45 mm

ash compound bridging chopping board, waste kit with space-saving pipe,  $3\,\%$ " InFino basket strainer with drain remote control (rotary switch)

or

glass cutting board, waste kit with space-saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer with drain remote control (rotary switch)

#### Suggested optional accessories

## BLANCO UNIT with BLANCO AXIA III XL 6 S BLANCO LINEE-S BLANCO SELECT II 60/3 Orga see page 232 see page 295

## **BLANCO AXIA III 5 S-F**

#### **SILGRANIT**






- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrow rim
- Tight radii for maximum utilisation of the surface and volume
- · Movable chopping board for working directly into cooking dishes
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care
- Flushmount version

500 mm cabinet size		Flushmount installation	n undermounted installation
		Scope of supply	reversible
•	black	incl. chopping board wood incl. cutting board glass	525 847 525 846
•	anthracite	incl. chopping board wood incl. cutting board glass	523 225 523 231
• 5	rock grey	incl. chopping board wood incl. cutting board glass	523 226 523 232
NEW	volcano grey	incl. chopping board wood incl. cutting board glass	527 225 527 224
	alu metallic	incl. chopping board wood incl. cutting board glass	523 227 523 233
0	white	incl. chopping board wood incl. cutting board glass	523 228 523 234
NEW	soft white	incl. chopping board wood incl. cutting board glass	527 041 527 042
	coffee	incl. chopping board wood incl. cutting board glass	523 230 523 236

#### Scope of supply



Ash compound bridging chopping board AXIA III



Glass cutting board white

ash compound bridging chopping board, waste kit with space-saving pipe, 3 %" InFino basket strainer with drain remote control (rotary switch)

or

glass cutting board, waste kit with space-saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer with drain remote control (rotary switch)

## 905 00 00 024 345 23.5 to

Bowl depth 190/55 mm

**Technical Drawing** 

#### Suggested optional accessories



Multifunctional colander

233739

## BLANCO UNIT with BLANCO AXIA III 5 S-F BLANCO LINEE-S BLANCO SELECT II 50/2

DLANGU LINEE-3

see page 299

see page 232


### **BLANCO AXIA III 5 S**

#### **SILGRANIT**






- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrow, low profile rim
- Tight radii for maximum utilisation of the surface and volume
- Movable chopping board for working directly into cooking dishes
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and extremely easy-care



#### Scope of supply



Ash compound bridging chopping board AXIA III




Glass cutting board white

ash compound bridging chopping board, waste kit with space-saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer with drain remote control (rotary switch)

or

glass cutting board, waste kit with space-saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer with drain remote control (rotary swith)

#### **Technical Drawing**



Bowl depth 190/55 mm

#### Suggested optional accessories



Multifunctional colander

233739

#### BLANCO UNIT with BLANCO AXIA III 5 S







BLANCO SELECT II 50/2

see page 232

see page 299

## **BLANCO AXIA III 45 S-F**

#### **SILGRANIT**






- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrowrim
- Tight radii for maximum utilisation of the surface and volume
- · Movable ash compound bridging chopping board for working directly into cooking dishes
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care
- Flushmount version

450 mm cabinet size		Flushmount installation	h undermounted installation
		Scope of supply	reversible
•	black	incl. chopping board wood incl. cutting board glass	525 843 525 842
•	anthracite	incl. chopping board wood incl. cutting board glass	523193 523199
	rock grey	incl. chopping board wood incl. cutting board glass	523194 523200
NEW	volcano grey	incl. chopping board wood incl. cutting board glass	527 221 527 220
	alu metallic	incl. chopping board wood incl. cutting board glass	523 195 523 201
0	white	incl. chopping board wood incl. cutting board glass	523 196 523 202
NEW	soft white	incl. chopping board wood incl. cutting board glass	527 038 527 037
	coffee	incl. chopping board wood incl. cutting board glass	523 198 523 204

#### Scope of supply



Ash compound bridging chopping board AXIA III




Glass cutting board white

ash compound bridging chopping board, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)

glass cutting board, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)

#### **Technical Drawing**



Bowl depth 190/20 mm

#### Suggested optional accessories



### **BLANCO AXIA III 45 S**

#### **SILGRANIT**






- Smooth, ergonomic work flow along two axis
- Design that is notable for clear lines and the ultra-narrow, low profile rim
- Tight radii for maximum utilisation of the surface and volume
- · Movable ash compound bridging chopping board for working directly into cooking dishes
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care

mm cabinet size **450** Installation from above Scope of supply reversible incl. chopping board wood 525841 black incl. cutting board glass 525840 incl. chopping board wood 523 173 anthracite incl. cutting board glass 523 183 523 174 incl. chopping board wood rock grey incl. cutting board glass 523184 527219 incl. chopping board wood volcano grey incl. cutting board glass 527218 incl. chopping board wood 523175 alu metallic incl. cutting board glass 523185 incl. chopping board wood 523177 white incl. cutting board glass 523 187 incl. chopping board wood 527036 soft white incl. cutting board glass 527035 NEW incl. chopping board wood 523 180 tartufo incl. cutting board glass 523190 incl. chopping board wood 523 182 coffee 523192 incl. cutting board glass

#### Scope of supply



Ash compound bridging chopping board AXIA III




Glass cutting board white

ash compound bridging chopping board, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)

or

glass cutting board, waste kit with space-saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer with drain remote control (rotary switch)

#### **Technical Drawing**



Bowl depth 190/20 mm

#### Suggested optional accessories

# BLANCO UNIT with BLANCO AXIA III 45 S BLANCO LINEE-S BLANCO SELECT II 45/2 see page 232 see page 299

## **BLANCODELTA II-F SILGRANIT**

## **TOBAP** ПОД ЗАКАЗ



- Ergonomically positioned bowl, additional bowl and drainer
- Spacious bowl with a long bowl diagonal for easy washing-up of e.g. baking trays
- High-quality features with InFino drain system with remote control elegantly integrated and extremely easy-care
- · Additional bowl with perforated stainless steel colander


900x900	mm corner cabinet size	Flushmount installation	h undermounted installation
		Scope of supply	Bowl left
	black	with drain remote control, with accessories	525 868
	anthracite	with drain remote control, with accessories	523670
	rock grey	with drain remote control, with accessories	523 671
NEW	volcano grey	with drain remote control, with accessories	527 239
	alu metallic	with drain remote control, with accessories	523672
-0	white	with drain remote control, with accessories	523673
NEW	soft white	with drain remote control, with accessories	527 056
	coffee	with drain remote control, with accessories	523675

#### Scope of supply

Multifunctional colander



#### **Technical Drawing**



Bowl depth 185/130 mm Cut-out by template.

#### multifunctional stainless steel colander, waste kit with space-saving pipe, 2 x 3 1/2" InFino basket strainer with drain remote control (rotary switch) for the main bowl

## Suggested optional accessories Maple wood cutting board Multifunctional wire basket 232841 223297



## BLANCODELTA II

## ПОД ЗАКАЗ

**TOBAP** 

#### **SILGRANIT**



- Ergonomically positioned bowl, additional bowl and drainer
- Spacious bowl with a long bowl diagonal for easy washing-up of e.g. baking trays
- High-quality features with InFino drain system with remote control elegantly integrated and extremely easy-care
- · Additional bowl with perforated stainless steel colander

## 900x900 mm corner cabinet size

Installation from above



			7//
		Scope of supply	Bowl left
	black	with drain remote control, with accessories	525 867
	anthracite	with drain remote control, with accessories	523656
	rock grey	with drain remote control, with accessories	523657
NEW	volcano grey	with drain remote control, with accessories	527 238
	alu metallic	with drain remote control, with accessories	523658
( Part D	white	with drain remote control, with accessories	523660
NEW	soft white	with drain remote control, with accessories	527 055
	tartufo	with drain remote control, with accessories	523666
	coffee	with drain remote control, with accessories	523 669

#### Scope of supply

InFino drain syster with remote control




#### **Technical Drawing**



Multifunctional colander

multifunctional stainless steel colander, waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (rotary switch) for the main bowl



Bowl depth 185/130 mm Cut-out by template.

## Suggested optional accessories



Maple wood cutting board

360

Multifu

232841

Multifunctional wire basket

223 297

### BLANCO UNIT with BLANCODELTA II





BLANCO LINEE-S

BLANCO SOLON-IF

see page 232

see page 309

## **BLANCO ZENAR XL 6 S-F**

#### **SILGRANIT**







- Particularly large bowl with spacious draining board
- Tap ledge across the entire width offers plenty of space
- · Functional area with flowing transition to draining board
- Optional functional accessories are available
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and extremely easy-care
- Flushmount version

00 mm cabinet size			Flushmount installation Flush undermount	
		Scope of supply	Bowl right	Bowl left
	black	with drain remote control, w/o accessories	526068	526065
	anthracite	with drain remote control, w/o accessories	523902	523 924
	rock grey	with drain remote control, w/o accessories	523903	523 926
NEW	volcano grey	with drain remote control, w/o accessories	527375	527 374
	alu metallic	with drain remote control, w/o accessories	523 904	523 928
HEN	white	with drain remote control, w/o accessories	523905	523 929
NEW	soft white	with drain remote control, w/o accessories	527 192	527 191
	coffee	with drain remote control, w/o accessories	523908	523933
ope of supply	1	InFino drain system with remote control	rawing	

waste kit with space-saving pipe, 3 1/2" InFino basket strainer with drain remote control (rotary switch)



Pre-drilled holes for tapping or drilling Bowl depth 190 mm






## **BLANCO ZENAR XL 6 S**

#### **SILGRANIT**






- Particularly large bowl with spacious draining board
- Tap ledge across the entire width offers plenty of space
- · Functional area with flowing transition to draining board
- Optional functional accessories are available
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and extremely easy-care




waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)



○ Pre-drilled holes for tapping or drilling Bowl depth 190 mm

**Technical Drawing** 





Scope of supply

## BLANCO ZENAR XL 6 S Compact **SILGRANIT**


## **TOBAP** ПОД ЗАКАЗ




- Compact outer dimension for comfort in limited space
- Ultra-large bowl with a small drainer area
- Functional area with flowing transition to draining board
- Optional functional accessories are available
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care

600 mm cabinet si	ze	Inst	allation from above
		Scope of supply	Bowl right
1	black	with drain remote control, w/o accessories	526052
	anthracite	with drain remote control, w/o accessories	523774
-	rock grey	with drain remote control, w/o accessories	523775
NEW	volcano grey	with drain remote control, w/o accessories	527 368
	alu metallic	with drain remote control, w/o accessories	523776
lastin.	white	with drain remote control, w/o accessories	523778
NEW	soft white	with drain remote control, w/o accessories	527 185
	tartufo	with drain remote control, w/o accessories	523782
-	coffee	with drain remote control, w/o accessories	523784
Scope of supply  InFino drain system with remote control  Technical Drawing			1

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)





Pre-drilled holes for tapping or drilling Bowl depth 190 mm





## **BLANCO ZENAR 5 S-F**

#### **SILGRANIT**






- Particularly large bowl with spacious draining board
- Tap ledge across the entire width offers plenty of space
- Functional area with flowing transition to draining board
- Optional functional accessories are available
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and extremely easy-care
- Flushmount version

500 mm cabinet siz	e	Flushmount installation	n undermounted installation
		Scope of supply	Bowl right
100	black	with drain remote control, w/o accessories	526 049
•	anthracite	with drain remote control, w/o accessories	523873
-	rock grey	with drain remote control, w/o accessories	523 874
NEW	volcano grey	with drain remote control, w/o accessories	527 366
	alu metallic	with drain remote control, w/o accessories	523875
19	white	with drain remote control, w/o accessories	523876
NEW	soft white	with drain remote control, w/o accessories	527 183
	coffee	with drain remote control, w/o accessories	523878
Scope of supply		InFino drain system with remote control  Technical Drawing	

waste kit with space-saving pipe, 3 1/2" InFino basket strainer with drain remote control (rotary switch)



© Pre-drilled holes for tapping or drilling Bowl depth 190 mm





## **BLANCO ZENAR 5 S**

#### **SILGRANIT**

Scope of supply







- Particularly large bowl with spacious draining board
- Tap ledge across the entire width offers plenty of space
- Functional area with flowing transition to draining board
- Functional accessories optionally available
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care

500 mm cabinet size	500 mm cabinet size		
		Scope of supply	Bowl right
-	black	with drain remote control, w/o accessories	526 046
•	anthracite	with drain remote control, w/o accessories	523934
-	rock grey	with drain remote control, w/o accessories	523935
NEW	volcano grey	with drain remote control, w/o accessories	527 365
	alu metallic	with drain remote control, w/o accessories	523936
19	white	with drain remote control, w/o accessories	523938
NEW	soft white	with drain remote control, w/o accessories	527 182
100	tartufo	with drain remote control, w/o accessories	523941
Part I	coffee	with drain remote control, w/o accessories	523943

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)



**Technical Drawing** 



Pre-drilled holes for tapping or drilling Bowl depth 190 mm





## **BLANCO ZENAR 45 S-F**

#### **SILGRANIT**






- Particularly large bowl with spacious draining board
- Tap ledge across the entire width offers plenty of space
- Functional area with flowing transition to draining board
- Optional functional accessories are available
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care
- Flushmount version

450 mm cabinet size			ushmount Flus	sh undermounted installation
		Scope of supply	Bowl right	Bowl left
	black	with drain remote control, w/o accessories	526 043	526040
•	anthracite	with drain remote control, w/o accessories	523811	523 832
	rock grey	with drain remote control, w/o accessories	523813	523833
NEV	volcano grey	with drain remote control, w/o accessories	527 363	527362
	alu metallic	with drain remote control, w/o accessories	523815	523834
Page 1	white	with drain remote control, w/o accessories	523816	523836
NEV	soft white	with drain remote control, w/o accessories	527180	527 179
•	coffee	with drain remote control, w/o accessories	523818	523 839
Scope of supply  InFino drain system with remote control				

waste kit with space-saving pipe, 3 1/2" InFino basket strainer with drain remote control (rotary switch)



© Pre-drilled holes for tapping or drilling Bowl depth 190 mm





## **BLANCO ZENAR 45 S**

#### **SILGRANIT**

Scope of supply






- Particularly large bowl with spacious draining board
- Tap ledge across the entire width offers plenty of space
- Functional area with flowing transition to draining board
- Optional functional accessories are available
- High-quality features with drain remote control, covered C-overflow and InFino drain system elegantly integrated and easy-care

150 mm cabinet size		Installation from above		
		Scope of supply	Bowl right	Bowl left
1.	black	with drain remote control, w/o accessories	526 037	526034
	anthracite	with drain remote control, w/o accessories	523781	523850
1	rock grey	with drain remote control, w/o accessories	523785	523 851
NEW	volcano grey	with drain remote control, w/o accessories	527 361	527359
	alu metallic	with drain remote control, w/o accessories	523786	523 852
PRINT	white	with drain remote control, w/o accessories	523788	523854
NEW	soft white	with drain remote control, w/o accessories	527 178	527 176
100	tartufo	with drain remote control, w/o accessories	523796	523 859
10	coffee	with drain remote control, w/o accessories	523798	523 861

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)



Pre-drilled holes for tapping or drilling Bowl depth 190 mm

**Technical Drawing** 





## **BLANCO LEXA 9 E SILGRANIT**

## **TOBAP** ПОД ЗАКАЗ



- Modern sink unit for any kitchen ambience
- Harmonious design of outer contours and radii
- · Generously proportioned main bowl and half bowl
- Elegant, large draining area with flowing transition to the bowl area
- High-quality features with InFino drain system elegantly integrated and easy-care
- Spacious tap ledge with lots of space e.g. for soap dispenser, washing-up utensils etc.


900x900 mm corner cabinet size			llation from above
		Scope of supply	Main bowl left
	black	with drain remote control	525 910
	anthracite	with drain remote control	524990
	rock grey	with drain remote control	524991
NEW	volcano grey	with drain remote control	527 284
	alu metallic	with drain remote control	524992
100	white	with drain remote control	524994
NEW	soft white	with drain remote control	527 101
100	tartufo	with drain remote control	524997
	coffee	with drain remote control	524999

Scope of supply



#### **Technical Drawing**

waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (rotary switch) for the main bowl



Pre-drilled holes for tapping or drilling Bowl depth 190/130 mm Cut-out by template.





## **BLANCO LEXA 6 S**

#### **SILGRANIT**



527095

524937

524939



soft white

tartufo

coffee

- Modern sink unit for any kitchen ambience
- Harmonious design of outer contours and radii
- · Generously proportioned main bowl plus half bowl with stainless steel colander
- Elegant, large draining area with flowing transition to the bowl area
- High-quality features with InFino drain system elegantly integrated and easy-care
- Practical optional accessories available
- · Can be installed reversibly

600 mm cabinet size			llation from above
		Scope of supply	reversible
1	black	with drain remote control, with accessories	525 903
•	anthracite	with drain remote control, with accessories	524930
	rock grey	with drain remote control, with accessories	524931
NEW NEW	volcano grey	with drain remote control, with accessories	527278
	alu metallic	with drain remote control, with accessories	524932
0 *	white	with drain remote control, with accessories	524934

#### Scope of supply

with drain remote control, with accessories

with drain remote control, with accessories

with drain remote control, with accessories




#### **Technical Drawing**



Multifunctional colander

multifunctional stainless steel colander, waste kit with space-saving pipe, 2 x 3 ½" InFino basket strainer with drain remote control (rotary switch) for the main bowl



Pre-drilled holes for tapping or drilling Bowl depth 190/145 mm





## **BLANCO LEXA 5 S**

#### **SILGRANIT**






- Modern sink unit for any kitchen ambience
- Harmonious design of outer contours and radii
- Generously proportioned bowl
- Elegant, wide drainboard with practical, recessed additional outlet
- High-quality features with InFino drain system elegantly integrated and easy-care
- Practical optional accessories available
- · Can be installed reversibly


500 mm cabinet size			ation from above
		Scope of supply	reversible
₩ 😘	black	with drain remote control	525 902
•	anthracite	with drain remote control	524920
	rock grey	with drain remote control	524921
NEW	volcano grey	with drain remote control	527 277
	alu metallic	with drain remote control	524922
2	white	with drain remote control	524924
NEW	soft white	with drain remote control	527 094
-	tartufo	with drain remote control	524927
•	coffee	with drain remote control	524929

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)

#### **Technical Drawing**



© Pre-drilled holes for tapping or drilling Bowl depth 190/50 mm





Scope of supply

## **BLANCO LEXA 45 S**

#### **SILGRANIT**

Scope of supply







- Modern sink unit for any kitchen ambience
- Harmonious design of outer contours and radii
- Generously proportioned bowl
- Elegant, large draining area with beautifully shaped secondary drain
- High-quality features with InFino drain system elegantly integrated and easy-care
- Can be installed reversibly

Labinet size			Installation from above
		Scope of supply	reversible
Н 😵	black	with drain remote control	525 900
•	anthracite	with drain remote control	524900
100	rock grey	with drain remote control	524901
NEV	volcano grey	with drain remote control	527 276
	alu metallic	with drain remote control	524902
-	white	with drain remote control	524904
NEV	soft white	with drain remote control	527 093
	tartufo	with drain remote control	524907
	coffee	with drain remote control	524 909

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)



**Technical Drawing** 



Pre-drilled holes for tapping or drilling Bowl depth 190/25 mm





## **BLANCO LEXA 40 S**

#### **SILGRANIT**






- Modern sink unit for any kitchen ambience
- Harmonious design of outer contours and radii
- · Maximally sized, straight-lined design bowl for 40 cm sink cabinets
- Elegant draining area with beautifully shaped secondary drain
- High-quality features with InFino drain system elegantly integrated and easy-care
- Practical optional accessories available
- · Can be installed reversibly


mm cabinet size 400 Installation from above Scope of supply reversible black with drain remote control 525897 anthracite with drain remote control 524880 524881 with drain remote control rock grey 527275 with drain remote control volcano grey with drain remote control 524882 alu metallic white with drain remote control 524884 soft white with drain remote control 527092 NEW tartufo with drain remote control 524887 coffee with drain remote control 524889

waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)



OPre-drilled holes for tapping or drilling Bowl depth 190/25 mm

**Technical Drawing** 





Scope of supply

## **BLANCO METRA 9 E**

#### **SILGRANIT**






- Young, straight-lined design
- Designed especially for the corner placement with comfortable large main bowl and spacious additional bowl
- Spacious draining area provides a high degree of comfort
- Aesthetic low-profile rim design

900x900	mm corner cabinet size		Installation from above	
		Scope of supply	Main bowl right	
⊚ ⊚	black	w/o drain remote control	525 938	
0 0	anthracite	w/o drain remote control	515 576	
	rock grey	w/o drain remote control	518 888	
NEW	volcano grey	w/o drain remote control	526798	
	alu metallic	w/o drain remote control	515 567	
•	white	w/o drain remote control	515 568	
NEW	soft white	w/o drain remote control	526 801	
	tartufo	w/o drain remote control	517 367	
	coffee	w/o drain remote control	515 573	

waste kit with space-saving pipe, 2 x 3 ½" basket strainer

Scope of supply

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190/130 mm Cut-out by template.





## **BLANCO METRA 8 S**

#### **SILGRANIT**






- Young, straight-lined design
- The large capacity of the bowl provides generous room to do the washing up
- The additional bowl provides a high degree of comfort
- Aesthetic low-profile rim design
- · Can be installed reversibly

800 mm cabinet size		Instal	Installation from above	
		Scope of supply	reversible	
* * *	black	w/o drain remote control	525 934	
<b>0</b> 1 0	anthracite	w/o drain remote control	513 071	
	rock grey	w/o drain remote control	518884	
NEW	volcano grey	w/o drain remote control	527303	
0 0	alu metallic	w/o drain remote control	513063	
0 0	white	w/o drain remote control	513 064	
NEW	soft white	w/o drain remote control	527 120	
	tartufo	w/o drain remote control	517 357	
	coffee	w/o drain remote control	515 048	

#### Scope of supply

waste kit with space-saving pipe, 2 x 3 ½" basket strainer

#### **Technical Drawing**



© Pre-drilled holes for tapping or drilling Bowl depth 190/190 mm





## **BLANCO METRA 6 S**

#### **SILGRANIT**






- Young, straight-lined design
- The large capacity of the bowl provides generous room to do the washing up
- The additional bowl and the spacious draining area provide a high degree of
- Aesthetic low-profile rim design
- · Can be installed reversibly

600 mm cabinet size		allation from above	
		Scope of supply	reversible
-	black	w/o drain remote control	525 927
• •	anthracite	w/o drain remote control	513 230
-	rock grey	w/o drain remote control	518 878
NEW	volcano grey	w/o drain remote control	527 300
10	alu metallic	w/o drain remote control	513 222
0 0	white	w/o drain remote control	513 223
NEW	soft white	w/o drain remote control	527 117
1	tartufo	w/o drain remote control	517 355
	coffee	w/o drain remote control	515 046

#### Scope of supply

waste kit with space-saving pipe, 2 x 3 ½" basket strainer

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190/145 mm



## **BLANCO UNIT with BLANCO METRA 6 S BLANCO LINUS-S** BLANCO SELECT II 60/3 see page 255 see page 296

## **BLANCO METRA XL 6 S**

#### **SILGRANIT**






- Young, straight-lined design
- The large capacity of the bowl provides generous room to do the washing up
- Spacious draining area provides a high degree of comfort
- Aesthetic low-profile rim design
- · Can be installed reversibly

600 mm cabinet siz	600 mm Installed Cabinet size		
		Scope of supply	reversible
	black	w/o drain remote control	525930
•	anthracite	w/o drain remote control	515142
	rock grey	w/o drain remote control	518 880
NEW	volcano grey	w/o drain remote control	527 307
9	alu metallic	w/o drain remote control	515 135
0	white	w/o drain remote control	515 136
NEW	soft white	w/o drain remote control	527 124
-	tartufo	w/o drain remote control	517 359
	coffee	w/o drain remote control	515 143


#### Scope of supply

waste kit with space-saving pipe, 3 ½" basket strainer

#### **Technical Drawing**



© Pre-drilled holes for tapping or drilling Bowl depth 190 mm





## **BLANCO METRA 5 S**

#### **SILGRANIT**






- Young, straight-lined design
- The large capacity of the bowl provides generous room to do the washing up
- Spacious draining area provides a high degree of comfort
- Aesthetic low profile rim design
- Can be installed reversibly

mm cabinet size		ı	Installation from above	
		Scope of supply	reversible	
	black	w/o drain remote control	525 919	
•	anthracite	w/o drain remote control	513212	
	rock grey	w/o drain remote control	518 872	
NE	volcano grey	w/o drain remote control	527293	
0	alu metallic	w/o drain remote control	513204	
0	white	w/o drain remote control	513205	
NE	soft white	w/o drain remote control	527 110	
	tartufo	w/o drain remote control	517 349	
	coffee	w/o drain remote control	515 042	

#### Scope of supply

waste kit with space-saving pipe, 3 1/2" basket strainer

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190 mm





## **BLANCO METRA 45 S**

#### **SILGRANIT**





- Young, straight-lined design
- Separate drain provides a high degree of comfort
- The large capacity of the bowl provides generous room to do the washing up
- Aesthetic low-profile rim design
- Can be installed reversibly


450	450 cabinet size				
			Scope of supply	rev	

		Scope of supply	reversible
*	black	w/o drain remote control	525 915
• •	anthracite	w/o drain remote control	513194
	rock grey	w/o drain remote control	518 869
NEW	volcano grey	w/o drain remote control	527 289
	alu metallic	w/o drain remote control	513 186
0	white	w/o drain remote control	513 187
NEW	soft white	w/o drain remote control	527 106
0	tartufo	w/o drain remote control	517 346
	coffee	w/o drain remote control	515 039

#### Scope of supply

waste kit with space-saving pipe, 3  $\frac{1}{2}$ " basket strainer

#### **Technical Drawing**



© Pre-drilled holes for tapping or drilling Bowl depth 190/25 mm






## **BLANCO METRA 45 S Compact**

#### **SILGRANIT**






- Young, straight-lined design
- The large capacity of the bowl provides generous room to do the washing up
- Compact drainer with integrated drain
- Aesthetic low-profile rim design
- · Can be installedreversibly and also as undermount sink

450 mm cabinet size		Install	Installation from above	
		Scope of supply	reversible	
100	black	w/o drain remote control	525 912	
' - •	anthracite	w/o drain remote control	519561	
*	rock grey	w/o drain remote control	519 562	
NEW	volcano grey	w/o drain remote control	527 286	
0	alu metallic	w/o drain remote control	519 563	
. 0	white	w/o drain remote control	519 565	
NEW	soft white	w/o drain remote control	527 103	
W .	tartufo	w/o drain remote control	519 569	
100	coffee	w/o drain remote control	519570	

#### Scope of supply

waste kit with space-saving pipe, 3 1/2" basket strainer

#### **Technical Drawing**



Pre-drilled holes for tapping or drilling Bowl depth 190/25 mm





## **BLANCO ELON XL 6 S-F**

#### **SILGRANIT**





- Compact single-bowl sink, also suitable for small kitchens
- Practical, comfortable XL bowl
- Clever extendable drainer thanks to the movable stainless steel grid
- · Modern undulating design of sink and accessories match each other
- Multifunctional stainless steel drainer grid included in the delivery
- High-quality features with InFino drain system with remote control elegantly integrated and easy-care
- Tap ledge on side, also convenient for window installation
- Can be installed reversibly

600 mm cabinet size		Flushmount installation			
		Scope of supply	reversible		
* ·	black	with drain remote control, with accessories	525 884		
•	anthracite	with drain remote control, with accessories	524854		
	rock grey	with drain remote control, with accessories	524855		
NEW	volcano grey	with drain remote control, with accessories	527 254		
	alu metallic	with drain remote control, with accessories	524856		
-	white	with drain remote control, with accessories	524857		
NEW	soft white	with drain remote control, with accessories	527 071		
	coffee	with drain remote control, with accessories	524859		
		InFino drain system			

#### Scope of supply




#### **Technical Drawing**




Drainer grid

stainless steel drainer grid, waste kit with space-saving pipe, 3 ½" InFino basket strainer with drain remote control (rotary switch)



Pre-drilled holes for tapping or drilling Bowl depth 190 mm





## **BLANCO ELON**

#### **SILGRANIT**



- · Compact single-bowl sink
- Practical, comfortable XL bowl
- Clever extendable drainer thanks to the movable stainless steel grid
- Modern undulating design of sink and accessories match each other perfectly
- Multifunctional stainless steel drainer grid included in the delivery
- High-quality features with InFino drain system with remote control elegantly integrated and extremely easy-care
- Tap ledge on side, also ideal for window installation
- Can be installed reversibly

	- Can be inclained i	overeibiy		
cabinet size mm	800	600	450	
BLANCO ELON	XL 8 S	XL 6 S	45 S	
Installation from above	•	•		
	reversible	reversible	reversible	
black	525 885	525 882	525 879	
anthracite	524860	524834	524814	
rock grey	524 861	524835	524815	
NEW volcano grey	527 256	527 253	527 251	
alu metallic	524862	524836	524816	
white	524864	524838	524818	
NEW soft white	527 073	527 070	527068	
tartufo	524867	524 841	524821	
coffee	524 869	524843	524823	
Bowl depth	190 mm	190 mm	190 mm	
Bowl radius  Pre-drilled holes for tapping or drilling	3AP 90 49 90 40 40 40 40 40 40 40 40 40 40 40 40 40	780 90 4	320 90 Q	
Scope of supply			InFino drain system	

Scope of supply

stainless steel drainer grid, waste kit with space-saving pipe, 3  $\frac{1}{2}$ " InFino basket strainer with drain remote control (rotary switch)







## BLANCO ZIA 9 E SILGRANIT






- Modern design with clear lines
- Symmetrical setup with balanced proportions
- Very spacious, centred bowl with small corner radiuses
- · Compact drainer and recessed draining area
- Suitable for corner and line designs

corner cabinet size mm	900x900
BLANCO ZIA 9 E	
Installation from above	
	Bowl centred
black	526 031
anthracite	514764
NEW volcano grey	527395
alu metallic	514757
white	514758
NEW soft white	527212
coffee	515 074
Bowl depth	180/27 mm

O Pre-drilled holes for tapping or drilling



Scope of supply Without drain remote control

waste kit with space-saving pipe, 3 %" basket strainer Installation note: Cut-out by template.

# Suggested optional accessories Multifunctional wire basket Crockery basket with plate stack 223 297 507 829

## BLANCO UNIT with BLANCO ZIA 9 E BLANCO KANO-S BLANCO SOLON-IF see page 272 see page 309

## **BLANCO ZIA**

#### **SILGRANIT**




- Modern design with clear lines
- Straight-lined outer contour emphasised by the narrow rim
- Characteristic tap ledge as a frame that enlarges the drainer
- Spacious bowl for comfortable working
- Separate drain provides a high degree of comfort
- Classic bowl arrangement for reversible installation option

cabinet size mm	450	450	450	400
BLANCO ZIA	45 S	45 S Compact	45 SL	40 S
Installation from above			•	
	reversible	reversible	reversible	reversible
black	526013	526009	526 011	526 006
anthracite	514732	524721	516748	516 918
NEW volcano grey	527 383	527380	527384	527 378
alu metallic	514725	524723	516739	516 919
white	514726	524725	516740	516922
NEW soft white	527 200	527 197	527201	527 195
coffee	515070	524730	516 745	516 927
Bowl depth	190 mm	190 mm	190 mm	190 mm
Pre-drilled holes for tapping or drilling	750 392.5 15 50	680 © 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	380 388 388 345 15 18	915 98 88
Scope of supply				Without drain remote control

waste kit with space-saving pipe, 3 1/2" basket strainer







## **BLANCO LEGRA**

#### **SILGRANIT**



- Classic lines combined with modern functionality
- Spacious place with double bowls and drainer
- Comfortable, parallel use of the two equally sized bowls
- Can be installed reversibly


cabinet size mm	800	600	600	600	450
BLANCO LEGRA	8 S	6 S	XL 6 S	6 S Compact	45 S
Installation from above			•		<b>-</b>
	reversible	reversible	reversible	reversible	reversible
black	526 088	526086	526 087	526 085	526083
anthracite	523163	522207	523 326	521 302	522 201
NEW volcano grey	527 273	527271	527 274	527270	527 268
alu metallic	523164	522 208	523327	521 303	522 202
white	523 165	522 209	523328	521 304	522 203
NEW soft white	527090	527 088	527091	527 087	527 085
coffee	523 168	522212	523331	521 307	522 206
Bowl depth	190/190 mm	190/135 mm	190 mm	190/130 mm	190 mm
Pre-drilled holes for tapping or drilling	1160 335 72 335 35 35	1000 98 170 345 8 537 35	860 0 0 0 0 0 0 0 0 0 0 0 0 0	780 © 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	780
Scope of supply Without drain remote control					

**TOBAP** 

ПОД ЗАКАЗ

TOBAP

ПОД ЗАКАЗ



ТОВАР ПОД ЗАКАЗ



## **CLARONLINE.**

Elegantly pure stainless steel sink and bowl design.



With its elegantly pure design, BLANCO CLARON combines striking visual impact and functionality. The stylish design of the bowls and sinks, featuring concise corner radii of only 10 mm, looks wonderfully elegant and thus blends harmoniously into modern, pared-back living environments.

This large range of sinks and bowls is available with Durinox and stainless steel satin polish surfaces, as well as in a variety of sizes, with or without a tap ledge. The models are suitable for undermount, flushmount or flat installation from above.



Generously-sized CLARON bowl with flat IF rim, installed from above.



CLARON Durinox bowl with integrated tap ledge and PushControl drain remote control.



CLARON undermount bowl, available in a variety of sizes and two surface finishes.

### **BLANCO AXIS III 6 S-IF**


### Stainless steel





- Elegant extent bowl with emphasised base contour for the largest possible surface for the safe positioning of glasses and bulky items
- Flowing ergonomic work processes along two axis
- Movable cutting board for working directly into cooking dishes
- Multifunctional hook-in colander fits anywhere in the main bowl
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care

Bowl depth 190/130 mm








### **BLANCO AXIS III 5 S-IF**


### Stainless steel





- Accentuated base contours create an aesthetically pleasing contoured bowl with large base area
- Elegant extent bowl with emphasised base contour for the largest possible level surface for the safe positioning of glasses and bulky items
- · Practical additional draining bowl with stainless steel insert
- · Flowing ergonomic work processes along two axis
- · Movable cutting board for working directly into cooking dishes
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care








# **BLANCO AXIS III 45 S-IF**

### Stainless steel





- · Accentuated base contours create an aesthetically pleasing contoured bowl with large
- Elegant extent bowl with emphasised base contour for the largest possible level surface for the safe positioning of glasses and bulky items
- Flowing ergonomic work processes along two axis
- · Movable cutting board for working directly into cooking dishes
- High-quality features with the covered C-overflow and InFino drain system elegantly integrated and easy-care



Bowl depth 190/40 mm





# **BLANCO LEMIS 6 S-IF**


### Stainless steel






- Modern linear shape
- Maximized bowl capacity plus additional bowl
- Spacious tap ledge and drainer area
- Elegant IF flat-rim for flushmount and for installation from above
- · Can be installed reversibly
- 3 1/2" basket strainer
- With remote control

cabinet size mm	600
BLANCO LEMIS 6 S-IF	
Flat rim IF	
	reversible
brushed finish	523 033
Bowl depth	205/145 mm
	1000



Scope of supply With drain remote control

 $was te \ kit \ with \ space-saving \ pipe, \ 2 \ x \ 3 \ \%" \ basket \ strainer \ with \ drain \ remote \ control \ (rotary \ switch) \ for \ the \ main \ bowland \ space-saving \ pipe, \ 2 \ x \ 3 \ \%"$ 



# BLANCO UNIT with BLANCO LEMIS 6 S-IF BLANCO TIVO-S BLANCO SELECT II 60/2 see page 265 see page 296

# **BLANCO LEMIS**

### Stainless steel



- Modern linear shape
- Maximum bowl capacity with two bowls
- Spacious tap ledge and drainer area
- Elegant IF flat-rim for flushmount and for installation from above

**TOBAP** 

ПОД ЗАКАЗ

- Can be installed reversibly
- 3 1/2" basket strainer
- With remote control

cabinet size mm	800	600	600
BLANCO LEMIS	8 S-IF	XL 6 S-IF	XL 6 S-IF Compact
Flat rim IF			6
	reversible	reversible	reversible
brushed finish	523037	523 035	525 110
Bowl depth	205/205 mm	205 mm	205 mm
	1160 1160	1000	780 450 38 %
Scope of supply			With drain remote contro
	TORAD	TOBAP	waste kit with space-saving pipe,

TOBAP

ПОД ЗАКАЗ

Suggested optional accessories



Crockery basket with plate stack

507829

### **BLANCO UNIT with BLANCO LEMIS**





see page 265



3 ½" basket strainer with drain remote control (rotary switch)

BLANCO SELECT II 60/2

# **BLANCO LEMIS 45 S-IF**


### Stainless steel



- Modern linear shape
- Maximized bowl capacity for more functionality
- Spacious tap ledge and drainer area
- Elegant IF flat-rim for flushmount and for installation from above
- Can be installed reversibly
- 3 ½" basket strainer
- · With remote control

cabinet size mm	450	450
BLANCO LEMIS 45 S-IF		Mini
Flat rim IF	ТОВАР ПОД ЗАКАЗ	
	reversible	reversible
brushed finish	523 031	525114
Bowl depth	205 mm	205 mm
	335 38 8	335 38 88 388
Scope of supply		With drain remote control

waste kit with space-saving pipe, 3 ½" basket strainer with drain remote control (rotary switch)





# **BLANCO LEMIS 6 S-IF**


### Stainless steel






- Modern linear shape
- Maximized bowl capacity plus additional bowl
- Spacious tap ledge and drainer area
- Elegant IF flat-rim for flushmount and for installation from above
- Can be installed reversibly
- 3 1/2" basket strainer

cabinet size mm	600
BLANCO LEMIS 6 S-IF	
Flat rim IF	
	reversible
brushed finish	523032
Bowl depth	205/145 mm
	1000



Scope of supply Without drain remote control

waste kit with space-saving pipe, 2 x 3 1/211 basket strainer



# **BLANCO UNIT with BLANCO LEMIS 6 S-IF BLANCO TIVO-S** BLANCO SELECT II 60/2 see page 265 see page 296

# **BLANCO LEMIS**

### Stainless steel



- Modern linear shape
- Maximum bowl capacity with two bowls
- Spacious tap ledge and drainer area
- Elegant IF flat-rim for flushmount and for installation from above
- Can be installed reversibly
- 3 1/2" basket strainer

cabinet size mm	800	600	600
BLANCO LEMIS	8 S-IF	XL 6 S-IF	XL 6 S-IF Compact
Flat rim IF	ТОВАР ПОД ЗАКАЗ	ТОВАР ПОД ЗАКАЗ	0
	reversible	reversible	reversible
brushed finish	523 036	523034	525 111
Bowl depth	205/205 mm	205 mm	205 mm
	1160 1160	1000 72 4 50 1000 73 8 89	780 \$\frac{450}{38} \frac{\text{9}}{\text{8}}

waste kit with space-saving pipe, 2 x 3 ½" basket strainer

waste kit with space-saving pipe, 3 ½" basket strainer

waste kit with space-saving pipe, 3 ½" basket strainer

Without drain remote control

### Suggested optional accessories



Scope of supply

Crockery basket with plate stack

507829

### **BLANCO UNIT with BLANCO LEMIS**





see page 265



BLANCO SELECT II 60/2

# **BLANCO LEMIS 45 S-IF**

### Stainless steel



- Modern linear shape
- Maximized bowl capacity for more functionality
- Spacious tap ledge and drainer area
- Elegant IF flat-rim for flushmount and for installation from above
- Can be installed reversibly
- 3 1/2" basket strainer

cabinet size mm	450	450
BLANCO LEMIS 45 S-IF		Mini
Flat rim IF	ТОВАР ПОД ЗАКАЗ	
	reversible	reversible
brushed finish	523 030	525 115
Bowl depth	205 mm	205 mm
	335 38 % 860 860	335 38 % 605
Scope of supply		Without drain remote contr

waste kit with space-saving pipe, 3 1/2" basket strainer





# FILTER TAPS.

The refreshing joy of filtered water directly from the spout.



### Better tasting water.

Water without any objectionable flavours and an optimally reduced limescale content – straight from the kitchen tap. BLANCO 3-in-1 filter tap series offers warm and cold tap water, plus filtered cold water. With two separate control levers and independent spouts, these filter taps are ready to support all drink, prep and clean workflows at the kitchen water place.

Multi-stage filter reduces limescale and improves taste. The BLANCO Filter Set built into the base cabinet comes with the Soft L filter, which refines tap water no fewer than five times. This results in discernibly excellent filtered water with the added advantage that the low level of limescale also reduces the effort required to clean kitchen appliances like coffee machines and can prolong their lifetime.

#### Positive impact.

Having a filter tap at home is a highly valued feature, not only because the water tastes better, but also for the many positive benefits it has. It strongly reduces the number of plastic bottles used at home, which has a direct impact on the environment. It also has the indirect positive effect of doing away with the need to transport those bottles. Finally, it improves user comfort by eliminating the need to carry bottled water around or store it in the kitchen or pantry, thus freeing up space for other uses.



### **BLANCO** Filter taps and Filter Set



FONTAS II is available as a fixed-spout tap and with an extendable spout.



CATRIS-S Flexo Filter is available in chrome, PVD steel and black matt.t



BLANCO Filter Set can be installed with all BLANCO Filter Taps.

### **BLANCO** multiple options for drink filters.

Once a kitchen is installed with the BLANCO Filter Set and filter tap, the user enjoys the refreshing taste of filtered water from the included Soft L filter. When users replace the filter, they can choose which filter best meets their needs. BLANCO offers a selected portfolio of filters that cater for different needs and preferences.



Drink Filter

- Soft L
- Soft S
- Magnesium M
- Microplastic S

			Also in low-pressure	Solid spout	Extendable spray	Pull-out dual spray	Contactless activation	Filter system	Window solution	Lever left	Power supply required
	Modell	page	4	F	R	Ā	<b>ツ</b>	7	F	H	
	ALTA-F Compact	240									
	ALTA-S-F Compact	240									
	ALTA-S Compact	241									
	ALTA-S Compact Vario	239									
	ALTA Compact	242									
	AMBIS	259									
	AMBIS-S	259									
II de	ANTAS	270									
	ANTAS-S	269									
	AVONA	238									
1	AVONA-S	237									
	CANDOR	260									
	CANDOR-S	260									
$\bigcap$	CARENA	250									
	CARENA-S	250									
	CARENA-S Vario	249									
	CATRIS-S	245									
	CATRIS-S Flexo	243									
	CATRIS-S Flexo Filter	244									
	CORESSA-F	268		•					•	•	

			Also in low-pressure	Solid spout	Extendable spray	Pull-out dual spray	Contactless activation	Filter system	Window solution	Lever left	Power supply required
	Modell	page	7	F	Ŕ	ā	ツ	7	F	H	
	BLANCOCULINA-S	230									
	BLANCOCULINA-S Duo	229									
	BLANCOCULINA-S Mini	231									
	DARAS	283									
11/2	DARAS-F	281									
	DARAS-S	282									
	DARAS-S-F	281									
	ELOSCOPE-F II	228							-		
	FONTAS-S II Filter	246									
#	FONTAS II Filter	247									
	JANDORA	263									
H	JANDORA-S	263									
	KANO	273									
	KANO-S	272									
	LANORA	262									
F	LANORA-F	261									
	LANORA-S	262									
	LANORA-S-F	261									
	LARESSA-F	267									

			Also in low-pressure	Solid spout	Extendable spray	Pull-out dual spray	Contactless activation	Filter system	Window solution	Lever left	Power supply required
	Modell	page	*	F	R	Ā	ツ	7	F	H	
	LINEE	233									
	LINEE-S	232									
	LINUS	257									
F	LINUS-F	253									
	LINUS-S	254-256									
	LINUS-S-F	253									
	LINUS-S Vario	252									
	LIVIA-S	235									
	MIDA	275									
1	MIDA-S	274									
	MILA	277									
H	MILA-S	276									
	MILI	278									
	PANERA-S	227			-	-					
	SOLENTA-S	224									
	SOLENTA-S Senso	225-226									
	SONEA-S Flexo	236									

			Also in low-pressure	Solid spout	Extendable spray	Pull-out dual spray	Contactless activation	Filter system	Window solution	Lever left	Power supply required
	Modell	page	7	F	R	ā	ツ	7	F	H	
	TIVO	266									
	TIVO-F	264									
	TIVO-S	265									
	TIVO-S-F	264									
	TRADON	248		-							
	TRIMA Filter	271		•				•			-
PM	VIU-S	251									
	VONDA	234									
	BLANCOWEGA-S II	279									
	BLANCOWEGA II	280									

# **BLANCO SOLENTA-S**






- Semi-professional design with elevated user convenience
- PVD steel easy to clean, stain and wear resistant
- Precise magnetic spray holder for an added convenience
- Pull-down with dual spray function: easy switch from aerated stream to powerful rinse spray
- High-quality stainless steel hose cover for more stability, ease of movement and cleaning convenience





PVD		
P	PVD steel	522 405
Metallic surface	3	
P	chrome	522404



Flowrate 6.9 I

#### Scope of supply

- Spout can be swivelled by 360°
- $\emptyset$  35mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilising plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434



. .

### **BLANCO PANERA-S**



- Designer mixer tap of striking elegance and material aesthetics
- Distinctive control concept: easy to pull spray hose from the front
- Changes from clear spray to shower at the touch of a button
- Energy-saving: basic setting of the control lever to cold start
- · Seamless visual integration of the shower button
- High-quality version in solid stainless steel, brushed finish









**TOBAP** 



)N tion	0	DESIGN AWARD WINNER 2018
Cinco		





**Pull-out dual spray** 




**Extendable spray** 



Metallic surface		
F	stainless steel	521 547

### **Technical Drawing**



Flowrate 7.2 I

#### Scope of supply

- 160° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connection pipes with a length of 560 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilising plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories





Dirt filter for corner valve

128434 511920

Spray hose guide for kitchen mixer taps

Recommendation soap dispenser



BLANCO PIONA Soap dispenser

# **BLANCO ELOSCOPE-FII**


# ТОВАР ПОД ЗАКАЗ



- Suitable for installation beneath window
- Clear, uncompromising design for pioneering kitchens
- For installation in front of window
- High spout for easier filling of pans and vases
- · Easily hand-operated
- Only 3 cm min. distance between sink and window aisle
- Uniform tap holes (2 x 35 mm) for tap and operating lever (regardless of installation medium)







### Flowrate 11.5 I

### Scope of supply

- Spout can be retracted and swivelled by 360°
- 2 x 35 mm  $\emptyset$  tap holes required for tap and operating lever
- With ceramic disk cartridge
- Flexible connector pipes, 750 mm long and %" nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- Planned for DVGW certificate

### Suggested optional accessories



Dirt filter for corner valve

128434



# **BLANCOCULINA-S**

# TOBAP ПОД ЗАКАЗ

- Exciting design with special visual focus
- Delicate stainless steel spring enables freedom of movement down to the bowl
- · Comfortable docking of the hose with a precise magnet holder
- Two jet types spray function with de-scaling nozzles
- · Pleasant bundled spray jet







**Extendable spray** 








Metallic surface		
A	chrome	517 597
A	stainless steel finish	517 598

### **Pull-out dual spray**



Ā

Flowrate 8.5 I

### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal sheathed spray-hose
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434



# **BLANCOCULINA-S Mini**





- Exciting design with special visual focus
- Delicate stainless steel spring enables freedom of movement down to the bowl area
- · Comfortable docking of the hose with a precise magnetic holder
- Ideal in combination with wall units
- User-friendly single-jet mousseur spray






Extendable spray



Metallic surface		
	chrome	519843
A	stainless steel finish	519844




Flowrate 9.76 I

#### Scope of supply

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Metal sheathed spray-hose
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories





128434



Jet regulator set for highpressure mixer taps

521746



# ТОВАР ПОД ЗАКАЗ



- Elegant design
- Extendable pull-out spray head
- Top lever for easy access
- · Ceramic disc control
- High spout for easy filling of large pans and vases












V Ime			
Metallic surface	е		
	chrome	517 591	
	stainless steel satin matt	517 593	
SILGRANIT Lool	k dual finish		
	black/chrome	526 171	
F	anthracite/chrome	518 438	
	rock grey/chrome	518804	
NEW	volcano grey/chrome	526956	
-	alu metallic/chrome	518 439	
	white/chrome	518 441	
NEW	soft white/chrome	526957	
	tartufo/chrome	518 446	
-	coffee/chrome	518 445	

### **Technical Drawing**



Flowrate 11.5 I

### Scope of supply

- Spout can be swivelled by 130°
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordancen with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories





Dirt filter for corner valve

128434

Spray hose guide for kitchen mixer taps

511 920

### Recommendation soap dispenser



BLANCO PIONA Soap dispenser

see page 284

### Recommendation pop-up



Pop-up control





- Top lever for easy access
- · Ceramic disc control
- High spout for easy filling of large pans and vases
- Enlarged working radius due to 360° swivelling arc spout











Metallic surface		
	chrome	517 594
	stainless steel satin matt	517 596

# 208

**max 40** ø 46

Flowrate 11.5 I

### Scope of supply

**Technical Drawing** 

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434

#### Recommendation soap dispenser



BLANCO PIONA Soap dispenser

see page 284

### Recommendation pop-up



Pop-up control

- Ergonomic control lever for front control
- Consistently straightlined design
- Spout with black accents and a pleasant softgrip surface
- High arc spout for easy filling of pans and vases
- Highly recommended for undermount bowls







	and h	V-
×e)		9/6
Sar		<u></u> ∫2
D.		•) 0
7	₹.	25
7	CO mix	e/



Metallic surface		
	chrome	518 434
	stainless steel	518 435

# 319 320 242 242

Flowrate 9.1 I

G3/8"

### Scope of supply

**Technical Drawing** 

- 200° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434



BLANCO PIONA Soap dispenser

Mixer taps

### **BLANCO LIVIA-S**





- Modern design with optically contrasting decor elements
- System solution with matching remote control and mixer tap
- Available in various surface finishes
- High J-shaped spout with extendable shower
- Particularly recommended for undermount bowls and high-quality worktops












# and hyore so



PVD		
	satin gold	526687
	manganese	521 290
Metallic surface		
	chrome	521 288

### **Technical Drawing**



Flowrate 8.4 I

#### Scope of supply

- 190° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Textile covered spray hose
- Flexible connector pipes, 450 mm long and %" nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories





Dirt filter for corner valve

128434

Spray hose guide for kitchen mixer taps

511 920

### Recommendation soap dispenser



BLANCO LIVIA Soap dispenser

see page 284

### Recommendation pop-up



Pop-up control LIVIA chrome

### **BLANCO SONEA-S Flexo**





- Classic tap design with accents in black for the modern kitchen
- High-quality tap in solid stainless steel, brushed surface
- Flexible black hose provides wide range of motion
- Dual spray with easy switch from aerated stream to powerful rinse spray
- Precise magnetic holder ensures convenient hose docking
- · Energy-efficient: basic setting of lever at cold start



**Extendable spray** 






Metallic surface		
	stainless steel	526616



**Pull-out dual spray** 



Flowrate 9 I

### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- spray made of plastic
- Black hose made of silicone
- Flexible connector pipes, 700 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW planned

### Suggested optional accessories



Dirt filter for corner valve

128434



Mixer taps

### **BLANCO AVONA-S**





- Exciting interplay between round and rectangular shapes
- Tapering body, gentle incline in spout
- With extending spray in high-quality










	CO wiko		
Metallic surface			
	chrome	521 277	
SILGRANIT Look	· ·		
1	black	526170	
1	anthracite	521 278	
1	rock grey	521 285	
NEW	volcano grey	526928	
1	alu metallic	521 279	
4	white	521 280	
NEW	soft white	526929	
-	tartufo	521 283	
•	coffee	521 284	

### **Technical Drawing**



Flowrate 8.62 I

#### Scope of supply

- 190° swivel spout for greater reach
- High drill hole of 35 mm diameter required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy installation
- With metal-cased spray hose
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- Planned for DVGW certificate

### Suggested optional accessories





Dirt filter for corner valve

Spray hose guide for kitchen

128434

mixer taps 511920



# ТОВАР ПОД ЗАКАЗ

- Exciting interplay between round and rectangular shapes
- Tapering body, gentle incline in spout








*	y and	hyon	
Sar		1	
8			ō
2	P		g Op
1/	VCO :	oixer	-

Metallic surface			
4	chrome		521 267

# Technical Drawing



Flowrate 12.6 I

### Scope of supply

- 360° swivel spout for greater reach
- High drill hole of 35 mm diameter required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and  $\% \lq \lq$  nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- Planned for DVGW certificate

### Suggested optional accessories



Dirt filter for corner valve

128434






BLANCO LATO Soap dispenser

# **BLANCO ALTA-S Compact Vario**








- Especially suitable for compact sinks
- Two jet types spray function with de-scaling nozzles
- High-quality metal spray
- Changing function on the bottom side of the spray





Metallic surface	)	
	chrome	518 407





Flowrate 8.43 I

#### Scope of supply

- Spout can be swivelled by 128°
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible 450 mm connector pipes and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved





# ТОВАР ПОД ЗАКАЗ





- Simple to operate: lift straight up and lay on one side
- Slim mixer tap in aesthetic design
- Extendable high quality metal spray
- Minimum clearance between sink and window sash 4.5 cm






Metallic surface	)	
	chrome	518 413

#### Scope of supply

- Spout can be swivelled by 128°
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible 750 mm connector pipes and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved



# **BLANCO ALTA-F Compact**

# ТОВАР ПОД ЗАКАЗ



- Can be installed in front of a window
- Simple to operate: lift straight up and lay on one side
- Slim mixer tap in aesthetic design
- Front part of the spout can be turned for easy filling of bottles
- 360° swivel spout for greater reach
- Minimum clearance between sink and window sash 2.5 cm






- DVGW approved

# Metallic surface chrome 518412 Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible 750 mm connector pipes and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved




240 BLANCO

# **BLANCO ALTA-S Compact**







- Especially suitable for compact sinks
- Extendable spray
- · High-quality metal spray





Metallic surface			
	chrome	High Pressure Low pressure	515 122 518 448
F	stainless steel finish	High Pressure	515 123
SILGRANIT Look	c dual finish		
	black/chrome		526 161
F	anthracite/chrome		515 333
F	rock grey/chrome		518 809
alu metallic/chrome		515 326	
	white/chrome		515 327
F	tartufo/chrome		517 634
F	coffee/chrome		515334


### Also in low-pressure



**Extendable spray** 



#### **Technical Drawing**



Flowrate 10.8 I / 7 I

#### Scope of supply

- Spout can be swivelled by 128°
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible 450 mm connector pipes and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521 746



Spray hose guide for kitchen mixer taps 511 920

# Recommendation soap dispenser



BLANCO LATO Soap dispenser

# **BLANCO ALTA Compact**







- Particularly for compact sinks
- The front part of the spout can be turned, making it easier to fill bottles
- 360° swivel spout for greater reach






Metallic surface	9		
F	chrome	High Pressure Low pressure	515 120 518 447
F	stainless steel finish	High Pressure	515 121
SILGRANIT Look	c dual finish		
r	black/chrome		526 162
F	anthracite/chrome		515 323
F	rock grey/chrome		518810
alu metallic/chrome		515316	
	white/chrome		515 317
F	tartufo/chrome		517633
F	coffee/chrome		515 324

# Also in low-pressure 7 Solid spout

#### **Technical Drawing**



Flowrate 14.7 I / 6.5 I

### Scope of supply

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Flexible 450 mm connector pipes and  $\%^{\prime\prime}$  nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521 746

# Recommendation soap dispenser



BLANCO LATO Soap dispenser

### **BLANCO CATRIS-S Flexo**






- Classic lines flow into semi-professional design and features
- Flexible black hose provides optimal range of motion
- Dual spray with integrated flow stop: easy switch from aerated stream to powerful rinse spray
- Precise magnetic holder ensures convenient hose docking
- · Low height ideally combines with kitchen wall units
- · Also available in black matt surface finish





PVD		
A	PVD steel	525 792
Metallic surface		
A	chrome	525 791
Special colours		
A	black matt	525 793

# **Pull-out dual spray Extendable spray Technical Drawing** 187



Flowrate 7.8 I

### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- Cartridge with ceramic seals
- Spray made of plastic
- Black hose made of silicone
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilising plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434



BLANCO LATO Soap dispenser

### **BLANCO CATRIS-S Flexo Filter**

# ТОВАР ПОД ЗАКАЗ



- Better-tasting water directly out of the tap without compromising in design
- PVD steel easy to clean, stain and wear resistant
- 3-in-1 mixer tap in semi-professional design for cold, warm and filtered water
- · Separate lever controls: cold and warm water right, filtered water left
- Dual spray with integrated flow stop: easy switch from aerated stream to powerful rinse spray
- Unrestricted choice of filtration system according to your region and personal filtration demands tap works with all common filtration systems



Pull-out dual spray




Extendable spray



Filter




	CO mix	711
PVD		
	PVD steel	526706
Special colours		
A	chrome	526 705
Special colours		
A	black matt	526707



#### Scope of supply

- Mixer tap:
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- Cartridge with ceramic seals
- Spray made of plastic
- Black hose made of silicone
- Flexible connection pipes with a length of 700 mm and %" nut for filter water line and %" nut for cold/hot water line
- Patented jet regulator for markedly reduced scaling
- Stabilising plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- Filter system not included.





### **BLANCO CATRIS-S**





- Classic design in the Semi-Profi version
- Flexible spout (stainless steel spring) with a movable spray
- Dual spray: easy switch from aerated stream to powerful rinse spray
- Spray easily removable from the holder
- Ideal in combination with wall units






Metallic surf	ace	
	chrome	521 476

Pull-out dual spray Extendable spray

Technical Drawing



Flowrate 9 I

### Scope of supply

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- Cartridge with ceramic seals
- Spray made of plastic
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilising plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

### Suggested optional accessories



Dirt filter for corner valve

128434



# **BLANCO FONTAS-S II Filter**

# ТОВАР ПОД ЗАКАЗ



- Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose
- Separate water circuit: cold and warm water lever on the right, filtered water lever on the left
- Extra spout for filtered water no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Surface finishes to perfectly match sinks and bowls
- Needs to be installed with a water filter system



Extendable spray	ار	Filter	7
Technical Drawing			

	THE MIXED	
PVD		
THE STATE OF THE S	PVD steel	525 199
<b>—</b>	satin gold	526 694
Metallic surface	9	
	chrome	525 198
SILGRANIT Look	(	
-	black	526 158
-	anthracite	525 200
<b>-</b>	rock grey	525 207
NEW	volcano grey	526946
	alu metallic	525 201
	white	525 204
NEW	soft white	526 947
-	tartufo	525 206
+	coffee	525 205
Special colours	Special colours	
Ţ.	black matt	526672

# 

### Scope of supply

- 180° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- Planned for LGA certificate
- Planned for DVGW certificate
- Filter system not included.





### **BLANCO FONTAS II Filter**



PVD steel

satin gold

chrome

black

PVD

Metallic surface

SILGRANIT Look

- Comfortable 3-in-1-mixer tap with cold and warm water lever on the right, filtered water lever on the left
- Separate water circuit with extra spout for filtered water no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Spout can be swivelled through 360° for greater cover
- Surface finishes to perfectly match sinks and bowls
- Needs to be installed with a water filter system



Solid spout	Filter
Technical Drawing	
35 170	

Tech		
	523129	
0	526692	
300		
	523128	
	526157	
Scop	523 130	

4		
<u></u>	anthracite	523 130
_	rock grey	523 137
NEW	volcano grey	526942
1	alu metallic	523 131

1	white	523134
NEW	soft white	526943
1	tartufo	523 136
	coffee	523 135

Special colours		
	black matt	526670

### Scope of supply

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- 3 flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- Filter system not included.

### Suggested optional accessories





BLANCO Drink Filter Set Soft L

Dirt filter for corner valve

527453

NEW

128434





- Classic design
- Goes particularly well with country-home style
- Convenient one-hand operation






Solid spout



PVD			
	satin gold	526 688	
Metallic surface			
	chrome	515 990	





Flowrate 13.7 I

### Scope of supply

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and  $\%^{\prime\prime}$  nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks sinks
- LGA approved
- DVGW approved

### Suggested optional accessories





128434



Jet regulator set for highpressure mixer taps 521 746

# Recommendation soap dispenser



BLANCO TORRE Soap dispenser

# **BLANCO CARENA-S Vario**





- Modern premium mixer tap
- Covered pull-out two-spray hose with change-over function
- · High arched outlet for easy filling of pots and vases
- High positioned, ergonomic control lever





Metallic surface		
P	chrome	521 356
SILGRANIT Look	k dual finish	
	black/chrome	526 172
	anthracite/chrome	521 358
	rock grey/chrome	521 359
NEW	volcano grey/chrome	526 930
	alu metallic/chrome	521 360
	white/chrome	521 368
NEW	soft white/chrome	526 931
	tartufo/chrome	521 376
	coffee/chrome	521 378


# **Pull-out dual spray**



**Extendable spray** 



#### **Technical Drawing**



Flowrate 9 I

#### Scope of supply

- 190° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Textile covered spray hose
- Covered spray hose with change-over button on the back
- Flexible connector pipes, 450 mm long and %" nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

# Suggested optional accessories





Dirt filter for corner valve

Spray hose guide for kitchen

128434

mixer taps 511920

# Recommendation soap dispenser

BLANCO LATO Soap dispenser

# ТОВАР ПОД ЗАКАЗ



- Modern premium mixer tap
- Covert extendable spray
- · High arched outlet for easy filling of pots and vases
- · High positioned, ergonomic control lever



red<mark>dot</mark> award 2015 winner






# and hydre so



Metallic surface chrome 520767

## Scope of supply

- 190° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Fabric-sheathed spray hose
- Concealed spray hose with rearward guide pin
- Flexible connector pipes, 450 mm long and %" nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved



Flowrate 9.14 I

# **BLANCO CARENA**

# ТОВАР ПОД ЗАКАЗ



- Modern premium mixer tap
- High arched outlet for easy filling of pots and vases
- · High positioned, ergonomic control lever





Solid spout



#### Metallic surface

chrome 520766

#### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved

- DVGW approved

# 924 942 950 935 935 935 935 938"

Flowrate 11.85 I

**Technical Drawing** 



chrome

- Modern and compact mixer tap with a flexible spray hose
- Exchangeable hose cover in four vivid colours
- · Convenient and safe docking of the spray hose
- · Lateral lever set to cold start for added energy savings
- · Pleasant and concise water spray




Extendable spray



	NOO mixed
Metallic surface	

# 524813

# **Technical Drawing**



Flowrate 8.8 I

#### Scope of supply

- Includes four exchangeable hose covers: kiwi, orange, lemon and lava grey (pre-installed)
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Textile covered spray hose
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA certified
- Planned for DVGW certificate

## Suggested optional accessories



Dirt filter for corner valve

128434

# Recommendation soap dispenser



BLANCO TORRE Soap dispenser

# **BLANCO LINUS-S Vario**





- Minimalist design
- Pull-out hose with dual spray
- · High quality metal spray
- High spout for easy filling of large pans and vases





Metallic surface		
	chrome	518 406


Pull-out dual spray



**Extendable spray** 



#### **Technical Drawing**



Flowrate 8.34 I

#### Scope of supply

- Single-lever mixer tap
- 140° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connector pipes, 450 mm long and  $\%^{\prime\prime}$  nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

# Suggested optional accessories





Dirt filter for corner valve

128434

Spray hose guide for kitchen mixer taps

511 920

# Recommendation soap dispenser



BLANCO LATO Soap dispenser

# **BLANCO LINUS-S-F**



- · Suitable for installation beneath window
- · Minimalist design
- Simple to operate: lift straight up and lay on one side
- High spout for easy filling of pans and vases
- · Extendable spray head
- Minimum clearance between sink and window sash 4.5 cm





# **Window solution**



Also in low-pressure



**Extendable spray** 



Metallic su	rface
-------------	-------




chrome

High Pressure Low pressure

514023 514276

## **Technical Drawing**



Flowrate 5 I / 9.6 I

#### Scope of supply

- Single-lever mixer tap
- 140° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connector pipes, 750 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

# **BLANCO LINUS-F**





- · Suitable for installation beneath window
- · Minimalist design
- Simple to operate: lift straight up and lay on one side
- Spout can be swivelled through 360° for greater cover
- High spout for easy filling of pans and vases
- Lever can be positioned on the left, the right or in the centre
- Minimum clearance between sink and window sash 2.5 cm





# **Window solution**

High Pressure

Low pressure



514025

514277

Also in low-pressure

**Technical Drawing** 



Solid spout



# Metallic surface


Scope of supply



chrome

- Single-lever mixer tap

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required - With ceramic disk cartridge
- Flexible connector pipes, 750 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved



Flowrate 5 I / 14 I

# ТОВАР ПОД ЗАКАЗ



- Minimalist design
- Extendable spray head
- · High quality metal spray
- High spout for easy filling of large pans and vases






PVD			
	PVD steel		526 242
	satin gold		526684
Metallic surface			
F	chrome	High Pressure Low pressure	512 402 512 200
	stainless steel	High Pressure	517 184



## **Technical Drawing**



Flowrate 10.5 I

- Single-lever mixer tap
- 140° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connector pipes, 450 mm long and  $\%^{\prime\prime}$  nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved





# **BLANCO LINUS-S**



- Minimalist design
- Extendable spray head
- · High quality metal spray
- · High spout for easy filling of pans and vases
- Design and colour of tap and coloured sink are a perfect match










SILGRANIT Look		
	black	526148
	anthracite	516 688
-	rock grey	518813
NEW	volcano grey	526958
	alu metallic	516689
	white	516692
NEW	soft white	526959
	tartufo	517 621
-	coffee	516697
Special colours		
	black matt	525807

# **Technical Drawing**



Flowrate 10.5 I

#### Scope of supply

- Single-lever mixer tap
- 140° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connector pipes, 450 mm long and %" nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

# Suggested optional accessories

Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521746




Spray hose guide for kitchen mixer taps 511 920



# **BLANCO LINUS-S Lever left**







- Minimalist design
- · Extendable spray head
- · High quality metal spray
- High spout for easy filling of large pans and vases





Metallic surface	9	
-	chrome	514016






Extendable spray



#### **Technical Drawing**



Flowrate 9.6 I

## Scope of supply

- Single-lever mixer tap
- 140° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connector pipes, 450 mm long and  $\%^{\prime\prime}$  nut for particularly easy installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved

## Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521746



Spray hose guide for kitchen mixer taps 511 920

# Recommendation soap dispenser



BLANCO LATO Soap dispenser

# **BLANCO LINUS**





- High spout for easy filling of pans and vases
- Spout can be swivelled through 360° for greater cover






PVD			
	PVD steel		526 241
	satin gold		526683
Metallic surface			
	chrome	High Pressure Low pressure	514019 514020
	stainless steel	High Pressure	517 183



#### **Technical Drawing**



Flowrate 7 I / 14.4 I

#### Scope of supply

- Single-lever mixer tap
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

## Suggested optional accessories





Dirt filter for corner valve

128434

Jet regulator set for highpressure mixer taps 521 746

# Recommendation soap dispenser BLANCO LATO Soap dispenser see page 285

# ТОВАР ПОД ЗАКАЗ



**SILGRANIT Look** 

black

anthracite

- Minimalist design
- · High spout for easy filling of pans and vases

526 149

516698


- Spout can be swivelled through 360° for greater cover
- Design and colour of tap and SILGRANIT sink are a perfect match











Flowrate 14.4 I

#### Scope of supply

- Single-lever mixer tap
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible 450 mm connector pipes and  $\%^{\prime\prime}$  nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced furring up
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

# 518814 rock grey volcano grey 526960 alu metallic 516699 white 516702 soft white 526961 NEW 517622 tartufo coffee 516707 **Special colours** black matt 525806

# Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521 746

# Recommendation soap dispenser



BLANCO LATO Soap dispenser

# TOBAP ПОД ЗАКАЗ



- High-quality design in solid stainless steel, brushed finish
- Clear mixer tap design for modern kitchens
- Plenty of freedom of movement and easy to operate thanks to the high spout
- Pull-out handspray with change-over function from pearl to spray effect at the touch of a button





Also in low-pressure



**Pull-out dual spray** 



**Extendable spray** 



Metallic surfa	ace
----------------	-----


	100	
	- 41	
-		

stainless stee

High Pressure

523119 525 124

# **Technical Drawing**



Flowrate 8.3 I / 7 I

## Scope of supply

- Spout can be swivelled by 130°
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

Low pressure

- LGA approved
- DVGW approved

# **BLANCO AMBIS**





- · High-quality design in solid stainless steel, brushed finish
- Clear mixer tap design for modern kitchens
- Plenty of freedom of movement and easy to operate thanks to the high spout

**Technical Drawing** 





Solid spout



# Metallic surface



stainless steel

523118

#### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved

- DVGW approved

# 229,6 255,2

Flowrate 13.4 I



- High-quality design in solid stainless steel, brushed finish
- Clear mixer tap design for modern kitchens
- High arched outlet for easy filling of pots and vases
- Concealed pull-out handspray
- More freedom of movement with installations against a wall thanks to the control lever with vertical neutral position
- Energy-saving: basic setting of the control lever to cold start






Metallic surface			
	stainless steel	High Pressure Low pressure	523121 525125

#### Scope of supply

- 190° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved



# **BLANCO CANDOR**



- High-quality design in solid stainless steel, brushed finish
- Clear mixer tap design for modern kitchens
- High arched outlet for easy filling of pots and vases
- More freedom of movement with installations against a wall thanks to the control lever with vertical neutral position
- Energy-saving: basic setting of the control lever to cold start
- · Also available with pull-out spray





# 523 120

# Scope of supply


Metallic surface

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation

stainless steel

- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved

- DVGW approved



**Solid spout** 

# **BLANCO LANORA-S-F**

# TOBAP ПОД ЗАКАЗ





- · High-quality design in solid stainless steel, brushed finish
- · Clear mixer tap design for modern kitchens
- · High arched outlet with handspray for easy filling of pots and vases
- More freedom of movement with installations against a wall thanks to the control lever with vertical neutral position
- · Energy-saving: basic setting of the control lever to cold start
- Minimum clearance between sink and window sash 4.5 cm






Metallic surface		
	stainless steel	526 180

#### Scope of supply

- 190° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible connector pipes, 985 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved



# **BLANCO LANORA-F**

# **TOBAP** ПОД ЗАКАЗ





· High arched outlet for easy filling of pots and vases

· Suitable for installation beneath window

- More freedom of movement with installations against a wall thanks to the control lever with vertical neutral position
- · Energy-saving: basic setting of the control lever to cold start
- Also available with handspray
- Minimum clearance between sink and window sash 2.5 cm

· High-quality design in solid stainless steel, brushed finish

Ц		and hyper

**Window solution** 



**Technical Drawing** 



Solid spout




Metallic surface			
	stainless steel	High Pressure Low pressure	526 179 526 181

#### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 985 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved

- DVGW approved

**DVGW** 



Flowrate 10.5 I / 5.2 I



- High-quality design in solid stainless steel, brushed finish
- Clear mixer tap design for modern kitchens
- High arched outlet with handspray for easy filling of pots and vases
- More freedom of movement with installations against a wall thanks to the control lever with vertical neutral position
- Energy-saving: basic setting of the control lever to cold start






Metallic surface			
	stainless steel	High Pressure Low pressure	523 123 525 126


#### Scope of supply

- 190° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved



# **BLANCO LANORA**





- Clear mixer tap design for modern kitchens
- High arched outlet for easy filling of pots and vases
- More freedom of movement with installations against a wall thanks to the control lever with vertical neutral position
- Energy-saving: basic setting of the control lever to cold start
- · Also available with handspray






- DVGW approved



- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved



Flowrate 10.7 I

Solid spout

# **BLANCO JANDORA-S**



- High-quality tap design in solid stainless steel, brushed finish
- · Clear mixer tap design for modern kitchens
- · High arched outlet for easy filling of pots and vases
- More freedom of movement with installations against a wall thanks to control lever with vertical neutral position

**Technical Drawing** 

- Energy-saving: basic setting of control lever to cold start
- · Concealed pull-down spray




**Extendable spray** 



Metallic surface	,	
	stainless steel	526614

#### Scope of supply

- 190° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible connector pipes, 700 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- Planned for DVGW certificate



Flowrate 8.96 I

# **BLANCO JANDORA**

# **TOBAP** ПОД ЗАКАЗ



- · High-quality tap design in solid stainless steel, brushed finish
- · Clear mixer tap design for modern kitchens
- · High arched outlet for easy filling of pots and vases
- More freedom of movement with installations against a wall thanks to control lever with vertical neutral position

**Technical Drawing** 

- Energy-saving: basic setting of control lever to cold start
- · Also available with pull-down spray



Solid spout



# Metallic surface



stainless steel

526615

#### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 700 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed

- against reflux in accordance with EN 1717
- LGA approved
- Planned for DVGW certificate

# 234 200 93 253 20

Flowrate 14.1 I

- · Suitable for installation beneath window
- Simple to operate: lift straight up and lay on one side
- · High spout for easier work at the sink
- · Extendable spray with switching function
- Minimum clearance between sink and window sash 5.5 cm



GW Also in lov

Also in low-pressure

7 Pull-out dual spray

Extendable spray






chrome

High Pressure 518 410 Low pressure 518 411

## Scope of supply

- Spout can be swivelled by 120°
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connection pipes with a length of 750 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordancen with EN 1717
- LGA approved
- DVGW approved



Flowrate 7 I / 8 I

# **BLANCO TIVO-F**

# ТОВАР ПОД ЗАКАЗ



- Suitable for installation beneath window
- Simple to operate: lift straight up and lay on one side
- High spout for easier work at the sink
- Enlarged working radius due to 360° swivelling arc spout
- Minimum clearance between sink and window sash 4.5 cm





Window solution



Also in low-pressure

**Technical Drawing** 



Solid spout



#### Metallic surface



chrome


High Pressure Low pressure

518 408 518 409

#### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connection pipes with a length of 750 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved

- DVGW approved



Flowrate 7 I / 14.7 I

# **BLANCO TIVO-S**

# **TOBAP** ПОД ЗАКАЗ

- High spout for easier work at the sink
- Extendable spray with switching function
- Particularly adapted for modern sinks





Also in low-pressure




**Pull-out dual spray** 



**Extendable spray** 



	-0 ////	Also III low-pic	Sourc 7	
Metallic surface				
M	chrome	High Pressure Low pressure	517 648 518 424	
SILGRANIT Look	c dual finish			
	black/chrome		526 279	
	anthracite/chrome		517 610	
The state of the s	rock grey/chrome		518798	
NEW	volcano grey/chrome		526 976	
	alu metallic/chrome		517611	
The same	white/chrome		517613	
NEW	soft white/chrome		526977	
A Committee	tartufo/chrome		517619	
FA .	coffee/chrome		517618	



Flowrate 9.1 I / 7 I

#### Scope of supply

- Spout can be swivelled by 120°
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Metal-sheathed spray hose
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordancewith EN 1717
- LGA approved
- DVGW approved

# Suggested optional accessories





Dirt filter for corner valve

mixer taps 511920

128434

Spray hose guide for kitchen

# Recommendation soap dispenser

BLANCO LATO Soap dispenser

see page 285

Mixer taps

# ТОВАР ПОД ЗАКАЗ





- Enlarged working radius due to 360° swivelling arc spout
- Particularly adapted for modern sinks






Metallic surface			
	chrome	High Pressure Low pressure	517 599 518 414



#### **Technical Drawing**



Flowrate 7.1 I / 15.3 I

#### Scope of supply

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Flexible connection pipes with a length of 450 mm and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

## Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521 746

# Recommendation soap dispenser



BLANCO LATO Soap dispenser

Mixer taps


# **BLANCO ANTAS-S**



- and Angel
- Straight-lined design in compact format
- Especially suitable for small and compact sinks
- Extendable spray for greater cover

Metallic surface			
	chrome	High Pressure Low pressure	515348 516764
SILGRANIT Loo	k dual finish		
	black/chrome	High Pressure Low pressure	526 167 526 169
13	anthracite/chrome	High Pressure Low pressure	515356 516772
	rock grey/chrome	High Pressure Low pressure	518794 518795
	alu metallic/chrome	High Pressure Low pressure	515 349 516 765
The state of the s	white/chrome	High Pressure Low pressure	515350 516766
	tartufo/chrome	High Pressure Low pressure	517 637 517 638
	coffee/chrome	High Pressure Low pressure	515357 516773

# 



Flowrate 11.5 I / 6.89 I

- 140° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible 450 mm connector pipes and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- Equipped with non-return valve as standard and hence intrinsically safe against back flow in accordance with EN 1717
- LGA approved
- DVGW approved








- Straight-lined design in compact format
- Especially suitable for small and compact sinks
- 360° swivel spout for greater reach



Metallic surface			
	chrome	High Pressure Low pressure	515 337 516 103





Flowrate 7 I / 14.4 I

#### Scope of supply

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Flexible 450 mm connector pipes and  $\%^{\prime\prime}$  nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA approved
- DVGW approved

## Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521 746

# Recommendation soap dispenser



BLANCO LATO Soap dispenser

# **BLANCO TRIMA Filter**



- Comfortable 3 in 1 mixer tap with cold and warm water lever on the right, filtered water lever on the left
- Ergonomically shaped control elements with clear identification of functions
- · Separate water circuit with extra spout for filtered water
- 360° swivel spout for greater reach
- · Needs to be installed with a water filter system




# Power supply required





	CO mix		•
Metallic surface	3		
	chrome	5208	340
SILGRANIT Look	(		
NEW	black	5262	273
NEW	anthracite	5262	214
NEW	rock grey	5262	221
NEW	volcano grey	5269	978
NEW	alu metallic	5262	215
NEW	white	5262	218
NEW	soft white	5269	979
NEW	tartufo	5262	220
NEW	coffee	5262	219

# **Technical Drawing** 240



#### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- Valve and cartridge with ceramic seals
- Flexible connection pipes with a length of 450 mm and %" swivel nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitting in stainless steel sinks
- LGA approved
- Filter system not included.











Dirt filter for corner valve

527453

128434



# **TOBAP** ПОД ЗАКАЗ



- Slim tap in aesthetic design
- Pull-out spray hose for added reach and convenience
- Especially suitable for compact sinks
- Spout can be swivelled through 120° for greater reach




**Extendable spray** 



Metallic surface		
	chrome	521 503
SILGRANIT Look	k dual finish	
	black/chrome	526 174
	anthracite/chrome	525 038
NEW	volcano grey/chrome	526952
F	alu metallic/chrome	525 039
	white/chrome	525040
NEW	soft white/chrome	526953
F	coffee/chrome	525 043
Special colours		
Ý	black matt	526668

# 199



Flowrate 11.3 I

#### Scope of supply

**Technical Drawing** 

- Spout can be swivelled by 120°
- Nylon-sheathed spray hose
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible 350 mm connector pipes and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717

# Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521746



Spray hose guide for kitchen mixer taps 511 920





- Slim tap in aesthetic design
- Especially suitable for compact sinks
- Spout can be swivelled through 360° for greater cover





ømin.35 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Technica	I Drawing	
<b>-</b>	199		max.42

**Solid spout** 

Flowrate 13.1 I

#### Scope of supply

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible 350 mm connector pipes and %" nut for particularly easy and secure installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks

Metallic surface		
	chrome	521 502
SILGRANIT Look	c dual finish	
	black/chrome	526175
	anthracite/chrome	525 028
NEW	volcano grey/chrome	526950
	alu metallic/chrome	525 029
	white/chrome	525 030
NEW	soft white/chrome	526951
	coffee/chrome	525033
Special colours		
r	black matt	526667

## Suggested optional accessories



Dirt filter for corner valve

128434






- Gently rounded spout on a slender body
- For the easy filling of tall pots and vases
- Especially suitable for compact sinks
- Enlarged working radius thanks to the 360° swivel spout
- Pull-downspray hose for added reach







# **Metallic surface** 521 454 chrome SILGRANIT Look black 526 146 anthracite 521 455 526967 volcano grey 521 456 alu metallic white 521 457 526968 soft white NEW coffee 521 461 **Special colours** 526653 black matt



Flowrate 10 I

- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 350 mm long and  $\%^{\prime\prime}$  nut for particularly easy installation
- Nylon-sheathed spray hose
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved







- Gently rounded spout on a slender body
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout






Metallic surface		
	chrome	517742
SILGRANIT Look	C .	
	black	526145
	anthracite	519415
NEW	volcano grey	526965
	alu metallic	519416
	white	519418
NEW	soft white	526966
	coffee	519 423
Special colours		
ſ	black matt	526649







Flowrate 15.12 I

#### Scope of supply

- Single-lever mixer tap
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 350 mm long and %" nut for particulary easy installation
- LGA approved
- DVGW approved

## Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521746

# Recommendation soap dispenser BLANCO LATO Soap dispenser see page 285




- Slender body with a straight-lined spout
- With extendable pull-out hose
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout





Metallic surface			
-	chrome	High Pressure Low pressure	519810 521 466
Special colours			
black matt		526660	





Flowrate 7 I / 10.2 I

- Single-lever mixer tap
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible connector pipes, 350 mm long and %" nut for particulary easy installation
- Serially with non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved
- DVGW approved








- Slender body with a straight-lined spout
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout





Metallic surface		
-	chrome	519 414
Special colours		
	black matt	526657





Flowrate 14.4 I

#### Scope of supply

- Single-lever mixer tap
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 350 mm long and %" nut for particulary easy installation
- LGA approved
- DVGW approved

## Suggested optional accessories



Dirt filter for corner valve

128434





- Slender body with a J-shaped spout
- For the easy filling of tall pots and vases
- Enlarged working radius thanks to the 360° swivel spout







# 244 210 81 99 97 952

Flowrate 15 I

# Scope of supply

- Single-lever mixer tap
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 350 mm long and  $\%^{\prime\prime}$  nut for particulary easy installation
- LGA approved
- DVGW approved

Metallic surface		
	chrome	519 413
SILGRANIT Look	(	
	black	526 159
	anthracite	523 103
NEW	volcano grey	527 460
	alu metallic	523 105
	white	523107
NEW	soft white	527 461
	coffee	523 111
Special colours		
	black matt	526665

# Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521 746

# Recommendation soap dispenser BLANCO LATO Soap dispenser see page 285

# **BLANCOWEGA-S II**



5

**Extendable spray** 



- Top lever tap for greater ease of operation and flexible kitchen planning
- Pull-out dual spray: easy switch from aerated stream to powerful rinse spray
- Especially suitable for compact sinks and bowls
- Also available in colour version for a perfect match with coloured SILGRANIT sinks and bowls

**Pull-out dual spray** 



Metallic surface		
	chrome	526 416
SILGRANIT Look	k dual finish	
	black/chrome	526 428
	anthracite/chrome	526 420
NEW	volcano grey/chrome	526983
	alu metallic/chrome	526 423
	white/chrome	526 421
NEW	soft white/chrome	526 982
	coffee/chrome	526 424

# Technical Drawing 259 20° 41

Flowrate 9.23 I

- Spout can be swivelled by 180°
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Nylon-sheathed spray hose
- Flexible connector pipes, 550 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA certified
- Planned for DVGW certificate





# **BLANCOWEGA II**

# **TOBAP** ПОД ЗАКАЗ

.

- Top lever tap for greater ease of operation and flexible kitchen planning
- Especially suitable for compact sinks and bowls
- Also available in colour version for a perfect match with coloured SILGRANIT sinks and bowls




**Solid spout** 



Metallic surface	Metallic surface		
	chrome	526 402	
SILGRANIT Look	c dual finish		
	black/chrome	526415	
	anthracite/chrome	526407	
NEW	volcano grey/chrome	526981	
	alu metallic/chrome	526 410	
T	white/chrome	526 408	
NEW	soft white/chrome	526 980	
	coffee/chrome	526 411	

#### **Technical Drawing**



Flowrate 14.98 I

#### Scope of supply

- 180° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 550 mm long and %" nut for particularly easy and safe installation
- Patented jet regulator for markedly reduced scaling
- Stabilisation plate to increase the stability of the tap when fitted in stainless steel sinks
- LGA certified
- Planned for DVGW certificate

# Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps 521746

#### Recommendation soap dispenser



BLANCO LATO Soap dispenser

# **BLANCO DARAS-S-F**

# ТОВАР ПОД ЗАКАЗ




- Can be installed in front of a window
- Simple to operate: lift straight up and lay on one side
- · With extendable spray head
- Entry-level model
- · Suitable for small sinks
- 80° swivel spout for greater reach
- Minimum clearance between sink and window sash 4 cm



Metallic surface		
[ N	chrome	521 752

#### Scope of supply

- Spout can be swivelled by 80°
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 450 mm long and %" nut for particulary easy installation
- Nylon-sheathed spray hose
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717



Flowrate 8.25 I

# **BLANCO DARAS-F**

# ТОВАР ПОД ЗАКАЗ




- Can be installed in front of a window
- Simple to operate: lift straight up and lay on one side
- Entry-level model
- · Suitable for small sinks
- 360° swivel spout for greater reach
- Minimum clearance between sink and window sash 3 cm



Metallic surface		
	chrome	521 751
Scope of supply		

- 360° swivel spout for greater reach
- $\emptyset$  35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 950 mm long and %" nut for particulary easy installation






- Timeless classic mixer tap
- High, long spout
- Entry-level model
- With extendable spray head
- · Suitable for small sinks
- Available in chrome and various high-quality colour finishes in SILGRANIT look.



	O (III)		
Metallic surface			
	chrome	High Pressure Low pressure	517731 519724
SILGRANIT Lool	SILGRANIT Look		
	black		526153
	anthracite		517732
NEW	volcano grey		526 936
	alu metallic		517733
Total Control of the	white		517735
NEW	soft white		526937
	coffee		517740

# Also in low-pressure **Extendable spray**

#### **Technical Drawing**



Flowrate 9.1 I / 10.6 I / 6.2 I

- Single-lever mixer tap
- Spout can be swivelled by 90°
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 500 mm long and %" nut for particularly easy and safe installation
- Nylon-sheathed spray hose
- With non-return valve and thus guaranteed against reflux in accordance with EN 1717
- LGA approved








**BLANCO DARAS** 

- Timeless classic mixer tap
- High, long spout
- Entry-level model
- Suitable for small sinks
- 360° swivel spout for greater reach
- Available in chrome and various high-quality colour finishes in SILGRANIT look.



	O (litte		
Metallic surface			
	chrome	High Pressure Low pressure	517720 519723
SILGRANIT Look	K		
	black		526152
	anthracite		517721
NEW	volcano grey		526934
	alu metallic		517722
	white		517724
NEW	soft white		526 935
	coffee		517729



Flowrate 15.4 I / 6.2 I

#### Scope of supply

- Single-lever mixer tap
- 360° swivel spout for greater reach
- Ø 35 mm tap hole required
- With ceramic disk cartridge
- Flexible connector pipes, 500 mm long and %" nut for particulary easy installation
- LGA approved

# Suggested optional accessories



Dirt filter for corner valve

128434



Jet regulator set for highpressure mixer taps

521746





- Design contours matching a large array of BLANCO mixer taps
- Perfect match with chrome, stainless finish, stainless steel brushed finish, satin polish and satin matt finishes
- Easy refill from above

Metallic surface		
	chrome	517 667
	stainless steel	517 537
	Stainless steel satin matt	515 992

Technical Drawing
320 0-55 78 min. Ø 17,5- max. Ø 40
- Ø 35 mm tap hole required - bottle content: 300 ml

# **BLANCO LIVIA**



- Modern design with optically contrasting decor elements
- System solution with matching remote control and mixer tap
- Available in various surface finishes
- Easy to fill from above

PVD		
	satin gold	526698
Metallic surface		
	chrome	521 291
	manganese	521 293

# **Technical Drawing** 115 ø32 ø35 Please note: Ø 35 mm tap hole required

bottle content: 500 ml


# **BLANCO LATO**



- Sleek and timeless soap dispenser design
- Attractive monochromatic and split finish versions for a perfect match with BLANCO mixer taps and sinks
- Adapted length and height for an optimal spout reach
- Easy to refill from above
- Practical sink accessory

PVD	PVD				
	PVD steel	525 809			
	satin gold	526 699			
Metallic surface					
	chrome	525 808			
SILGRANIT Lool	SILGRANIT Look dual finish				
	black/chrome	526 177			
	anthracite/chrome	525 810			
	rock grey/chrome	525 817			
NEW	volcano grey/chrome	526954			
	alu metallic/chrome	525 811			
	white/chrome	525 814			
NEW	soft white/chrome	526 955			
	tartufo/chrome	525 816			
	coffee/chrome	525 815			
Special colours	Special colours				
	black matt	525789			

# Technical Drawing



Please note: Additional hole (Ø 35 mm) required

Contains: 300 ml


# **BLANCO TORRE**



- Timeless soap dispenser design
- Metallic surface matches a variety of BLANCO mixer taps and sinks
- Adapted length and height for an optimal spout reach
- Easy to refill from above
- Practical sink accessory

PVD		
	PVD steel	526 430
	satin gold	526700
Metallic surface		
	chrome	512 593
	stainless steel	521 541
	stainless steel finish	512 594

# Technical Drawing




Please note:  $\emptyset$  35 mm tap hole required

bottle content: 300 ml



- Easy refill from above
- Practical accessory


Metallic sur	face	
	chrome	511 266



# **BLANCO TIGA**



- Easy refill from above
- · Practical accessory



# **Technical Drawing** Ø 25 Ø45 56 Ø53 Content: 250 ml

Additional Ø 35 mm hole required

# **BLANCO VICUS**





- Modern edge to the traditional farmhouse style
- Practical accessoryfor daily life
- Easy refill from above

Metallic surface	9	
1	chrome	524290

Technical	Drawing
105	134 107 88 Ø46 Ø35 09.xem
Please note: Contains: 50	Additional hole (Ø 35 mm) required 0 ml

# **BLANCO YANO**



- Modern design goes perfectly with many different BLANCO mixer taps
- Practical accessory for daily life
- Easy refill from above



# **Technical Drawing** 88 ø48 Ø 35 mm tap hole required - bottle content: 300 ml

# COLLECTING. SEPARATING. CREATING ORDER.

BLANCO FLEXON II - getting the most out of a sink cabinet space.



The BLANCO FLEXON II product range offers waste bins with a high-quality frame and is easy to install in all common pull-out cabinets. Thanks to its wide selection of models with waste bins in different sizes, FLEXON II can be customised to almost every kitchen planning. Whether your costumer has a 30 or 90 cm cabinet width, single or divided drawers, the waste management system can easily be retrofitted in existing kitchen drawers. The frame is simply positioned in the drawer, making the bins easily accessible and extremely easy to clean.

But FLEXON II offers a lot more: the Low version can be installed directly under the worktop. This ensures ergonomic workflows. And FLEXON II cannot only be used to collect and separate waste, the system is also perfect for storing e.g. cleaning utensils.



FLEXON II Low makes the most of cabinet space by fitting waste and recyclables directly below the worktop or sink.



Whenever kitchen cabinets with divided drawers are planned, FLEXON II Low is the perfect solution for waste separation or storage of e.g. cleaning utensils.



BLANCO FLEXON II is ideal for existing drawers. Installed in a flash, it fits perfect into drawers from 30 to 60 cm width.





- Premium model for regular disposing of large amounts of food waste in big households
- Optimal interface management for BLANCO sinks and bowls
- · High quality and powerful AC induction motor
- Easy to install thanks to 3 bolt installation system
- · Grinding components made of stainless steel
- 3 grinding stages for very fine grinding results
- Volume of grinding chamber 1200 ml
- Autoreverse function








AC induction mo	tor	Power plug type	
	1 HP/ 230 V/ 50 Hz/ 12 A	E+F	526648

Not in all countries available. For further information please contact your BLANCO partner.

## **Technical Drawing**



3 1/2" sink outlet required. Product weight: 11 kg. Non-detachable 90 cm power cord. Reset-button on bottom of the FWD (note accessibility)

## Scope of supply









Baffle

- Removable baffle
- Plug and strainer to close drain
- Air switch with cover in chrome and PVD steel
- L-pipe with dishwasher or overflow connection
- Overflow connection for BLANCO sinks
- Wrench for mounting and free blockage



Air switch set



Air switch cap



Plug and strainer

L-pipe set

Overflow connection



Wrench

## Suggested optional accessories







Air switch cap

Air switch cap

2nd bowl piping set

526769

526770





- Advanced model for the regular disposing of normal household amounts of food
- Optimal interface management for BLANCO sinks and bowls
- · High quality and powerful AC induction motor
- Easy to install thanks to 3 bolt installation system
- · Grinding components made of stainless steel
- 3 grinding stages for very fine grinding results
- Volume of grinding chamber 1200 ml




**Power supply required** 

38



AC induction motor		Power plug type	
	0.75 HP/ 230 V/ 50 Hz/ 10 A	E+F	526647

Not in all countries available. For further information please contact your BLANCO partner.



3 1/2" sink outlet required. Product weight: 10,6 kg. Non-detachable 90 cm power cord. Reset-button on bottom of the FWD (note accessibility)

150

## Scope of supply



Air switch set



Air switch cap





Baffle

- Removable baffle
- Plug and strainer to close drain

203

- Air switch with cover in chrome and PVD steel
- L-pipe with dishwasher or overflow connection
- Overflow connection for BLANCO sinks
- Wrench for mounting and free blockage







Plug and strainer

L-pipe set

Overflow connection



Wrench

## Suggested optional accessories







Air switch cap

Air switch cap

2nd bowl piping set

526769

526770



- Entry-level model for disposing small amounts of food waste or for small households
- Optimal interface management for BLANCO sinks and bowls
- · High quality and powerful AC induction motor
- Easy to install thanks to 3 bolt installation system
- · Grinding components made of stainless steel
- 2 grinding stages for fine grinding results
- Volume of grinding chamber 900 ml




**Power supply required** 



AC induction motor		Power plug type	
	0.5 HP/ 230 V/ 50 Hz/ 10 A	E+F	526646

Not in all countries available. For further information please contact your BLANCO partner.



180

3 1/2" sink outlet required. Product weight: 7,4 kg. Non-detachable 90 cm inch power cord. Reset-button on bottom of the FWD (note accessibility)

#### Scope of supply



Air switch set





Stopper







L-pipe set

Overflow connection



Wrench

- Removable baffle
- Stopper to close drain
- Air switch with cover in chrome
- L-pipe with dishwasher or overflow connection
- Overflow connection for BLANCO sinks
- Wrench for mounting and free blockage

## Suggested optional accessories





Air switch cap

2nd bowl piping set

526770

# **BLANCO SELECT II**

# TOBAP ОД ЗАКАЗ



- Complete use of space in the sink cabinet thanks to dimensionally matched solutions, in harmony with the sink and mixer tap
- Wide range of models for all the most common cabinet dimensions
- · Versatile universal boxes in the organiser drawer keep things even more neat and tidy
- Diverse and varied waste separation options through flexible bin combinations
- Simple installation without measuring, marking or pre-drilling
- Optional accessories enhance the system to create a custom solution
- Modern design with high-quality aluminium
- All parts are easy to clean thanks to the generous and smooth surfaces





_		
reddot	winner	2021

cabinet size mm	600	600	600	600
BLANCO SELECT II	60/4 Orga	XL 60/3 Orga	60/3 Orga	60/2 Orga
	B	9 E3 E3 E		a series 6
	526211	526210	526 209	526 208
Volume	42	46 I	45	49
	15I 15I 6I 6I	301 81	151 151 151	301 191
	450	450	400 560 1668	450 562/568

#### Scope of supply

pull-out system for front attachment, organisation drawer, 2 x 15 I and 2 x 6 l bin, 1 x bin lid 6 l

pull-out system for front attachment, organisation drawer, 1 x 30 I and 2 x 8 l bin, 1 x bin lid 8 l

pull-out system for front attachment, organisation drawer, 3 x 15 l bin

pull-out system for front attachment, organisation drawer, 1 x 30 l and 1 x 19 l bin

#### **Installation note**

- Installation height 458 mm (universal compartments can be moved to provide additional installation space for drain fittings), installation depth 400 mm, required internal cabinet dimensions for pull-out rails 450 mm, cabinet side wall thickness 16 mm or 19 mm.
- For cabinets with 18 mm side wall thickness distance plates 00243513 must be ordered
- This requires front doors without hinges or drill holes. Please note the handle position.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 40 mm.
- When planning, please note the installation height of the waste management system, the installation depth of the sink and the resulting minimum dimensions of the base cabinet.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

#### Suggested optional accessories






521 301\*









AktivBio-Cover for 6I-Bin

524219 229338

BLANCO bin lid 15 liter



- Complete use of space in the sink cabinet thanks to dimensionally matched solutions, in harmony with the sink and mixer tap
- Wide range of models for all the most common cabinet dimensions
- Diverse and varied waste separation options through flexible bin combinations
- Simple installation without measuring, marking or pre-drilling
- Optional accessories enhance the system to create a custom solution
- Modern design with high-quality aluminium
- All parts are easy to clean thanks to the generous and smooth surfaces





	Teddot Willier 2			
cabinet size mm	600	600	600	600
BLANCO SELECT II	60/4	XL 60/3	60/3	60/2
	526 206	526205	526204	526 203
Volume	42	46 I	45 I	49
	151 151 61	301 81	151 151	301 191
	450	450	100 100	400 560 560

#### Scope of supply

pull-out system for front attachment, system cover, 2 x 15 I and 2 x 6 l bins, 1 x bin lid 6 l

pull-out system for front attachment, system cover, 1 x 30 I and 2 x 8 l bin, 1 x bin lid 8 l


pull-out system for front attachment, system cover. 3 x 15 l bin

pull-out system for front attachment, system cover, 1 x 30 I and 1 x 19 l bin

#### **Installation note**

- Installation height 361 mm, installation depth 400 mm, necessary inside cabinet dimensions for pull-out rails 450 mm, cabinet side wall thickness 16 mm or 19 mm.
   For cabinets with 18 mm side wall thickness distance plates 00243513 must be ordered
- This requires front doors without hinges or drill holes. Please note the handle position.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 40 mm.
- When planning, please note the installation height of the waste management system, the installation depth of the sink and the resulting minimum dimensions of the base cabinet
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories










**BLANCO SELECT AutoMove** 



AktivBio-Cover for 6I-Bin



BLANCO bin lid 15 liter

229338

519357

521 301\*

524219



# Waste systems

# BLANCO SELECT II Compact 60/2





- Ideal for installation in front of wall-mounted low-pressure boilers, hot-water systems and filter systems
- Optimal use of the cabinet space thanks to the reduced installation depth of
- Modern design with high-quality aluminium
- · All parts are easy to clean thanks to the generous and smooth surfaces
- Simple installation without measuring, marking or pre-drilling





	red <mark>dot</mark> winner 2021
cabinet size mm	600
BLANCO SELECT II Compact 60/2	
	526207
Volume	341
	171 171

#### Scope of supply

pull-out system for front attachment, system cover, 2 x 17 l bin

## Installation note

- Installation height 361 mm, installation depth 320 mm, necessary inside cabinet dimensions for pull-out rails 450 mm, cabinet side wall thickness 16 mm or 19 mm.
- For cabinets with 18 mm side wall thickness distance plates 00243513 must be
- This requires front doors without hinges or drill holes. Please note the handle position.
   Also suitable for installation in base cabinets with frame and panel doors with frames from 40 mm
- When planning, please note the installation height of the waste management system, the installation depth of the sink and the resulting minimum dimensions of the base
- Minimum installation depth for BLANCO TAMPERA Hot: 550 mm.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories



**BLANCO MOVEX** 

# **BLANCO SELECT II**





- Complete use of space in the sink cabinet thanks to dimensionally matched solutions, in harmony with the sink and mixer tap
- Wide range of models for all the most common cabinet dimensions
- Diverse and varied waste separation options through flexible bin combinations
- Simple installation without measuring, marking or pre-drilling
- Optional accessories enhance the system to create a custom solution
- Modern design with high-quality aluminium
- · All parts are easy to clean thanks to the generous and smooth surfaces





	×	onorodo dna omodin daridodo	reddot winner 202
cabinet size mm	500	500	450
BLANCO SELECT II	50/3	50/2	45/2
	526 202	526201	526200
Volume	35	381	32
	191 81	191 191	161 161
	450 468	460 466	450 450 A12/A18
Scope of supply			

#### Installation note

- Installation height 361 mm, installation depth 400 mm, necessary inside cabinet dimensions for pull-out rails 450 mm, cabinet side wall thickness 16 mm or 19 mm.

cover, 2 x 19 l bin

- For cabinets with 18 mm side wall thickness distance plates 00243513 must be ordered separately.

pull-out system for front attachment, system


cover, 1 x 19 I and 2 x 8 I bin, 1 x bin lid 8 I

- This requires front doors without hinges or drill holes. Please note the handle position.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 40 mm.
- When planning, please note the installation height of the waste management system, the installation depth of the sink and the resulting minimum dimensions of the base cabinet.

pull-out system for front attachment, system


- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories











Universal box - to hang in the

BLANCO SELECT Clip

521300

BLANCO MOVEX

519357

**BLANCO SELECT AutoMove** 

521 301\*

AktivBio-Cover for 8I-Bin

8-I, 15-I or 19-I bin 229342

pull-out system for front attachment, system

cover, 2 x 16 l bin

# **BLANCO FLEXON II**

# TOBAP ОД ЗАКАЗ



- Wide range of models for all standard sink cabinets with one drawer
- Diverse waste separation and storage options through flexible bin combinations
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- The included pull-out system cover can be used as a practical storage area
- Modern design with high-quality aluminium
- · All parts are easy to clean thanks to the generous and smooth
- Optional accessories enhance the system to create an individual solution



cabinet size mm	600	600	600	600
BLANCO FLEXON II	60/4	XL 60/3	60/3	60/2
	521 474	521 473	521 472	521 471
Volume	42	46 I	45	49
	15I 15I 6I 6I	301 81	151 151 151	301 191
	956 355 366	9365 366	955 365 365	100 do 10

#### Scope of supply

system for installation in drawers, system cover, 2 x 15 I and 2 x 6 l bin, 1 x bin lid 6 l

system for installation in drawers, system cover, 1 x 30 I and 2 x 8 I bin. 1 x bin lid 8 I


system for installation in drawers, system cover, 3 x 15 l bin

system for installation in drawers, system cover, 1 x 30 I and 1 x 19 I bin

#### **Installation note**

- A base cabinet with cover and pull-out is required.
- Installation height 355 mm above the drawer base, installation height without system cover 325 mm above the drawer base, installation depth 400 mm (drawer inside dimensions).
- Maximum frame height 250 mm above the drawer base.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm.
- When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories




BLANCO SELECT Clip

521300



Universal box - to hang in the 8-I, 15-I or 19-I bin 229342



AktivBio-Cover for 6I-Bin

524219







**BLANCO MOVEX** 

# **BLANCO FLEXON II**








- Wide range of models for all standard sink cabinets with one drawer
- Diverse waste separation and storage options through flexible bin combinations
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- The included pull-out system cover can be used as a practical storage area
- Modern design with high-quality aluminium
- All parts are easy to clean thanks to the generous and smooth surfaces
- Optional accessories enhance the system to create an individual solution



cabinet size mm	500	500	450
BLANCO FLEXON II	50/3	50/2	45/2
	521 470	521 469	521 468
Volume	35	381	32
	191 81	191 191	161 161
	agelyteth.	a september	, zuka







#### Scope of supply

system for installation in drawers, system cover, 1 x 19 I and 2 x 8 I bin, 1 x bin lid 8 I


system for installation in drawers, system cover,  $2 \times 19 \text{ l}$  bin

system for installation in drawers, system cover,  $2 \times 16 \text{ l}$  bin

#### Installation note

- A base cabinet with cover and pull-out is required.
- Installation height 355 mm above the drawer base, installation height without system cover 325 mm above the drawer base, installation depth 400 mm (drawer inside dimensions).
- Maximum frame height 250 mm above the drawer base.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm.
- When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories




BLANCO SELECT Clip

521300

DEANOU SELECT CIII



Universal box - to hang in the 8-I, 15-I or 19-I bin 229342



AktivBio-Cover for 8I-Bin



BLANCO MOVEX

15 200


524220




- Wide range of models for all standard sink cabinets with one drawer
- Diverse waste separation and storage options through flexible bin combinations
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- The included pull-out system cover can be used as a practical storage area
- Modern design with high-quality aluminium
- · All parts are easy to clean thanks to the generous and smooth surfaces
- Optional accessories enhance the system to create an individual solution



cabinet size mm	300	300
BLANCO FLEXON II	30/2	30/1
	521 467	521 542
Volume	16	191
	81 81	191
	~	





#### Scope of supply


system for installation in drawers, system cover, 2 x 8 l bin, 1 x bin lid 8 l

system for installation in drawers, system cover, 1 x 19 l bin

#### Installation note

- A base cabinet with cover and pull-out is required.
- Installation height 355 mm above the drawer base, installation height without system cover 325 mm above the drawer base, installation depth 400 mm (drawer inside dimensions).
- Maximum frame height 250 mm above the drawer base.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm.
- When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories







AktivBio-Cover for 8I-Bin

524220

Universal box - to hang in the 8-I, 15-I or 19-I bin 229342

**BLANCO MOVEX** 

# **BLANCO FLEXON II Low**

# TOBAP ПОД ЗАКАЗ



- For base cabinets with divided drawers and a width of 50 to 90cm (thanks to a reduced installation height of 330 mm)
- Diverse waste separation and storage options through flexible bin combinations, with reduced space requirements in the sink cabinet
- High stability and clean through frame solution with hanging bins
- · Simple installation without marking or pre-drilling
- Modern design with high-quality aluminium
- All parts are easy to clean thanks to the generous and smooth surfaces
- Optional accessories enhance the system to create an individual solution



	individual solution	winner
cabinet size mm	900	800
BLANCO FLEXON II Low	90/4	80/3
	521 475	525 221
Volume	73	65
	191 191 191 161	191 301 161
	400 Real to	400 Real Line
Coope of ourney		~ .

#### Scope of supply


system for installation in drawers, 3 x 19 I and 1 x 16 I bin

system for installation in drawers, 1 x 30 l, 1 x 19 l and 1 x 16 l bin

#### **Installation note**

- A base cabinet with cover and pull-out is required.
- Installation height 325 mm above the drawer base, installation depth 400 mm (drawer inside dimensions).
- Maximum frame height 250 mm above the drawer base.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm.
- When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories



521300

BLANCO SELECT Clip



Universal box - to hang in the 8-I, 15-I or 19-I bin 229342



**BLANCO MOVEX** 

# **BLANCO FLEXON II Low**

# TOBAP ПОД ЗАКАЗ



- For base cabinets with divided drawers and a width of 50 to 90cm (thanks to a reduced installation height of 330 mm)
- Diverse waste separation and storage options through flexible bin combinations, with reduced space requirements in the sink cabinet
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- Modern design with high-quality aluminium
- All parts are easy to clean thanks to the generous and smooth surfaces
- Optional accessories enhance the system to create an individual solution

cabinet size mm	600	600	600	600
BLANCO FLEXON II Low	60/4	XL 60/3	60/3	60/2
	526 644	526 643	526642	526 641
Volume	42	46 I	45	49
	15I 15I 6I 6I	301 81	151 151 151	301 191
	150 PM	660 F00 F00 F00 F00 F00 F00 F00 F00 F00	562/568 562/568	62/608 900
Scope of supply				
	system for installation in drawers,	system for installation in drawers,	system for installation in drawers,	system for installation in drawers,


2 x 15 l and 2 x 6 l bin, 1 x bin lid 6 l 1 x 30 l and 2 x 8 l bin, 1 x bin lid 8 l 3 x 15 l bin

1 x 30 l and 1 x 19 l bin

#### Installation note

- A base cabinet with cover and pull-out is required.
- Installation height 325 mm above the drawer base, installation depth 400 mm (drawer inside dimensions).
- Maximum frame height 250 mm above the drawer base.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm.
- When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories




BLANCO SELECT Clip

521300



Universal box - to hang in the 8-I, 15-I or 19-I bin 229342







BLANCO bin lid 15 liter

229338



**BLANCO MOVEX** 


# **BLANCO FLEXON II Low**


# ТОВАР ПОД ЗАКАЗ



- For base cabinets with divided drawers and a width of 50 to 90cm (thanks to a reduced installation height of 330 mm)
- Diverse waste separation and storage options through flexible bin combinations, with reduced space requirements in the sink cabinet
- High stability and clean through frame solution with hanging bins
- Simple installation without marking or pre-drilling
- · Modern design with high-quality aluminium
- All parts are easy to clean thanks to the generous and smooth surfaces
- Optional accessories enhance the system to create an individual solution

500	500
50/3	50/2
526640	526639
35	381
191 81	191 191
	50/3 526640 35 I





#### Scope of supply


system for installation in drawers, 1 x 19 I and 2 x 8 I bin, 1 x bin lid 8 I

system for installation in drawers, 2 x 19 l bin

#### Installation note

- A base cabinet with cover and pull-out is required.
- Installation height 325 mm above the drawer base, installation depth 400 mm (drawer inside dimensions).
- Maximum frame height 250 mm above the drawer base.
- Also suitable for installation in base cabinets with frame and panel doors with frames from 90 mm.
- When planning, please note the installation height of the waste management system, the height of the drawer base, the installation depth of the sink with the waste kit and the resulting minimum dimensions of the base cabinet.
- Minimum recommended plinth height for MOVEX installation: 100 mm.

## Suggested optional accessories




BLANCO SELECT Clip

521300



Universal box - to hang in the 8-I, 15-I or 19-I bin 229342



AktivBio-Cover for 8I-Bin

524220



BLANCO MOVEX



- Compact system with door follower for automatic opening of the waste management system when the door is opened
- Different models for the most common cabinet dimensions
- Easy to mount on the floor thanks to installation aid
- Functional design made of high-quality plastic
- Easy to clean bins with ergonomic handle
- · Large waste volume despite compact dimensions

cabinet size mm	600	450
BLANCO BOTTON Pro	60/3 Automatic	45/2 Automatic
	517 470	517 468
Volume	39	261
	131 131	131 131
	300	350

#### Scope of supply

system for floor-mounting behind hinged doors, 3 x 13 l bin, door catch

system for floor-mounting behind hinged doors, 2 x 13 l bin, door catch

#### Installation note

- Installation instructions for the BLANCO BOTTON Pro Automatic:
- Use doors with a min.  $100\ensuremath{^\circ}$  opening angle
- Maximum door hinge width 35 mm
- Installation depth 400 mm
- Installation height 350 mm


# **BLANCO BOTTON Pro**






- Compact system for positioning flexibly in the base cabinet
- Different models for the most common cabinet dimensions
- Easy to mount on the floor thanks to installation aid
- Functional design made of high-quality plastic
- Easy to clean bins with ergonomic handle
- · Large waste volume despite compact dimensions

cabinet size mm	600	450
BLANCO BOTTON Pro	60/3 Manual	45/2 Manual
	517 469	517 467
Volume	39	26
	131 131	131
,		





#### Scope of supply

system for floor-mounting behind hinged doors, 3 x 13 l bin

system for floor-mounting behind hinged doors, 2 x 13 l bin

#### Installation note

- Installation instructions for the  ${\tt BLANCO}$   ${\tt BOTTON}$  Pro Manual:
- Take account of the dimensions of the door hinges when calculating the installation width
- Installation depth 400 mm
- Installation height 350 mm

# **BLANCO BOTTON II 30/2**



- Large waste volume despite compact dimensions
- Can be flexibly positioned in the base cabinet
- Easy to install on the floor using just four screws
- Extremely sturdy thanks to the U-shaped steel sheet profile
- The bins can be easily removed by lifting upwards, thanks to the comfortable full extension
- Functional design made of high-quality plastic

300
526376
30
151

#### Scope of supply

system for floor-mounting behind hinged doors, 2 x 15 l bin

#### Installation note

# Waste systems

# **BLANCO SOLON-IF**





- High quality full stainless steel waste system
- Convenient working directly into the bin no onerous stooping anymore
- High-grade and easy to clean stainless steel
- Lid included to reduce unpleasant odours
- Well-balanced design
- For flushmount and inset installation



	2004
cabinet size mm	300
BLANCO SOLON-IF	
	512 471
Volume	71
	71
	ø280 ø213 Ø2

Scope of supply

system for installation in worktops, 1 x 7 l stainless steel bin, 1 x stainless steel bin lid

Installation note

# **BLANCO SINGOLO XL**



- Compact system for mounting directly on the cabinet door
- Large waste volume despite compact dimensions
- Conveniently opens with the cabinet door
- The bin can be easily removed by lifting upwards
- Highly stable thanks to the steel body
- Continuously adjustable: also suitable for panel doors
- Can be mounted on the left or right side

cabinet size mm	400
BLANCO SINGOLO XL	
	526377
Volume	201
	201
	306
Scope of supply	

# Installation note

- The Singolo XL is not suitable in doors with soft close.


system for installation on hinged doors, 1 x 20 l bin, bin lid


# **BLANCO SINGOLO**



- Compact system for mounting directly on the cabinet door
- One model for 45 cm, 50 cm and 60 cm cabinets
- Bin can easily be removed by lifting upwards
- Opens up comfortably with the cabinet door
- Removable bin cover with placement area for lightweight implements i.e. sponges
- Continuously adjustable: also for panel doors
- Optional partition to divide the bin into two

cabinet size mm	450	450
BLANCO SINGOLO	S	
	512881	512880
/olume	14	14
	71 71	141
		,





#### Scope of supply

system for installation on hinged doors, system cover, 1 x 14 l bin, bin devider

system for installation on hinged doors, system cover, 1 x 14 l bin

#### Installation note

# MAKING KITCHEN TASKS EASIER

Matching accessories for the kitchen water place.



A sink can be so much more than the place where dishes and food are cleaned. With our ingenious accessories, it can be transformed into a multifunctional workplace in just a few simple steps. Streamlined workflows eliminate the need for unnecessary actions, making preparing food a breeze. This option offers a very practical additional benefit, especially in small kitchens.



A practical accessory for every sink is a colander. When hung in the bowl, it can be used to temporarily store prepared or cleaned food or cleaned dishes and cutlery.



A cutting board increases the work surface and can be flexibly positioned and moved over the sink.



The floating grid can be used to create an additional functional level. Ideal e.g. for draining crockery or washing food.




# BLANCO CARE. Cleaning and care products

# DailyClean+



- Professional limescale remover for all sink and mixertap surfaces
- Gentle suitable for everyday use
- Do not use on surfaces that are sensitive to acid. Follow the manufacturer's care instructions. If in doubt, test it first in an inconspicuous place.



# Care products





<sup>\*</sup>Not in all countries available. For further information please contact your BLANCO partner.

# Accessories

# Accessories for BLANCO sink programmes

# Foldable grid



- Can be placed on the drainer, over the bowl or on the worktop
- Extends the versatility of the sink centre, e.g. for draining washed items or filling up pots
- Variable positioning on the drainer, in the bowl or outside the sink
- Easy to stow away thanks to the practical folding function



# Corner caddy



- Rinsing and draining high-quality plastic colander for food and crockery
- Practical storage for washing utensils
- · Variable placement with secure grip
- Efficient and flexible use of the bowl



Recommended for BLANCO DALAGO, METRA, ADON and PLEON

235866

# Top rails



- Positioned at the edge of the bowl, the Top-Rails create a bridge over the sink and provide a second level
- Further possiblities of use on the worktop (e.g. as a trivet)
- Made of high-quality stainless steel



Recommended for BLANCO SUBLINE and PLEON SILGRANIT and also for ANDANO, SUPRA, CLARON, FLOW, ZEROX and CRONOS-

# Floating grids



- When attached to the bowl, the floating grid provides an additional functional level
- Ideal for draining crockery or washing food, or as a trivet on the worktop
- Made of high-quality stainless steel



Recommended for BLANCO PLEON and SUBLINE SILGRANIT and Ceramic

234795

# CapFlow



- · Aesthetic cover for outlet
- Fully functional basket strainer
- $\bullet$  Versatile use on any sink with 3 ½" outlet
- Not compatible with the InFino drain system



517666

# Lay-on wave drainers



- Attractive drainer with wave-look design
- High level of functionality resulting from the draining effect and the safe support for dishes
- Complements undermount bowls and bowls with the IF low-profile rim



230734

Accessorie


# Accessories

# Accessories for BLANCO sink programmes

# Additional drain trays



- When placed on the worktop, the draining tray can replace a drainer
- Provides enough room for washed items
- Made of high-quality plastic with a stainless steel insert
- Ideal when combined with a single or double bowl



513485

## Multifunctional baskets



- A practical complement for bowls and sinks
- Particularly suitable for washing fruit or vegetables
- Appropriate for bowls and sinks with a bowl length of 400 mm
- Made of high-quality, easy-care stainless steel



223 297

# Crockery baskets with plate stacker




- Can be used in or next to the sink
- Comes with a practical plate stack
- Made of high-quality, easy-care stainless steel



# Cutting overlays



- Suitable for dishwashers 65°C
- Cutting overlay protectsknives and chopping board
- Suitable for food use
- For universal use on BLANCO chopping boards



# Multifunctional colanders



- Adds multiple functionalityto sinks and bowls
- For washing, draining and holding fruit and vegetables
- Made of high-quality, easy-care stainless steel

177	Recommended for BLANCO ETAGON in Ceramic, can be placed on step	226 189
175	Recommended for BLANCO ETAGON and SUBLINE in SILGRANIT	227 689
08	Recommended for BLANCO ETAGON stainless steel, ANDANO and SUPRA	227 692
187	Recommended for BLANCO ETAGON in stainless steel, can be placed on step	231 396
168	Recommended for BLANCO SUBLINE in Ceramic	514542

# Universal cutting boards for inset installation



- Suitable for use in sinks and bowls with classic installation from above
- The cutting board at the outer edges of the sink allows flexible working at the sink centre

260	Plastic chopping board in white For sinks and bowls with a width of 510 mm	210 521
260	Plastic chopping board in white For sinks and bowls with a width of 500 mm	217611
1 260	Solid beech chopping board For sinks and bowls with a width of 500 mm	218313
260	Solid beech chopping board For sinks and bowls with a width of 510 mm	225 362
260	Solid beech chopping board For sinks and bowls with a width of 435 mm	225685

# Universal cutting boards for U and IF bowls



- Suitable for use in bowls designed for undermount or IF flat rim installation
- Cutting boards attached to the worktop cut-out or the interior wall of the bowl increase the functionality
- Suitable for bowl lengths of 400 mm or 396 mm

240	Silver-coloured safety glass cutting board Recommended for BLANCO ETAGON-U in Stainless steel and Silgranit, ANDANO, SUPRA, SUBLINE in Silgranit (unsuitable for ANDANO / ETAGON IF/A)	227697
240	Silver-coloured safety glass cutting board Recommended for SUBLINE in Ceramic	227 699
240	Ash compound chopping board Recommended for BLANCO ETAGON in Stainless steel and SILGRANIT, ANDANO, SUPRA, SUBLINE in SILGRANIT	230700
084	Solid beech chopping board Recommended for SUBLINE in Ceramic	514544
280	Bamboo chopping board Recommended for ETAGON, ANDANO, SOLIS	239 449

# Accessories for BLANCO waste systems

# **BLANCO SELECT Clip**



- Clip-on strips for safe and easy attachment of the waste bag
- Suitable for all BLANCO SELECT II and FLEXON II bin sizes from 15 litres and any waste bag size
- Solution for optimum capacity utilisation of the SELECT II and FLEXON II bins
- Design perfectly matched to BLANCO SELECT II and FLEXON II



521 300

# **BLANCO SELECT AutoMove**



- Gentle opening support for all pull-out fronts at the touch of a finger
- Greater design freedom also for handleless fronts in the kitchen
- Touch protection to prevent accidental opening
- Quick and easy installation
- Waste fitting with space-saving pipe recommended
- Not recommended for cabinets doors with all-round seals




521 301\*

## **BLANCO MOVEX**



- Convenient pull-out technology front door is fitted to a profile strip and pulled by the foot
- Easy, user-friendly operation
- Fitting is straightforward thanks to the mounting template no adjustments required
- High-quality stainless steel trim



# Accessories for BLANCO waste systems

# Organisation drawer II



- Flexible storage space offers good use of space
- · Easy drawer closing with high-quality, cushioned self-closing
- For retrofitting with SELECT II and FLEXON II in 60 cm base cabinets
- Design perfectly harmonised with SELECT II and FLEXON II
- Included in the scope of supply for SELECT II Orga



526212

## Universal box



- To be positioned in 8 I, 15 I or 19 I bins of BLANCO SELECT II and FLEXON II
- Also ideal for collecting food waste or small items
- · Dishwasher safe
- In scope of supply of BLANCO SELECT II Orga



229342

## Bin lids for SELECT II and FLEXON II



- Lid to cover bin and collect small items
- Design perfectly matched to BLANCO SELECT II and FLEXON II

15 I bin lid included with BLANCO SELECT II and FLEXON II 60/3 and 60/4	229338
6 I bin lid included with BLANCO SELECT II and FLEXON II 60/4 versions	231 974
8 I bin lid included with BLANCO SELECT II and FLEXON II 30/2, 50/3, XL 60/3 versions (1 bin lid)	231 975

# Accessories for BLANCO waste systems

# AktivBio cover



• Combination of active carbon filter and stainless steel disc can reduce the leakage of unpleasant odours out of the organic waste bin

181	Available for SELECT II and FLEXON II 6 I bins	524219
181	Available for SELECT II and FLEXON II 8 I bins	524220

# Filter for AktivBio covers



- Filter change recommended every 3 months
- Set covers the recommended annual requirement
- Content: 4 pieces

for AktivBio-Cover 6 Liter	524 225
for AktivBio-Cover 8 Liter	524226

# Flexible frame bar



- Flexible to use frame bar
- Allows easy bin retrofitting e.g. SELECT II 60/2 with two bins on XL 60/3 with three bins
- Even more possibilities for bin configuration: up to six bins in the SELECT II
- Cannot be combined with SELECT II Soda, Compact 60/2 und 45/2



pipe		Articlenumber
	DN 40, improves discharge performance	225 616
Tool		Articlenumber
	For the installation of mixer taps, pop-ups or detergent dispensers in laminate worktops with sinks without a tap ledge or in ceramic sinks. 3 x 150 mm including mounting template	120 055
9	For making 35 mm Ø tap hole in SILGRANIT sinks	122 071
8	Cartridge spanner SW 30 und 36 mm Stainless Steel	127 433
9	Cartridge spanner SW 30 und 36 mm Stainless Steel	127 432
	Piercing tool 35 mm Ø For making tap holes in stainless steel sinks	137 001
*	Piercing tool 45 mm Ø For making tap holes in stainless steel sink	137 002
	Adjustable belt spanner for cover ring	139 181
	For replacing and cleaning of the jet control without difficulty – no more damage! Suits jet control models with connection threads M 22 x 1, M 24 x 1, M 28 x 1 Packaging unit 1 item	511 324
Waste fitting		Articlenumber
4	for BLANCO TOP	137 034

Waste fitting		Articlenumber
	for BLANCO TOP, lay-on sinks	222 458
J	(for ED 8 x 4) for BLANCO TOP	504748
	Waste and overflow set for upgrading sinks and bowls in a harmonious look alongside mixer taps, soap dispenser and pop-up in black matt. For single bowls with C-overflow and InFino drain system (except BLANCO CLASSIMO)	239975
	Waste and overflow set for upgrading sinks and bowls in a harmonious look alongside mixer taps, soap dispenser and pop-up in black matt. For double bowls with C-overflow and InFino drain system (except BLANCO CLASSIMO)	239 979
	Waste and overflow set for upgrading sinks and bowls in a harmonious look alongside mixer taps, soap dispenser and pop-up in satin gold. For double bowls with C-overflow and InFino drain system (except BLANCO CLASSIMO)	<b>NEW</b> 203 477
	Waste and overflow set for upgrading sinks and bowls in a harmonious look alongside mixer taps, soap dispenser and pop-up in satin gold. For single bowls with C-overflow and InFino drain system (except BLANCO CLASSIMO)	
Stand pipe valve		Articlenumber
	(for EE 5 x 5-4,3)	369 964
Grid		Articlenumber
	Drainer grid ELON	229234
	2 x ETAGON rails	234164
	2 x ETAGON rails (ETAGON Ceramic)	237 362

Grid		Articlenumber	Cutting board	
	Sink Grid VINTERA	239 955		Safety glass cutting board ZENAR 375 x 367 mm
Drain Tray		Articlenumber	100	
	Lay-on drainer	223 067	l indi	Bridge chopping board BLANCO AXIS 494 x 290 mm
Crockery basket		Articlenumber	10	Glass cutting board ZEROX 420 x 240 mm
	Crockery basket Stainless Steel PLUS, TIPO	220 573		Ash compound chopping board ZENAR 460 x 368 mm
	Stainless Steel Crockery basket RONDO	220 574		
				Ash compound chopping board ZENAR 375 x 368 mm
	Crockery basket NAYA 6, PLEON	231 692		Maple wood cutting board BLANCODELTA 260 x 463 mm
	Crockery basket NAYA, PLEON 9	231 693		Ash compound chopping board ZENAR XL 6 S SteamerPlus
	Crockery basket FLEX, TOP	514238		Beech wood chopping board DALAGO 420 x 250 mm
<b>Cutting board</b>		Articlenumber		
	Chopping board beech wood $\emptyset = 410 \text{ mm}$	218 421		Ash compound chopping board ZENAR XL 6 S Compact
	Chopping board with cutout for colander 405 x 370 mm	218796		Glass cutting board black
170.00				Glace cutting heard white AVIA III
HAR	Wooden chopping board with stainless steel handle 420 x 360 mm	223 074		Glass cutting board white AXIA III 510 x 340 mm

Articlenumber

224629

225 331

225333

229411

229 421

232841

232791

232817

233679

233677

Cutting board		Articlenumber	Drain connection	ıs	Articlenumber
	Glass cutting board white AXIS III 510 x 340 mm	234047		Bowl connection for installation of 2 sink bowls with 1 ½" valve	224044
4T	Ash compound bridging chopping board AXIA III	234051	T.	Bowl connection with odour trap outlet 40 mm and 50 mm for installation of 2 or 3 bowls with 3 ½" basket valves or 1 or 2 bowls with 3 ½" basket valves and a drainer with 1 ½" valve	225 089
	Chopping board maple wood COLLECTIS 6 S 490 x 280 mm	235844		Bowl connection with odour trap outlet 50 mm for installation of 2 bowls with 3 ½" basket valves and a drainer with 1 ½" valve	225 087
	Beech chopping board 433 x 250 mm	513 484		Bowl connection for installation of 2 bowls with 3 ½" basket valve	225 088
			Colander		Articlenumber
ORIGINA DE	Chopping board in solid ash BLANCO FARON 465 x 285 mm	237 118		perforated, 65 mm deep	156 581 4
	Chopping board in solid ash with ornamental decor BLANCO FARON 465 x 285 mm	237 591		Stainless Steel colander	207360
Siphon		Articlenumber			
	with dishwasher connection, outlet for DN 40 pipe	137 158		Stainless Steel colander	208195
5	outlet Ø 40 / Ø 50 mm	137 262		Translucent grey plastic colander	214443
1	with adjustable discharge, outlet Ø 40 / Ø 50 mm	137267		Colander	214492
7	flat version (space-saver), recommended when installing a waste bin, outflow Ø 50 mm	137 287		Multifunctional colander	217796
J	Odour trap 1.5'' x 40 mm	223 087		Colander	219649

Colander		Articlenumber
	Tray	220 145
	Multifunctional colander	220736
	Stainless Steel colander	221 256
	Multifunctional colander	223 077
	Colander	224789
	Multifunctional colander	224787
	Multifunctional colander 272 x 182 mm for SONA 6 S	231178
	Multifunctional colander	232 585
	Multifunctional colander	233739
	Plastic sorting basket with lid	235 845
unum view view view view view view view view	perforated, 65 mm deep	574343

Colander		Articlenumber
	Stainless Steel colander Recommended for BLANCO LANTOS II 6 S, LIVIT II 6 S, TIPO II 6 S, CLASSIMO 6 S and LEMIS 6 S	240729
Sets for sinks		Articlenumber
0	made of grey plastic for reversible sinks	137 075
9	made of grey plastic for reversible sinks	137 077
9	made of grey plastic for reversible sinks	137 078
	made of grey plastic for upright boards, lengthto suit customer requirements	137513
9	made of grey plastic, for sidewall connection, edge height 30 mm $\emptyset$ , length to suit customer requirements	137 528
Clamping elemen	nts	Articlenumber
	Mounting angle for installing sinks in countertops made of plastic composite material or granite (in conjunction with standard clamping elements)	140 918
T	Isosceles assembly set for stainless steel undermount bowls for mounting under a solid worktop for worktop thickness from 20 mm Set of 4 retaining elements, seal on site	212330
	for installation under recessed worktop. Sealed on-site. Set of 4 supporting elements	212331
	for installation under recessed worktop. Sealed on-site. Set of 4 supporting elements	212332

Clamping elemer	nts	Articlenumber	Pop-up remote	controls LIVIA	Articlenumber
	for installation under recessed worktop. Sealed on-site. Set of 6 supporting elements	212596		Manganese Minimum drilling diameter required: 14 mm	521 296*
	for mounting under solid worktop.		Pop-up remote	controls round	Articlenumber
******	Sealed on-site. Set of 4 supporting elements	218 268		Satin gold Minimum drilling diameter required: 14 mm	NEW 203 495*
	for mounting under solid worktop. Sealed on-site Set of 6 supporting elements	218269		Stainless steel satin polish Minimum drilling diameter required: 14 mm	222115
V	14 clamping elements for stainless steel sinks (standard element)	220311		Stainless Steel brushed finish	222118
44 44	for mounting under solid worktop. Sealed on-site. Set of 4 supporting elements	220605		Minimum drilling diameter required: 14 mm  Stainless Steel	
Pop-up		Articlenumber		Minimum drilling diameter required: 14 mm	226540
	Black matt Minimum drilling diamater required: 14 mm	238 688*		Stainless Steel finish Minimum drilling diameter required: 14 mm	221 336*
Pop-ups Stainles	ss steel	Articlenumber			
4	Stainless Steel Minimum drilling diameter required: 35 mm	119293		Chromer Minimum drilling diameter required: 14 mm	221 339*
Pop-up remote c	ontrols LIVIA PVD	Articlenumber		Chrome-plated plastic Minimum drilling diameter required: 14 mm	225 112*
Satin gold Minimum drilling diameter required: 14 mm		526701*	BLANCO Pusho	Control	Articlenumber
Pop-up remote c	Pop-up remote controls LIVIA		32	BLANCO PushControl	233696
	Chrome Minimum drilling diameter required: 14 mm	521 294*			

BLANCO installation solutions.



## Монтаж в столешницу сверху

Классический способ врезки в столешницу "сверху".

- Large selection of sinks in stainless steel, SILGRANIT® and Ceramic
- Suitable for all worktop materials
- Uncomplicated and quick installation







**BLANCO ETAGON 6 Black Edition** 



# Врезка мойки с плоским кантом IF

Возможна врезка как сверху, так и в один уровень

- Wide product programme of stainless steel sinks with the flat rim IF
- Lay-on installation option is ideal for laminate worktops
- One model, two installation options
  - Installation from above, top mounted (safe and quick mounting)
  - Flushmount installation







BLANCO LEMIS XL 6 S-IF, stainless steel



## Монтаж в один уровень

Данный тип монтажа возможен только в заводских условиях

- Wide selection of Silgranit models with special rim design for flushmount installation
- · Recommended for worktops in natural or artificial stone
- Permanent and safe connection of sink and worktop thanks to mechanical supporting elements and the jointing with sealant







Flushmount detail of BLANCO AXIA III 5 S-F, Silgranit white

BLANCO installation solutions.



## Подстольный монтаж в ламинат

Almost smooth installation from below for a modern and elegant look.

- Suitable Silgranit® products are marked with the FU symbol.
- Suitable for laminate worktops
- Extremely long-lasting adhesion using casting resin in a precisely-made worktop cut-out





BLANCO ZENAR XL 6 S-F, Silgranit



## Монтаж под столешницу

Smooth, continuous installation of bowls and sinks for a harmonious overall impression.

- In addition to the wide range of special bowls for undermount installation in stainless steel, Silgranit and Ceramic, almost all our inset stainless steel and Silgranit sinks are suitable for undermount installation
- Suitable for worktops in natural or artificial stone, ceramic or glass
- Special supporting elements are used to secure the sink to the underside of the worktop, then it is jointed with sealant







BLANCO SUBLINE 700-U, Silgranit white

# How-to videos with practical tips for the kitchen specialist

How do you install a flushmounted sink? Do you have any tips for caring for our sinks? How can I make an additional hole in a Silgranit sink?

Find answers to these and other questions in our How-to videos in the Internet.



BLANCO installation solutions.



# Монтаж в столешницу сверху

In this process, the sink is placed inside the sink cut-out from above.

BLANCO stainless steel sinks with a profiled rim are sealed at the works; sinks made of Silgranit® or Ceramic are given a layer of sealant on-site.

Silgranit and stainless steel sinks are secured to the worktop from below using securing elements; Ceramic sinks are simply placed on top of it.



# Врезка мойки с плоским кантом

In this process, the sink is placed inside the sink cut-out from above. A layer of sealant is applied under the rim of the sink before installation. The sinks are secured to the underside of the worktop by securing elements.

The flushmount installation of IF sinks correlates to the classic flushmount installation method.



# Монтаж в один уровень со столешницей


For the flushmount installation method, the sink is fitted from above. We have various special designs with a specific rim for this option.

A groove is worked all around the worktop and filled with sealant. The sink is placed in the sealant and then secured to the worktop from below using supporting elements.


#### Stainless steel




## SILGRANIT®



#### Ceramic




## Stainless steel: Installation from above, flat lay-on




# Stainless steel: Flushmount installation



#### Stainless steel




## SILGRANIT®



**Note:** Milling may differ from illustration depending on model (0° instead of 15° as shown). Please note model-related cut-out data at blanco.com.

## Ceramic



Cut-out information can be found in our internet download.

BLANCO installation solutions.



# Билейка в ламинат под столешницу

For the flush undermounted installation method, the sink is mounted from below. BLANCO flushmount models are suitable for flush undermount installation.

With laminate worktops, the carrier material is milled away around the cutout and all the way to the top layer.

Adhesive is applied to the rim of the sink, which is then placed on the laminate. The sink is permanently bonded to the worktop by additionally applying casting resin from underneath.



# Подстольный монтаж


BLANCO's special undermount bowls and almost all BLANCO inset sinks can be fitted from below in non-water drawing worktops in natural stone or composite materials. Thin worktops < 20 mm require an additional lining. A layer of sealant is applied between the rim of the sink and the bottom edge of the worktop.

The sink is attached to the worktop by special supporting elements. Special dowels are used for screw attachments in worktops made of natural stone or composite materials.




# Модульный монтаж


In-between modules replace the worktop over a defined width. The module is placed on the sink cabinet and secured by screws. Depending on the planning situation, the worktop material is placed to the right and left and a layer of sealant applied.




#### **SILGRANIT®**




#### Stainless steel: Undermount bowls




#### SILGRANIT®: Undermount bowls




#### **Ceramic: Undermount bowls**



#### Stainless steel: Undermount sinks



#### SILGRANIT®: Undermount sinks



Special supporting elements are required for undermounting inset sinks.

#### Note:


The cabinet widths given for inset sinks apply to installation from above.

For undermount installation, the cabinet width depends on the dimensions of the sink and the worktop structure.

# A VARIETY OF RETROFIT OPTIONS.

The perfect drain remote control in 2 steps.

Step 1: Define the initial situation and order the appropriate retrofitting kit.



Step 2: Choose a control element from the complete range:

# ADVANCED remote control (exclusiv for BLANCO InFino)

Please note that the ADVANCED remote controls can only be used in conjunction with InFino drain system.

BLANCO PushControl			
9	stainless steel	233 696	

Required drilling diameter: 35 mm

## **DESIGN** remote controls

To match InFino and standard drain

BLANCO LIVIA Pop-up control			
	chrome	521 294*	
	brushed brass	521 295*	
	manganese	521 296*	
	satin gold	526 701*	

Minimum drilling diameter required: 14 mm

\*Information on Regulation (EG) 1907/2006 (REACH) can be found in the service chapter.

## **COMFORT** remote controls

To match InFino and standard drain

Pop-up control			
	stainless steel brushed finish	222 118	
	stainless steel satin polish	222 115	
	stainless steel	226 540	

Minimum drilling diameter required: 14 mm

Pop-up control				
NEW I	brass stainless steel finish	221 336*		
	satin gold	203 495*		
	chrome	221 339*		
	chrome-plated plastic	225 112*		
	black matt	238 688*		
Minimum drilling diameter required: 14 mm				

Rotary switch control			
4	stainless steel	119 293	
Required drilling diameter: 35 mm			



6471/EN/12-2022/SAP 192736 · © BLANCO GmbH + Co KG 2023 All rights reserved. Subject to alterations and errors without notice. Slight deviations in colour are possible.